

Regular Board of Education Meeting

Monday, February 9, 2026 6:00 PM

Board Meeting Room, Educational Support Center, 1205 Fleming Street, Garden City, KS 67846

- A. **PLEDGE – Students from Buffalo Jones Elementary School will lead the Pledge of Allegiance.**
- B. **SILENT REFLECTION**
- C. **MEETINGS OF NOTE**
 - Board member tour of Transportation, February 17, 2026, at 1:00 PM. Four or more board members may be in attendance.
 - Board member tour of Plant Facilities Service Center, February 25, 2026, at 1:00 PM. Four or more board members may be in attendance.
- D. **APPROVAL OF AGENDA with the following amendments:**
 1. Additional classified personnel actions, Item F.3.
- E. **DELEGATIONS, Q & A, PUBLIC COMMENTS, RECOGNITIONS, COMMITTEE REPORTS**
 1. Building Presentation – Buffalo Jones Elementary School
 2. Receive District Audit Report
- F. **CONSENT AGENDA**
 1. Minutes
 - a. Minutes of the January 29, 2026, Regular Board of Education Meeting.
 2. Accounts Payable totaling \$372,784.59, noting that all major accounts contain adequate balances to meet current obligations.
 3. Personnel
 - a. Certified
 - b. Classified
 4. Other
 - a. The Board of Education is asked to consider and approve the Professional Development Council Handbook.
- G. **BOARD REPORTS**
 1. Winter Data Report
- H. **NEW BUSINESS**
 1. The Board of Education is asked to consider and approve the following curriculum counsel items (First Read):
 - a. **GCHS Course Name Changes (not-related to CTE):**
 - Music Courses - Name Changes
 - Semester 1 Symphonic Band to Marching Band
 - Semester 2 Buffalo Band to Wind Ensemble
 - Modern Show Choir to Vocal Jazz
 - A Cappella to Chorale
 - Tenor/Bass Choir to Buffalo Men
 - b. **Middle Schools - Course Name Changes to Align to CTE Pathways:**
 - Family & Consumer Science to Introduction to Family & Consumer Sciences
 - c. **New Middle School Course Offerings (Introductory Level CTE Courses):**
 - Agriculture Explorations 1
 - Business Essentials
 - Career & Life Planning
 - Intro to Health Care
 - Intro to Skilled Trades
 - Intro to Education

2. The Board of Education is asked to consider and approve the purchase of a bell and intercom system at Horace Good Middle School – INA Alert – in the amount of \$238,434.16. (First Read)

I. BOARD OPEN DISCUSSION

- Robin Bergkamp
- Katie Cole
- Mark Hinde
- Nathan Haeck
- Jacob Jenkins
- Rebecca Swender
- Randy Ralston
- Josh Guymon

J. NEXT BOARD MEETING

K. EXECUTIVE SESSION - After the completion of all other business, the Board of Education will adjourn to executive session for the following reason:

1. Matters relating to employer-employee negotiations, whether or not in consultation with the representative or representatives of the body or agency.
2. Consultation with an attorney for the body or agency which would be deemed privileged in an attorney-client relationship.

L. ADJOURNMENT

MEMORANDUM

TO: Board of Education
THRU: Josh Guymon, Superintendent
FROM: Steve Nordby, Assistant Superintendent
DATE: 2/2/2026
RE: **Buffalo Jones Building Presentation**

ISSUE & BACKGROUND:

Buffalo Jones Building presentation.

Buffalo Jones Elementary School staff will provide an update on the programs and happenings at BJES.

ALTERNATIVES:

No alternatives applicable

RECOMMENDATION & FISCAL NOTE:

No action is required. This is an informational item

ATTACHMENTS:

None

Unified School District No. 457



Financial Report

6/30/25

Presented by


Lisa Axman, CPA

Tiffany O'Rourke, CPA


Lewis, Hooper & Dick, LLC




Comparison of BPP and Mill Levy – General Fund




Comparison of FTE, BPP and Mill Levy



Expenditures - All Funds by Type (excluding transfers between funds)



Expenditures - All Funds by Type (excluding transfers between funds)




(continued)

Note: Horizontal axis is in multiples of 10


Expenditures - All Funds by Type (excluding transfers between funds)

(continued)




Note: Horizontal axis is in multiples of 10

2025 Receipts - All Funds (excluding transfers between funds)



Comparison of Receipts – All Funds

(excluding transfers between funds)



Note: Vertical axis is in multiples of 10

Unencumbered Cash – Statement 1

- Total of all District funds = \$54,062,977

- Total of all District funds increased \$14,407,323
 - Increases include:
 - Bilingual Education fund \$1,107,289
 - Capital Outlay fund \$7,601,298
 - Health Care Reserve fund \$2,274,749
 - Textbook Rental fund \$710,098
 - Grant Activity fund \$2,109,195
 - Bond and Interest fund \$713,023

 - Decreases include:
 - Food Service fund \$716,700

Debt Outstanding 6/30/25

General Obligation Bonds

\$70,095,000


Finance Leases

\$12,147,860


Employee Compensated Absences

\$740,837


Comparison to Other Districts (FY25)




Comparison to Other Districts (FY25)



Taxes Paid on \$100,000 Home



USD 457 Changes in Mill Levy



Audit Reports

- Unmodified Auditor's Report on the regulatory basis financial statement
- Auditor's Report in accordance with *Government Auditing Standards*
- Auditor's Report in accordance with Uniform Guidance

Management Letter

- Compliance with Kansas statutes
- Internal controls
- Minutes
- Federal funds
- Resolution of prior year comments

Letter to the Governing Body


- Responsibility - Auditor vs Management
- Planned Scope and Timing of the Audit
- Compliance with Ethics Requirements
- Significant risks identified
- No changes in accounting policies or new accounting policies implemented during the year
- No significant estimates affecting the financial statement
- Sensitive disclosures in the financial statement
- No unusual transactions or fraud identified

Letter to the Governing Body

(cont.)

- No difficulties encountered in performing the audit
- Corrected and uncorrected misstatements
- No disagreements with management
- No circumstances affecting the auditor's report
- Management representations
- Management consultations with other accountants
- No other audit findings or issues

2025 Expenditures - General Fund





Thank you!



DRAFT* MINUTES *DRAFT

Regular Board of Education Meeting Thursday, January 29, 2026 - 5:00 PM Board Meeting Room, Educational Support Center, 1205 Fleming Street, Garden City, KS 67846

The Board of Education of Garden City USD 457 met for a Regular meeting on Thursday, January 29, 2026, at 5:00 PM in the Board Meeting Room, Educational Support Center, 1205 Fleming Street, Garden City, KS 67846.

Board members present were Jacob Jenkins; Katherine Cole; Mark Hinde; Nathan Haeck joined via Webex Video Conferencing; Randy Ralston; and Rebecca Swender. Robin Bergkamp was absent. Joining board members at the conference table was Superintendent, Josh Guymon. Also in attendance were Drew Thon, Deputy Superintendent; Steve Nordby, Assistant Superintendent; and Jessica Nothern, Chief Financial Officer.

President Randy Ralston called the meeting to order at 5:00 PM.

A. **PLEDGE** – Everyone stood for the Pledge of Allegiance.

B. **SILENT REFLECTION** – Thirty seconds of silent reflection was observed.

C. MEETINGS OF NOTE

- Board Member Appreciation Month dinner, Napoli's restaurant, after the conclusion of tonight's meeting.

D. APPROVAL OF AGENDA with the following amendments:

D.1. Add Item F., Unfinished Business

D.2. Move Item E.4.b., The Board of Education is asked to consider and approve the ELA Curriculum Adoption — HMM — in the amount of \$2,463,963.37 from the Consent Agenda to Unfinished Business, Item F.1.

Action(s):

Mr. President, I move to approve the meeting agenda as amended. This motion, made by Mark Hinde and seconded by Rebecca Swender, Carried.

Bergkamp: Absent

Cole: Yea

Haeck: Yea

Hinde: Yea

Jenkins: Yea

Ralston: Yea

Swender: Yea

Voting Summary: Yea: 6, Nay: 0, Absent: 1

E. **CONSENT AGENDA** – approved as amended.

Action(s):

Mr. President, I move to approve all consent agenda items as amended. This motion, made by Mark Hinde and seconded by Rebecca Swender, Carried.

Bergkamp: Absent

Cole: Yea

Haeck: Yea

Hinde: Yea

Jenkins: Yea

Ralston: Yea

Swender: Yea

Voting Summary: Yea: 6, Nay: 0, Absent: 1

E.1. **Minutes** – approved as presented.

E.1.a. Minutes of the January 12, 2026, Regular Board of Education Meeting

E.1.b. Minutes of the January 15, 2026, Special Board of Education Meeting

E.1.c. Minutes of the January 16, 2026, Special Board of Education Meeting

E.2. **Accounts Payable** totaling \$7,096,309.26, noting that all accounts contain adequate balances to meet current obligations – approved as presented.

E.3. **Personnel** – all certified and classified personnel actions were approved as presented.

E.3.a. **Certified**

Tuition Reimbursement Agreement: Marites Rapas – ESOL Endorsement

Student Teacher Agreement:

- Nancy Colocho – Newman University
- Moses Lares – Kansas State University

E.3.b. **Classified**

Retirements: Vicki Gallart

Terminations: Sala Ayala, Daisy Farr, Dina Carbajal

Resignations: Savannah Garcia, Maria Garcia-Sanchez, David Clifford, Nancy Colocho, Ana Hernandez Romero,

Martin Miranda Gomez, Nora Paredes, Nido Orozco, Martin Miranda Gomez

Assignments: Kaitlyn Adams-Bailes, Peyton Case, Herold Charite, Lauren Curtis, Kristine Griffin, Alan Guevara-Solorzano, Lily Leeper, Frida Leon-Lopez, Kryla Munoz, Aedryc Ortiz, Imani Reyes

Transfers:

- Stacy Frizzel from Bus Driver at Transportation to Substitute Driver at Transportation

Other:

- Correction to position title within Special Education Office: Title of Office Assistant II at the Special Education office corrected to Office Assistant I.
- Opened the Garden City High School Para 1 CWC/Resource position that was on hold and moved it to Victor Ornelas Elementary School.
- Closed one (1) Mechanic Position
- Reclassified Mechanic Manager from a Grade Level 32 to 32T
- Moved a one-on-one Paraprofessional III position at Abe Hubert Elementary to STRIVE Day School at Garden City Achieve.

E.4. **Other**

E.4.a. **Approved the following Curriculum Council items.**

E.4.a.i. New Course offering for GCHS — Drama-Stagecraft (non-CTE)

E.4.a.ii. Adding Additional Credit to Existing GCHS Course

- Symphonic Band PE
- Project Management Fine Art
- GCCC Music Appreciation Fine Art

E.4.a.iii.

E.4.a.iv. New GCCC Course Offerings (not related to CTE)

- Introductory Craft Skills
- Construction Basics
- Windows, Doors, and Stairs
- Concrete Basics
- Brakes Lab
- Auto Safety and Shop Practices
- AC/DC Circuits
- Creative Metal Work-Metal Art
- Shop Operations
- Electro-Mechanical Print Reading and Writing
- Technical Math

E.4.a.v. New Garden City Community College Offerings (related to CTE)

- General Carpentry I
- General Carpentry II
- Small Gasoline Engines
- Maintenance and Light Repair
- Brakes Lecture
- Certified Medication Aide

E.4.a.vi. New GCHS CTE Course Offerings

- Agriscience
- Agricultural Internship
- Sustainable/Alternative Agriculture
- Food Science
- Advanced Food Science
- Introduction to Environmental Sciences
- Mechanical Power Transmission Systems
- Foundations of Electronics
- Principles of Applied Engineering
- Workplace Experience in Energy
- Business Management & Entrepreneurship Workplace Experience
- Applied Business Development
- Foundations of Travel and Tourism
- Career & Life Planning
- Nutrition and Dietetics
- Introduction to Computer Coding
- Introduction to Engineering
- Hand & Power Tools
- Digital Electronics
- Workplace Experience in Engineering
- Emerging Technologies
- Workplace Experience in Architecture & Construction
- Interior Architectural Design

- Work Experience in Aviation
- Work Experience in Transportation
- Medical Interventions
- Sports Medicine I
- Certified Nursing Assistant - high school credit only
- Introduction to Education
- Family Studies
- Workplace Experience in Early Childhood Development
- Coaching and Leadership
- Technology for Teachers
- Educational Leadership
- Hazardous Materials for the First Responder
- Work Experience in LPSCS

E.4.b. Approved the Early Childhood Curriculum Adoption — Frogstreet — in the amount of \$153,929.30.

E.4.c. Approved Service Order #2 to design and bid the Garfield HVAC Project — GMCN Architects — in the amount of \$95,000.00.

E.4.d. Approved Service Order #5 to design and bid for the re-roof of area D at Florence Wilson Elementary School — GMCN Architects — in the amount of \$17,000.00.

E.4.e. Approved Service Order #3 to design and bid for the re-roof of areas B & C of Georgia Matthews Elementary School — GMCN Architects— in the amount of \$21,500.00.

E.4.f. Approved the following Board of Education policy updates.

E.4.f.i. BCBK Executive Sessions

E.4.f.ii. IKB Controversial Issues

E.4.f.iii. IKCA Human Sexuality Education (formerly Human Sexuality and Aids)

E.4.f.iii.i. IKCA Human Sexuality Education Form

E.4.f.iv. IKD Religion in Curricular or School Sponsored Activities (formerly IKD Religious Beliefs and Holidays)

E.4.f.v. IKDA Religious Objections to Activities (New)

E.4.f.v.i. IKDA Activity Participation Opt-Out Form

E.4.f.vi. JBCC Enrollment of Nonresident Students

E.4.f.vii. JQI Adult Students (New)

F. UNFINISHED BUSINESS

F.1. The Board of Education is asked to consider and approve the ELA Curriculum Adoption — HMH — in the amount of \$2,463,963.37.

President Randy Ralston opened the floor up for discussion. Heather Stegman, Director of Elementary Curriculum and Instruction joined the meeting via Webex Video Conferencing.

Board members' questions were answered. The following action took place.

Action(s):

Mr. President, I move to approve the ELA Curriculum Adoption - HMH - in the amount of \$2,463,963.37. This motion, made by Mark Hinde and seconded by Nathan Haeck, Carried.

Bergkamp: Absent

Cole: Yea

Haeck: Yea

Hinde: Yea
Jenkins: Yea
Ralston: Yea
Swender: Yea

Voting Summary: Yea: 6, Nay: 0, Absent: 1

G. **NEXT BOARD MEETING** - The next regular meeting of the Board of Education will take place on Monday, February 9, 2026, at 6:00 p.m. in the Board Meeting Room at the Educational Support Center, 1205 Fleming St., Garden City, Kansas.

H. **ADJOURNMENT** – There being no further business to come before the board, the following action was taken.

Action(s):

That the Board of Education meeting be adjourned at 5:26 P.M. This motion, made by Mark Hinde and seconded by Jacob Jenkins, Carried.

Bergkamp: Absent
Cole: Yea
Haeck: Yea
Hinde: Yea
Jenkins: Yea
Ralston: Yea
Swender: Yea

Voting Summary: Yea: 6, Nay: 0, Absent: 1

Respectfully submitted,

Approved:

Jennifer Ramos, Clerk

Randy Ralston, President

BOARD OF EDUCATION

Certified Personnel Actions

February 9, 2026

RETIREMENT:

Marsha Dixon, teacher at Garfield Early Childhood Center, is submitting her letter of intent to retire through KPERS effective May 22, 2026.

Glenda Gibson, teacher at Therapeutic Education Program, is submitting her letter of intent to retire through KPERS effective May 22, 2026.

APPOINTMENTS:

Ashlie Hauschild, Kalvesta, Kansas, is recommended for a kindergarten position at Victor Ornelas Elementary School effective for the 2026-2027 academic year. She is a former USD 457 teacher with three years' experience.

TUITION REIMBURSEMENT AGREEMENT:

Beau Guadian – Special Education

BOARD OF EDUCATION

Addendum to Certified Personnel Actions

February 9, 2025

RETIREMENT:

Rhonda Soto, instructional coach at Charles Stones Intermediate Center, is submitting her letter of intent to retire through KPERS effective May 22, 2026.

BOARD OF EDUCATION
Classified Personnel Actions

February 9, 2026

RESIGNATIONS	POSITION	BUILDING	DATE
Maria Garcia-Sanchez	Paraprofessional III	Abe Hubert Elementary School	1/16/2026
Jose Munzo	Crossing Guard	Jennie Wilson Elementary School	1/29/2026

ASSIGNMENTS	POSITION	BUILDING	DATE
Kathleen Krannawitter	Paraprofessional I	Jennie Wilson Elementary School	1/27/2026
Emmy Nieman	Paraprofessional I 0.5	Victor Ornelas Elementary School	2/2/2026
Melany Rico	Paraprofessional I	Jennie Barker Elementary School	2/2/2026
Nayla Salinas	Paraprofessional I	Jennie Wilson Elementary School	2/2/2026
Angelica Ortiz	Paraprofessional I	Bernadine Sitts Intermediate School	2/2/2026
Monique Gallegos	Bus Driver	Transportation	2/2/2026
Tiara Orona	Paraprofessional I	Victor Ornelas Elementary School	2/2/2026
Ava Galvan	Paraprofessional I 0.5	Victor Ornelas Elementary School	2/2/2026
Jessica Bass	Paraprofessional III 1:1	Garden City High School	2/4/2026

TRANSFERS	FROM	TO	DATE
Victoria Urteaga	Paraprofessional II Kenneth Henderson Middle School	Paraprofessional II Garfield Early Childhood Center	2/4/2026

NOTES:

**Gina Galpin, Director of Special Education, Request the following:
 Move a Paraprofessional III 1:1 position from Abe Hubert Elementary to Garden City Achieve.**

BOARD OF EDUCATION
Classified Personnel Actions Addendum

February 9, 2026

TERMINATIONS	POSITION	BUILDING	DATE
Sala Ayala	Paraprofessional III	Victor Ornelas Elementary School	1/27/2026

ASSIGNMENTS	POSITION	BUILDING	DATE
Irene Marquez	Paraprofessional II	Kenneth Henderson Middle School	2/5/2026
Tyler Thon	Mechanic Manager	Transportation	2/16/2026

TRANSFERS	FROM	TO	DATE
Isabelle Mata	Paraprofessional I Georgia Matthews Elementary	Paraprofessional II Georgia Matthews Elementary	2/2/2026
Jesse Garcia	Bus Driver Transportation	Mechanic Transportation	2/9/2026

MEMORANDUM

TO: Board of Education
THRU: Josh Guymon, Superintendent
FROM: Heather Stegman, Director of Curriculum and Instruction
DATE: 12/03/2025
RE: Professional Development Handbook/5 Year Plan

ISSUE:

Professional Development Council Chairperson Laura Walsh and Elementary Curriculum Director Heather Stegman will provide a presentation explaining the updated Professional Development Handbook and KSDE's requirements for our 5 Year Plan.

BACKGROUND:

Professional Development Points are the credits teachers use to meet licensure requirements and to advance on the district salary schedule. The Professional Development Council is responsible for approving and evaluating professional development activities for credit, as well as establishing and reviewing the policies and procedures that guide professional development planning at the district, building, and individual levels.

KSDE requires all districts to update their Professional Development Plan every five years, and Garden City's plan is due this year. The attached document represents the work and recommendations of the Professional Development Council.

ALTERNATIVES:

This presentation is for informational purposes only. No board action is required.

RECOMMENDATION:

N/A

FISCAL NOTE:

N/A

ATTACHMENTS:

USD 457 Garden City PD 5 Year Plan 2025



GARDEN CITY PUBLIC SCHOOLS

Professional Development Plan

Garden City Public Schools
USD 457

Date Plan Approved by State Board of Education: TBD
Date of Plan Expiration: 7/31/2030

5-year Professional Development Plan Approval

The USD 457 Garden City Professional Development Council approved the following plan, at its meeting held on _____, according to KAR 91-1-216 (c) for submission for approval of the Kansas State Board of Education.

PDC Chair: _____
Signature

Date

The USD 457 Garden City Board of Education approved the following plan, at its meeting held on _____, according to KAR 91-1-216 (c) for submission for approval of the Kansas State Board of Education.

Board of Education President: _____
Signature

Date

Table of Contents

Section One Professional Development Council (PDC)	6
1.1 Introduction	6
1.2 Membership	6
1.23 Licensed Leader Groups Represented:.....	8
1.24 Licensed Leader Group Selection Process:.....	8
1.25 Approved process for PDC member selection when no candidates:.....	9
1.3 Responsibilities	10
1.4 Annual PDC Training	10
1.5 Operational Procedures	11
1.50 Officers.....	11
1.51 Meetings	11
1.52 Decision-making.....	12
1.53 Documentation.....	13
1.54 Communications	14
1.55 Approvals	14
5-year Professional Development Plan Review	15
Individual Professional Development Plans	15
Professional Development Points	16
1.56 IPDPs for Licensed Professionals who live or work in the district but not employed by the district	16
Section Two.....	18
The District/System Professional Development Plan	18
2.0 Introduction	19
USD 457.....	20
USD 457.....	22
2.2 Identification of goals and objectives to achieve professional development needs	22
USD 457.....	23
USD 457 KESA Action Plans.....	24
2.3 Identification of activities and actions to achieve the goals and objectives.....	24
USD 457.....	25
2.4 Evaluative criteria to determine levels of success in meeting the in-service need/s	26
2.5 Reporting results of evaluation of in-service needs.....	28
Section Three	29
Individual Professional Development Plans (IPDP).....	29
3.0 Introduction	29
3.1 Collaborate with a designated supervisor	30
3.2 Assess Individual Needs	30
3.3 Determine individual professional development goals	31

- 3.4 Determine individual professional development strategies 31
- 3.5 Write the Individual Professional Development Plan 31
- 3.6 Analyze the plan..... 31
- 3.7 Revise the plan as necessary 32
- Section Four 33
- Awarding Professional Development Points for Relicensure 33
- 4.0 Introduction 33
- 4.1 Definitions 34
- 4.2 Professional Development Points and Semester Credit Hours 34
- for Licensure Renewal 34
- 4.3 Awarding Points in Three Levels 35
- Level I – Knowledge 36
- Level II – Application 36
- USD 457..... 36
- Level III – Impact 37
- USD 457..... 37
- 4.4 Indicators for the Three Levels 38
- 4.5 Awarding Professional Development Points for purposes related to..... 39
- employment or other local matters 39
- 4.6 Questions about awarding PD points relative to renewal licensing 39
- Kansas Professional Development Resources 42
- Appendix 44
- District Trainer Acceptance Agreement 45
- Airline Ticket Acceptance Agreement**..... 46
- Documentation to Support Request for Application Points..... 47
- Documentation to Support Request for Impact Points 48

Section One

Professional Development Council (PDC)

1.1 Introduction

Garden City Public Schools Professional Development Council provides exceptional professional development through rigorous coursework, personalized learning, and enriching opportunities. We foster leadership in every staff member, empowering them to inspire, take initiative, and drive positive change. At Garden City Public Schools, everyone leads.

1.2 Membership

KAR 91-1-217. In-service education professional development council.

a) Each professional development council shall meet the following criteria:

- (1) Be representative of the educational agency's licensed personnel; and
- (2) include at least as many teachers as administrators, with both selected solely by the group they represent.

Members of the USD 457 Garden City Public Schools PDC are staff who are licensed teachers and/or leaders. Each is selected by the licensed teachers and leaders in the groups they represent. The PDC will have as many or more teachers on it as licensed leaders with a minimum of two members. The membership of the PDC is dictated solely by the KSDE-licensed groups that the PDC represents. KSDE considers any language in a negotiated agreement or other contract that dictates the structure or operation of the PDC, including membership, contrary to regulations and to be invalid.

The PDC Coordinator is responsible for ensuring that the ratio of teachers to leaders is correct and will act to fill vacancies as soon as possible using the process described below.

If a PDC member needs or intends to resign, retire or otherwise leave the PDC, he/she should send notice of that to the PDC Coordinator before the next scheduled PDC meeting. Vacancies on the PDC will be filled using the process outlined in sections 1.22 and 1.24.

1.21 Licensed Teacher Groups Represented:

Groups Represented	Number
Secondary Level Representatives	2
Intermediate/Middle Level Representatives	2
Elementary Level Representatives	2
Total Licensed Teacher Representatives	6

1.22 Licensed Teacher Group Selection Process:

Members are elected by their representative groups. Members may resign at any time. Resignations must be in writing and submitted to the chairperson at least one regular meeting prior to the effective date of the resignation. Any council member will automatically be asked to resign under the following conditions:

1. Council member who misses three unexcused meetings during a school year or who fails to carry out responsibilities and duties.
 2. Council member who moves to a new education position outside of their representative group.
- Should there be extenuating circumstances, an appeal for condition #1 can be made to the Council with the person making the appeal abstaining from the vote.

Rotation of Membership

All council members will serve a three-year staggered rotation term. Terms are staggered so no group represented will intentionally have both representatives elected in the same election cycle. The rotation cycle is documented below. Any member may choose to serve multiple terms. If the member wants to serve again, the selection process will continue as listed in the election process.

Voting Role	Elected Member	Term Ending
Elementary level representative	Megan Ford	2026
Elementary level representative	Katie Unger	2028
Intermediate / Middle level representative	Laura Walsh	2026
Intermediate / Middle level representative	Dustin Algrim	2027
Secondary level representative	Wendi Terpstra	2027
Secondary level representative	Mark Shera Cruz	2028

Election Process:

1. All elections should occur before the end of the school year, except in the case of a resignation, which shall be completed within one month of the accepted resignation.
2. The Professional Development Coordinator emails all licensed personnel to seek candidates. Candidates are required to answer the following interview questions as part of their nomination process.
 - List your teaching experience

- What is your philosophy regarding professional development?
- What should Garden City School’s professional development experiences look like?
- Why do you want to serve on the Professional Development Council?
- [PDC Nominations Template](#)

3. If only one candidate runs, a regular vote is still held according to steps 5-8 in order to ensure that the appropriate licensing group selects representation.

4. If no candidates volunteer, the Professional Development Coordinator contacts building administrators for candidate recommendations. The Professional Development Coordinator then contacts each recommended candidate to determine willingness to run. Upon identification of a candidate, a regular vote is held according to steps 5-8 in order to ensure that the appropriate licensing group selects representation.

5. The Professional Development Coordinator creates an electronic ballot including names of all eligible candidates who are representative of the district’s licensed personnel. The ballot will include links to the nominee’s answers to the interview questions.

- [PDC Ballot Template](#)

6. The Professional Development Coordinator emails the electronic ballot to all licensed personnel for voting in their grade band assignments based on their licensing status.

7. At the conclusion of the voting window, the Professional Development Coordinator notifies all licensed personnel of election results via email.

1.23 Licensed Leader Groups Represented:

Groups Represented	Number
K-4 Building Administrator	1
5-12 Building Administrator	1
District Administrator	1
Total Licensed Leader Representatives	3

1.24 Licensed Leader Group Selection Process:

Members are elected by their representative groups. Members may resign at any time. Resignations must be in writing and submitted to the chairperson at least one regular meeting prior to the effective date of the resignation. Any council member will automatically be asked to resign under the following conditions:

- Council member who misses three unexcused meetings during a school year or who fails to carry out responsibilities and duties.
- Council member who moves to a new education position outside of their representative group.

Should there be extenuating circumstances an appeal can be made to the Council with the person making the appeal abstaining from the vote.

Rotation of Membership

All council members will serve a three-year staggered rotation term. Terms are staggered so both leader representatives are not elected in the same election cycle. The rotation cycle is documented below. Any member may choose to serve multiple terms. If the member wants to serve again, the selection process will continue as listed in the election process.

Voting Role	Elected Member	Term Ending
K-4 Building	Brandi Ochs	2028
9-12 Building	Amy Cospers	2028
District Office	Heather Stegman	2028

Election Process:

1. All elections should occur before the end of the school year, except in the case of a resignation, which shall be completed within one month of the accepted resignation.
2. The Professional Development Coordinator emails all licensed personnel to seek candidates. Candidates are required to answer the following interview questions as part of their nomination process.
 - List your leadership experience
 - What is your philosophy regarding professional development?
 - What should Garden City School’s professional development experiences look like?
 - Why do you want to serve on the Professional Development Council?
 - [PDC Nominations Template](#)
3. If only one candidate runs, a regular vote is still held according to steps 5-8 in order to ensure that the appropriate licensing group selects representation.
4. If no candidates volunteer, the Professional Development Coordinator contacts district administrators for candidate recommendations. The Professional Development Coordinator then contacts each recommended candidate to determine willingness to run. Upon identification of a candidate, a regular vote is held according to steps 5-8 in order to ensure that the appropriate licensing group selects representation.
5. The Professional Development Coordinator creates an electronic ballot including names of all eligible candidates who are representative of the district’s licensed personnel. The ballot will include links to the nominee’s answers to the interview questions.
 - [PDC Ballot Template](#)
6. The Professional Development Coordinator emails the electronic ballot to all licensed personnel for voting in their grade band assignments based on their licensing status.
7. At the conclusion of the voting window, the Professional Development Coordinator notifies all licensed personnel of election results via email.

1.25 Approved process for PDC member selection when no candidates:

If the election processes in Sections 1.22 and 1.24 are not successful, the PDC will take the list from each group that was not able to select its own member/s and will choose the new PDC member/s from that list. The PDC Chair will email KSDE at professionallearning@ksde.org to inform it of this action.

1.3 Responsibilities

KAR 91-1-217. In-service education professional development council.

(b) Each council shall have the following responsibilities:

- (1) To participate in annual training related to roles and responsibilities of council members, including responsibilities under these regulations, K.A.R. KAR 91-1-215 through K.A.R. KAR 91-1-219;
- (2) to develop operational procedures; and
- (3) to develop a five-year plan that may be approved by the governing body of the educational agency and is based upon criteria established by the state board.

The Professional Development Council will:

1. Participate in annual training related to roles and responsibilities of council members, including responsibilities under these regulations, K.A.R. KAR 91-1-215 through KAR 91-1-219.
2. Design, coordinate, recommend, approve, and evaluate professional development activities for professional development credit.
3. Establish and evaluate policies, procedures, and criteria for professional development plans at the district, building, and individual levels.
4. Communicate procedures and serve as a resource for questions or concerns related to professional development.
5. Makes systematic recommendations about professional development based on learner needs and intended outcomes.
6. Participate in the development of a five-year plan that may be approved by the governing body of the educational agency and is based upon criteria established by the state board.

1.4 Annual PDC Training

KAR 91-1-217. In-service education professional development council.

(b) Each council shall have the following responsibilities:

- (1) To participate in annual training related to roles and responsibilities of council members, including responsibilities under these regulations, KAR 91-1-215 through K.A.R. KAR 91-1-219.

USD 457 Garden City Public Schools will train new PDC members on their roles and responsibilities as council members under regulations, K.A.R. 91-1-215 through K.A.R. 91-1-219 before they start their duties but no later than the end of September of their first academic year in office. Members who receive annual training as a refresher should complete it by the end of the first semester of the new academic year.

In order to facilitate team collaboration, all USD 457 PDC members will attend PDC training at SWPRSC or a comparable live training event. If there are extenuating circumstances that prevent a member from attending, they may appeal to the remaining PDC members and present an alternative training.

The PDC Chair is responsible for ensuring training is timely, completed by each member of the PDC for each

academic year, and documented for verification. The documentation will be stored on the [PDC Attendance Spreadsheet](#). PDC members are eligible to earn one PD point for each clock hour they serve on the council during their license period. Points will be transferred into PowerLearn at the end of the school year based on hours attended from the PDC Attendance Spreadsheet.

1.5 Operational Procedures

KAR 91-1-217. In-service education professional development council.
(b) Each council shall have the following responsibilities:
(2) to develop operational procedures.

As the advisory council to our Board of Education, the PDC members maintain its operational procedures for the smooth and efficient running of its activities.

1.50 Officers

Officers

Officers include a Chairperson, a Vice-Chairperson, and a Secretary. All officers are elected in May for a term of one year by the members and begin their terms June 1st. In the event an officer resigns during their one-year term, elections will be held during the next regularly scheduled meeting following the acceptance of resignation. Duties of the officers include:

Chairperson:

- Calls and conducts all meetings.
- Calls special meetings as needed.
- Carries out other duties as determined by the PDC.
- Reports to the Board of Education as needed.

Vice Chairperson:

- Acts in the absence of the Chairperson.
- Carries out other duties as determined by the PDC.

Secretary:

- Keeps records and minutes of meetings.
- Maintains a file of all minutes in the district office.
- Carries out other duties as determined by the PDC

1.51 Meetings

Meetings will be held on the second Tuesday of the month during the school year beginning at 4:30. Meeting dates are updated in the PDC handbook each year and posted on the district website in the Professional Development Council section of the Curriculum and Instruction page. Additional meetings can be scheduled as deemed necessary by the Chair of the Council. Notification of all extra meetings shall be given to all PDC members at least five (5) days prior to the meeting.

All agenda items must be submitted in writing at least ten working days prior to the meeting. Meetings will be attended by the following members. Additional staff may attend when needed and invited by the PDC Chairperson.

Attendees	Number
Secondary Level Representatives	2
Intermediate/Middle Level Representatives	2
Elementary Level Representatives	2
K-4 Building Administrator	1
5-12 Building Administrator	1
District Administrator	1
Technology Representative *	1
Professional Development Coordinator *	1
Office of Learning Services Representative *	1
Assistant Superintendent of Student Services *	1

****Indicates a non-voting staff position whose input at these meetings is integral to the district’s professional development process and success.***

It is understood that the district will provide all facilities, clerical support, and record keeping services needed by the Council. (See Appendix)

**PD Council Meeting Dates for 2025–2026
4:30pm – 5:15pm**

September 9, 2025	February 10, 2026
October 7, 2025	March 10, 2026
November 4, 2025	April 14, 2026
December 2, 2025	May 12, 2026
January 13, 2026	

1.52 Decision-making

To call for, conduct and document PDC voting for PD Points, IPDPS, and the 5-year PD Plan renewal and other official business, the PDC requires the following:

- All decisions of the Council will be indicated by an affirmative vote of a simple majority of the authorized membership of the Council. A quorum is a simple majority of the current voting PDC membership.
- To conduct official business at least 5 members, with 50% or fewer of those being leaders, constitutes a quorum.
- If there is a tie, the PDC Chair or designee may delay the vote, call another meeting, or vote later electronically or by phone.
- If there is a tie, the PDC Chair or designee may delay the vote and call another meeting. The non-voting PDC leaders may also be used.

1.53 Documentation

Staff professional goals are documented in the Talent Ed platform. Goals can be developed around content standards, Kansas Professional Education Standards, or Service to the Profession.

- Personal Improvement Goal
- Professional Improvement Goal
- School Achievement Goal

The [attached document](#) contains directions regarding how to use Talent Ed to document goals.

PowerLearn is the program that USD 457 uses for documentation of Professional Development points. The [attached document](#) contains directions for how to use PowerLearn to access the Professional Development system, find courses, and request external credit/points. Training is also provided at the beginning of each school year for new professional staff.

Before attending a meeting or conference, a Professional Leave Form signed by your building principal or direct supervisor must be submitted. An agenda with the conference location, scheduled time and date, and meal provision must be attached. Attendance may be denied without prior submission. Additional guidance regarding out of district professional development is provided in the [Professional Leave Guidelines](#).

When traveling out of district for professional development, staff must follow the suggested leave times documented in the [Travel Distance Departure Guidelines](#).

TYPE AND LOCATION OF PDC DOCUMENTATION

	Mark (X) if used	Location of Documentation/Information	Responsible Person for Documentation	Accessible to more than one person? (Y/N)
Communications	X	Email and Shared PDC Drive	PD Chairperson	yes
IPDP's	X	Talent Ed	HR (Tamara)	yes
Meeting Minutes	X	Shared PDC Drive	PDC Secretary	yes
Member Selection	X	PDC Google Drive	PD Coordinator	no
Officer Selection	X	PDC Drive	PD Coordinator	no
PD Plan Process	X	Google Drive	PD Coordinator	yes
PD Points	X	PowerLearn	PD Coordinator	yes
Staff PD Needs Assessments	X	Shared PDC Google Drive Results posted on PDC webpage	PD Coordinator	yes

Records

- PDC meeting records and materials are kept on file by the Professional Development Coordinator.
- The Professional Development Council Secretary records the minutes of PDC meetings.
- Information about individual in-service points will be shown on each individual's plan in PowerLearn. It is the responsibility of the professional educator to maintain and record the total instructional development points in order to meet terms and agreements of the negotiated contract.
- The Professional Development Council meets once per month to review in-service activities.
- In the event that more information is required for the committee to approve a particular activity, the Professional Development Council Secretary will contact the professional educator for the information. The professional educator will then have the span of the next 2 meetings to present the requested information to the committee or the activity in question will be denied.
- Individual records of approved professional development activities are housed in the PowerLearn management system.
- Transcripts for salary advancement and/or recertification may be obtained through completion of the proper form available in each building.
- USD 457 uses the PowerLearn platform for identification and recommendation of professional development activities. The [attached document](#) contains directions for how to use PowerLearn to propose a course starting on page 2.
- The Professional Development Coordinator keeps completed recommendation forms on file in the Office of Learning Services. Forms must be submitted at least 2 weeks prior to the proposed start date. Professional Development requests should begin with the building leader and [propose a course within the PowerLearn program](#).

1.54 Communications

As often as possible, the PDC Chair represents the Profession Development Council to the governing body regarding the business of the PDC. Information about PDC meetings and their results and other PDC activities are communicated through the meeting minutes.

The Secretary of the Professional Development Council shall keep minutes of all meetings. Minutes will be forwarded to the PDC Chair for distribution to authorized personnel. Minutes and other documents are stored in the district PDC Committee Meetings shared drive folder.

1.55 Approvals

All approval authority for the following activities lies within the PDC alone, except for the local board of education, which may also approve the Professional Development Plan and its amendments. The PDC may exercise its approval in three ways: direct, recommended or delegated for Individual Professional Development Plans and the Professional Development Points

5-year Professional Development Plan Review

The PD Plan revision is approved using the KSDE process: plan review and revision, final draft approval, local district approval and approval by the State Board of Education.

The USD 457 PDC will first approve the five-year district Professional Development Plan with subsequent approval by the USD 457 Board of Education (BOE). The PD Plan is subject to an annual review. If changes or corrections are deemed necessary, the Professional Development Council (PDC) will make amendments following the procedure stated below.

If the annual evaluation in the spring (March – May) shows the need to change the plan to close determined gaps and meet the plan goals and objectives, the PDC will amend it. Any amendments may be approved using the voting procedures under the Decision Making in Section 1.52. Once an amendment is approved, the PDC Secretary will add it to the Plan Updates form at the beginning of the plan, including the description of the change and the date the PDC approved it.

Amendments approved by the PDC will be submitted to the Board of Education for its approval, which will be recorded in the Plans Update form by the PDC Secretary.

Individual Professional Development Plans

Sequence of Approvers before final PDC approval	Position/Title of Approver
1st-	Building Principal/Supervisor (Designated Supervisors)
2nd-	HR (Tamara)/Talent Ed (Logistics only)

Delegated Approval-The PDC delegates its authority to allow the final position in the Sequence of Approvers (above) to approve IPDP's. If the designated position does not approve an IPDP, he/she will inform the PDC Chair immediately and the Chair will schedule the PDC Review of the IPDP at the next scheduled meeting. After informal discussions, if the PDC and staff cannot agree on a final plan and the PDC disapproves it, licensed staff may pursue an appeal as described below. The final approver will keep the PDC informed of the progress and status of the completion of all IPDPs. All IPDPs should be completed and approved no later than October 1.

Appealing the non-approval of an IPDP by the PDC

KAR 91-1-206. Professional development plans for license renewal.

(d) If a person is unable to attain approval of an individual development plan through a local professional development council, the person may appeal to the licensure review committee for a review of the proposed individual development plan.

If the above appeals process to the PDC for their not approving an individual development plan results in another disapproval, licensed staff may appeal to the state licensure review board (KAR 91-1-206(d)). The individual staff member may call KSDE Licensure at 785-296-2288 and ask for the Licensure Review Board Coordinator to begin the process.

Professional Development Points

Sequence of Approvers before final PDC approval	Position/Title of Approver
1st-	Building Principal/Supervisor/Presenter
2nd-	OOLS Secretary PowerLearn (Logistics)

Recommended Approval- The PDC allows the positions in the Sequence of Approvers (below) to recommend the number and type of PD activity points and has them add the list of staff names with that information for a vote at a PDC meeting. Any plan that causes concern or disagreements may be pulled from the consent agenda and discussed separately at the PDC meeting.

Appealing the non-approval of the number or type of PD points by the PDC

In the event that more information is required for the committee to approve a particular activity, the PDC Secretary will contact the professional educator for the information. The professional educator will then have the span of the next 2 meetings to present the requested information to the committee or the activity in question will be denied.

If the request is denied at either of the next two meetings, all decisions about the type and amount of PD points that the PDC awards are final.

1.56 IPDPs for Licensed Professionals who live or work in the district but not employed by the district

KAR 91-1-206. Professional development plans for license renewal.
 (b) Each person who is employed by or who works or resides within any Kansas unified school district shall be eligible to file a professional development plan with that district’s local professional development council for licensure renewal purposes.

Any licensed person who is not employed by but who works or resides within USD 457, Garden City Public Schools is eligible to create and file a professional development plan with the district’s local professional development council for licensure renewal purposes.

The PDC Coordinator is the liaison between non-employee licensed teachers and leaders and the PDC. Non-employees may be eligible to participate in district in-service activities. To begin this process, non-employees may contact the PDC Coordinator, Heather Stegman, at hstegman@gkschools.com or 620-805-7186.

The steps the individual will take to complete the plan are:

1. Identify personal professional development needs. These should include the need for points for licensure renewal. Points must be obtained in one or more of the following 3 areas: content endorsement standards, professional education standards, and service to the profession.
2. Determine professional development goals that are based upon identified needs.
3. Complete an Individual Professional Development Plan and submit it to a supervisor designated by the district.
4. After the liaison has had the opportunity to review and sign the plan, submit the plan to the district Professional Development Council for approval.

See Sections 3 and 4 for more information about what should be included in the IDPD and how professional development points may be awarded.

Section Two

The District/System Professional Development Plan

KAR 91-1-216. Procedures for promulgation of in-service education plans; approval by state board; area professional development centers' in-service programs.

(a) An in-service education plan to be offered by one or more educational agencies may be designed and implemented by the board of education or other governing body of an educational agency, or the governing bodies of any two or more educational agencies, with the advice of representatives of the licensed personnel who will be affected.

(b) Procedures for development of an in-service plan shall include the following:

- (1) Establishment of a professional development council;
- (2) an assessment of in-service needs;
- (3) identification of goals and objectives;
- (4) identification of activities; and
- (5) evaluative criteria.

(c) Based upon information developed under subsection (b), the educational agency shall prepare a proposed in-service plan. The proposed plan shall be submitted to the state board by August 1 of the school year in which the plan is to become effective.

(d) The plan shall be approved, approved with modifications, or disapproved by the state board. The educational agency shall be notified of the decision by the state board within a semester of submission of the plan.

(e) An approved plan may be amended at any time by following the procedures specified in this regulation.

(f) Each area professional development center providing in-service education for licensure renewal shall provide the in-service education through a local school district, an accredited nonpublic school, an institution of postsecondary education, or an educational agency that has a state-approved in-service education plan.

KAR 91-1-217. In-service education professional development council.

(b) Each council shall have the following responsibilities:

- (3) to develop a five-year plan that may be approved by the governing body of the educational agency and is based upon criteria established by the state board.



2.0 Introduction

The school improvement plan(s) will provide information about gaps between students’ actual performance and the desired goals or outcomes. This section needs to concentrate on what school improvement area the district wants to improve during this plan cycle and the process that is used to decide on that area.

KESA 2.0 Kansas School Improvement Model as the main process for determining action for professional development and should concentrate on:

- determining if each district student is receiving instruction to meet academic standards,
- assessing how instruction aligns with state and district curriculum content and standards,
- Describing current activities that are helping to ensure that district students reach the curriculum standards, and describing what is not being done and who the students or student groups are that need particular attention.
- determining what adult behaviors and skills are needed to promote instructional processes.

Professional development should center around the following KESA Outcomes:

- ELA & Math State Assessments
- HS Graduation and Postsecondary Effectiveness

A system’s accreditation status is impacted by the system’s performance against the standards set in three areas: Compliance, School Improvement, and Outcomes. For the School Improvement area, the measure considered is the system’s demonstrated implementation of the action plan. The intention of the action plan review process is to better equip systems to report on the implementation of the plan by developing plans that are agreed by KSDE and systems to be clear, aligned to the School Improvement Model, and data informed.

[Kansas Education Systems Accreditation \(KESA\) Resources](#)

[Data Review Guide](#)

[ELA Standards Alignment Toolkit](#)

[HGSS Standards Alignment Toolkit](#)

[KESA Student Outcome Data](#)

[KESA Compliance '24-'25](#)

[Mathematics Standards Alignment Toolkit](#)

[Resources for Quality Instruction](#)

[Science Standards Alignment Toolkit](#)

USD 457

The PDC Chair will designate the PD Coordinator as the PDC Liaison to the District Leadership Team in order that the PDC remains informed of USD 457 Garden City's action planning.

USD 457 Garden City DLT will consist of the following members:

- Superintendent
- Deputy Superintendent of Curriculum and Instruction
- Director of Elementary Curriculum and Instruction
- Director of Secondary Curriculum and Instruction
- Coordinator of Curriculum and Assessment
- Secondary Admin Representative (9 – 12)
- Intermediate Center or Junior High Admin Representative (5 – 8)
- Elementary Admin Representative (PreK – 4)
- Elementary Teacher Representative (PreK – 4)
- Secondary Teacher Representative (5 – 12)

2.1 Assessment and prioritization of school improvement needs

Fundamentals

(The foundation for school improvement in Kansas Schools)

Structured Literacy

We provide literacy instruction in pre-K-12 aligned to the science of reading and assure teachers and admin are well-trained and knowledgeable in the elements and implementation of structured literacy.

Standards Alignment

We align lessons, instruction, and materials to Kansas standards and clearly identify what students must know and be able to do. This includes interpersonal, intrapersonal, and cognitive skills in pre-K-12.

Balanced Assessment

We assess students for risk and standards in pre-K-12 and use data to adjust instruction. We have a deep understanding of the purpose of each assessment and how to use the data to raise achievement.

Quality Instruction

We have a culture of high expectations in our classrooms and provide each student access to grade level standards and content through high-quality instructional materials in pre-K-12.

Before writing/revising a plan, the Professional Development Council (PDC) must determine the staff development needs of the district or educational agency based on school improvement needs. This PD Plan accounts for standards alignment, high quality instructional materials, and structured literacy as part of the foundations for school improvement in Kansas.

The school improvement needs must be prioritized systematically for the district to allow the district to concentrate on goals and actions it must achieve in a designated timeframe to improve outcomes. The district will use the KESA 2.0 Kansas School Improvement Model as the main process for determining action for professional development.

The fundamentals are interconnected and associated with actions that each school system must implement so students can meet Kansas' rigorous learning standards. The district will continue the prioritization process at its School Improvement Day.

The Fundamentals Ensure School Systems will do the following:

- Effectively teach students to read.
- Clearly identify what students must know and be able to do.
- Access and utilize balanced assessment data effectively.
- Maintain high expectations in each classroom so each student can access grade level content and standards.

The KESA School Improvement Day each year will focus on the prioritization of needs for that year. To allow each system to prioritize the most critical high-leverage actions through collaborative conversations around the responses to guided reflective questions.

Based on KESA Outcome data, each system will share strengths and weaknesses with the whole group.

Each District Leadership Team (DLT) will

- review KESA Student Outcome Data,
- discuss Guided Reflective Questions to identify needs,
- reach consensus on the current state of each of the 6 structures,
- develop a rough draft of an action plan with an initial, not definitive, direction for their Action Plan, which would include the Fundamental(s) - Structure(s) Lead Indicator(s) the DLT is leaning towards selecting as priorities, based on the system's current state of data.
- Identify measures of progress.
- walk away with a potential, preliminary plan that will be defined after engaging the school community in the development of their Action Plan.

USD 457


Upon review of USD 457 data and discussion of the Guided Reflective Questions, the District Leadership Team came to the following conclusions:

- 21.45% is our district average of 3s and 4s on KAP ELA, which is below the state average
- 35% of our students were above target on spring reading FastBridge screening in 2024
- Students' scores on state ELA assessments and FastBridge screening assessments are consistently low
- Teachers express concerns that our current ELA instructional materials are not fully aligned to state standards or the Science of Reading
- Our teachers need high-quality, engaging resources that address all the components of English Language Arts (reading, writing, speaking, and listening) for all readers

Based on this information, the DLT identified Quality Instruction, in particular the use of high-quality instructional materials (HQIM), as the Fundamental for our 2025 and 2026 KESA Actions Plans.

2.2 Identification of goals and objectives to achieve professional development needs

In KESA 2.0, structures shape the professional behaviors of the educators within the school system.



A staff development needs assessment identifies gaps in student learning and the related gaps in staff knowledge and skills to meet school improvement goals. Staff development goals and objectives are focused upon helping teachers and other staff members close those gaps.

Goals and objectives are the desired results for improved student learning that can be correlated to the planned staff development. They are the foundation for the District Professional Development Plan. Goals should be based upon strengths as well as identified needs. To be effective, goals must be few. They should be unambiguous, realistic, measurable, and achievable within a specified period.

As part of this process, the PDC should be planning the criteria it will use to decide if the goals and objectives are met.

Goals should also focus upon teachers' knowledge and skills related to specific curriculum areas – including state curriculum standards or school improvement goals. They should clearly align with student performance goals at the school, district (or educational agency) and state levels.

Much of the work in this section happens after the School Improvement Day. Based on the initial plan to engage the broader school community, the DLT engages with Building Leadership Teams (BLT), staff, the local school board, and site councils to collaborate, using guided reflective questions as the basis. Through these engagements and based on feedback from stakeholders, the DLT will meet to solidify, finalize and submit its KESA Action Plan through the KESA Authenticated Application no more than 60 days (about 2 months) after the School Improvement Day.

USD 457

The District KESA Plan will determine the needs of the district, and the District Leadership Team will write a district action plan to address the identified needs. The District Leadership Team and Building Leadership Teams will provide leadership and communication related to such plans.

District Professional Development Plans specify the results desired to achieve changes and improvements across the entire district. Individuals with district-wide responsibilities initiate these plans.

The results specified in the District Professional Development Plans are driven by a variety of external and internal factors. These might include:

1. External:

- Federal Mandates
- State Mandates and Priorities
- Reports and Research

2. Internal:

- USD 457 Strategic Plan
- Documented student performance needs (needs assessment)
- Kansas Education Systems Accreditation (KESA)
- Building Goals
- Career and Technical Education
- Board of Education/Superintendent issued Curriculum Revision Cycle
- Walk Through Data
- Student Data Sources (e.g. FastBridge, Common Assessments, KAP)
- PD Survey
- Staff input, especially from Professional Development Council
- [District Professional Development Needs Survey](#)

USD 457 KESA Action Plans

Based on the information gathered during the KESA 2024-2025 data review, the DLT identified Quality Instruction, in particular the use of high-quality instructional materials, as the Fundamental for our 2025 and 2026 KESA Actions Plans. Specifically, the following Structures will be addressed:

- In 2025, Resource Allocation will be by the following actions:

The Curriculum Review Committee will be formed and trained in 2025. The committee will consist of a variety of stakeholders. The committee will analyze and select rigorous ELA High Quality Instructional Materials (HQIM). We will select a new ELA HQIM that aligns with the science of reading and present our proposal to the Board of Education in February 2026. We will purchase the materials in spring 2026.

- In 2026, Professional Development will be by the following actions:

Once materials are selected and board approved, our focus will shift to implementation of ELA HQIM with fidelity across the district. Looking forward, our 2026 KESA Action Plan will focus on professional development around the implementation of the selected curriculum materials.

In order to achieve these actions, the following topics will need ongoing professional development to achieve our goal of improving the quality of instruction at USD 457 through the successful implementation of high-quality instructional materials:

- LETRS and the Science of Reading
- Kansas State Standards and Standards Alignment
- Effective engagement and instructional practices
- Implementation of district approved high quality instructional materials

2.3 Identification of activities and actions to achieve the goals and objectives

In KESA 2.0, lead indicators are high leverage professional actions, grounded in evidence, associated with each structure designed to ensure implementation of the fundamentals. They are verified with Measures of Progress (MOP).

The MOP's for Professional Learning include the following:

- Teachers trained in structured literacy
- Mentors or coaches trained to support structured literacy
- Early learning training
- Teachers trained in standards alignment
- Educator perception data on professional development impact
- User Defined MOP

Not every combination of Foundation-Structure-Lead Indicator-Measure of Progress will lead to knowledge PD points for each licensing type: teacher/specialist or leader. See Section 4.0 for details.

Structures

(Reinforce lead indicators and sustain fundamentals within the system)

Lead Indicators

(Actions that support implementation of the Fundamentals)

Resource Allocation

Budget emphasis on implementing high-quality instructional materials (HQIM) and professional development aligned to state standards and structured literacy.

Educator Evaluation

Educator evaluation processes and conversations account for standards in pre-K-12 and optimizing conditions for learning in classrooms.

Professional Learning

District professional development and mentoring plans account for the alignment of classroom practice with state standards and HQIM to optimize conditions for learning in classrooms.

Professional Collaboration

Collaboration system includes grade level and content area teachers aligning instruction with state standards and HQIM to optimize conditions for learning in classrooms.

Tiered System of Supports

Data analysis and utilization includes screening for risk and performance against standards. Appropriate time is provided for core activities and interventions to meet student needs.

Family, Community and Business Partnerships

Educators, families, and community partners collaborate to ensure students are progressing on state standards, competencies, and postsecondary readiness indicators.

USD 457

In order to achieve the 2025 and 2026 action plans around improving the quality of instruction through selection and implementation of high-quality instructional materials, the following topics will need ongoing professional development to achieve our goal of improving the quality of instruction at USD 457 through the successful implementation of high-quality instructional materials:

- LETRS and the Science of Reading
- Kansas State Standards and Standards Alignment
- Effective engagement and instructional practices
- Implementation of district approved high quality instructional materials

Internal Professional Learning:

- District administrator, building administrator, or department leader will submit [requests for professional learning within the Powerlearn platform](#).
- The appropriate grade level Director will review the request for professional learning and approve, revise or deny the request.
- Attendance rosters will be documented within PowerLearn.

- Approved courses will be reviewed by the PDC council for approval, once approval has been granted, rosters will be converted to each staff member's personal educational transcript.
- Internet registration (PowerLearning) replaces a professional leave form for in-district professional development only.
- District Personnel, certified or classified, who present in-district professional development activities during district in-service days will be compensated at either a daily rate or an hourly rate. Preparation time may be compensated; however, prior approval from the appropriate Director of Curriculum and Instruction is required. **If prior approval is not received, compensation will not be given.** Additional information is provided in the [Consultant's Fee Schedule](#). The [District Trainer Agreement](#) is included in the Appendix.

External Professional Learning:

- Requests for professional learning must align with the USD 457 Professional Development Goals.
- Upon approval from the supervisor, certified staff will submit a USD 457 Leave Request Form. Leave forms must be submitted before attending any upcoming meeting or conference. Attendance may be denied without prior submission. Leave requests require a supervisor signature.
- Agenda or an email showing the conference location, schedule times, dates, and meal provision should be attached to the USD 457 Leave Request Form.
- All requests for External Professional Development points shall be submitted on the appropriate form in PowerLearn by following the [External Credit Request Instructions](#).

2.4 Evaluative criteria to determine levels of success in meeting the in-service need/s

In KESA 2.0, KSDE review of the action plan and the evaluation of Measures of Progress provide the metrics that reflect a school system's implementation of a lead indicator. An evaluation of the level of success in meeting the stated PD goals and activities in the action plan will help evaluate total improvement in the school improvement area on which the PD activities were chosen.

Structures

(Reinforce lead indicators and sustain fundamentals within the system)

Lead Indicators

(Actions that support implementation of the Fundamentals)

Measures of Progress

(How we know the action is being implemented effectively)

Resource Allocation	Budget emphasis on implementing high-quality instructional materials (HQIM) and professional development aligned to state standards and structured literacy.	<ul style="list-style-type: none">● Measure● 6 Month Target● 1 Year Target
Educator Evaluation	Educator evaluation processes and conversations account for standards in pre-K-12 and optimizing conditions for learning in classrooms.	<ul style="list-style-type: none">● Measure● 6 Month Target● 1 Year Target
Professional Learning	District professional development and mentoring plans account for the alignment of classroom practice with state standards and HQIM to optimize conditions for learning in classrooms.	<ul style="list-style-type: none">● Measure● 6 Month Target● 1 Year Target
Professional Collaboration	Collaboration system includes grade level and content area teachers aligning instruction with state standards and HQIM to optimize conditions for learning in classrooms.	<ul style="list-style-type: none">● Measure● 6 Month Target● 1 Year Target
Tiered System of Supports	Data analysis and utilization includes screening for risk and performance against standards. Appropriate time is provided for core activities and interventions to meet student needs.	<ul style="list-style-type: none">● Measure● 6 Month Target● 1 Year Target
Family, Community and Business Partnerships	Educators, families, and community partners collaborate to ensure students are progressing on state standards, competencies, and postsecondary readiness indicators.	<ul style="list-style-type: none">● Measure● 6 Month Target● 1 Year Target

USD 457

USD 457s annual measure of progress for the 2025-2026 KESA cycle will be measured by completion of the following steps in the designated time frame:

- Form review committee by 3/28/2025
- Train review committee members by 04/21/2025
- Vendor presentations by 09/26/2025
- Make recommendation to district leadership by 12/02/2025
- Board approval by 03/09/2026

Evaluation of Professional Development:

Complete a Feedback Form or evaluation form in Power Learning within Thirty (30) calendar days.

- The content, materials, and activities were relevant to my role and built on or engaged my prior knowledge (1 to 5)
- There were opportunities for interactive and hands-on activities (Provided time for collaboration and discussion, analyzing and discussing student work, practicing a skill, modeling strategies, etc) (1 to 5)
- The ideas and strategies I learned are effective for improving instruction. (1 to 5)
- What goals do you have for yourself after this session and what action steps will you take to meet these goals?
- What supports or follow-up training do you need to be able to apply and expand upon your learning?

The Professional Development Council will review the results specified in the evaluation.

2.5 Reporting results of evaluation of in-service needs

The [Garden City Professional Needs Assessment](#) will help the staff determine gaps in skills attained and skills needed to meet district, building and individual professional development needs. The needs assessment will be emailed to all district certified staff members at least every three years. Results will be posted on the [Professional Development Council Page](#) of the [Garden City Public Schools Webpage](#).

Section Three

Individual Professional Development Plans (IPDP)

KAR 91-1-206. Professional development plans for license renewal.

(a) Any person filing a professional development plan with a local professional development council for licensure renewal purposes under S.B.R. KAR 91-1-205 (b) shall develop a plan that includes activities in one or more of the following areas:

- (1) Content endorsement standards as adopted by the state board;
- (2) professional education standards as adopted by the state board; or
- (3) service to the profession.

(b) Each person who is employed by or who works or resides within any Kansas unified school district shall be eligible to file a professional development plan with that district's local professional development council for licensure renewal purposes.

(c) Each individual submitting a professional development plan shall ensure that the plan meets the following conditions:

- (1) The plan results from cooperative planning with a designated supervisor.
 - (2) The plan is signed by the individual submitting the plan and by the individual's supervisor if the supervisor agrees with the plan.
 - (3) The plan is reviewed and approved by the local professional development council.
- (d) If a person is unable to attain approval of an individual development plan through a local professional development council, the person may appeal to the licensure review committee for a review of the proposed individual development plan.

3.0 Introduction

The Professional Development Plan from Section 2 is critical for developing the quality of education in any school community. However, there is nothing that has a more immediate impact on an educator than his or her individual professional development plan (IPDP).

The final approval for IPDP's is with the PDC unless licensed staff appeals to the Licensing Review Board. No one should impede the IPDP, once the staff signs it, from getting to the PDC for an approval decision.

The purposes of the IPDP is to engage in staff development that improves the learning of all students by:

1. Preparing educators to understand and appreciate all students, create safe, orderly and supportive learning environments, and hold high expectations for their academic achievement. (Equity)
2. Deepening educators' content knowledge, providing them with research-based instructional strategies to assist students in meeting rigorous academic standards, and preparing educators to use various types of classroom assessments appropriately. (Quality Teaching)
3. Providing educators with knowledge and skills to involve families and other stakeholders

appropriately. (Family Involvement)

* From National Staff Development Council



Developing an individual professional development plan requires the same basic steps used in the Professional Development Plan. The PDC uses the following steps to collaborate with licensed staff in the creation and approval of their Individual Professional Development Plans (IPDP):

3.1 Collaborate with a designated supervisor

The individual professional development plan will be tailored to meet staff’s personal and professional development needs. These include acquiring professional development points for licensure renewal. Requirements for acquiring professional development points include that the IPDP be:

- Developed in collaboration with a designated supervisor.
- Signed by the individual and her or his supervisor - if the supervisor agrees with the plan.
- The PDC delegates its authority to allow the final position in the Sequence of Approvers (Section 1.55) to approve IPDP’s. If the designated position does not approve an IPDP, he/she will inform the PDC Chair immediately and the Chair will schedule the PDC Review of the IPDP at the next scheduled meeting. After informal discussions, if the PDC and staff cannot agree on a final plan and the PDC disapproves it, licensed staff may pursue an appeal as described below. The final approver will keep the PDC informed of the progress and status of the completion of all IPDPs.

3.2 Assess Individual Needs

Staff should determine gaps in skills attained and skills needed to meet district, building and individual professional development needs.

3.3 Determine individual professional development goals

These should be based upon identified needs, including the need for professional development points for licensure renewal. Goals can be developed around content standards, Kansas Professional Education Standards, or Service to the Profession.

- Personal Improvement Goal
- Professional Improvement Goal
- School Achievement Goal

The [attached document](#) contains directions regarding how to use Talent Ed to document goals.

3.4 Determine individual professional development strategies

Select strategies that will best provide the skills and knowledge necessary to meet your personal professional development goals. Include staff development planned by the school and/or district according to the school's results-based staff development plan and/or the district's Professional Development Plan.

Professional development may be done independently and include such things as book studies, impact cycle coaching, out of district professional development opportunities, service to the profession, and/or USD #457 On-Demand. Professional portfolios and participation in a college or university course or program of study are also possible individual professional development strategies.

3.5 Write the Individual Professional Development Plan

The Individual Professional Development Plan should include goals or clear statements of what you wish to know and be able to do because of the professional development. For example: I will routinely use semantic mapping and QAR strategies to increase student reading comprehension in all content areas.

Ideally, the plan should also include indicators for each of the three levels (Knowledge, Application, Impact). Indicators are used to determine if the planned professional development has led to the desired results. Progress toward indicators should take place at regular intervals throughout each school year as well as annually.

3.6 Analyze the plan

Throughout the time the learning is being applied, check to see if personal perceptions and observations correlate with student performance on formative and summative assessments. Consider keeping a journal that documents what is learned. Focus the analysis of both formative and summative assessment data on the identification of students' needs that have not been previously addressed. It is also important to note those things that data indicate are effectively meeting previously identified needs.

Evaluating supervisors will work with educators at the beginning of each academic year to create IPDPs using the Individual Professional Development Plan form located in Talent Ed. Teachers and principals monitor progress toward IPDP goals throughout the year during individual meetings between teachers and building principals. Possibilities for progress-monitoring tools include:

- Student performance on screeners
- Student performance on formative and summative assessments
- Documentation of strategies, and reflection on success, in a professional journal
- Instructional coaching logs

3.7 Revise the plan as necessary

Based upon what is learned from the analysis of progress (described above), revise the plan to address newly identified needs and/or those needs previously identified but that are not showing improvement.

Section Four

Awarding Professional Development Points for Relicensure

KAR 91-1-218. Awarding of professional development points.

(a) In awarding professional development points, each educational agency shall designate that one professional development point is equal to one clock-hour of in-service education.

(b) If a person documents completion of an in-service activity, the person shall be awarded professional development points equal to the number of clock-hours completed.

(c) If a person who has earned points for completion of an in-service activity later verifies that the person has applied the skills or knowledge gained, the person shall be awarded two times the number of professional development points that were earned for completion of the in-service activity. Evidence of application of the knowledge gained through the in-service activity shall be presented to the professional development council and may include any of the following:

- (1) Independent observation;
- (2) written documentation; or
- (3) other evidence that is acceptable to the PDC.

(d) If a person who has earned points for application of knowledge or skills learned through in-service activities verifies that the application of the knowledge or skills has had a positive impact on student performance or the educational program of the school or school district, the person shall be awarded three times the number of professional development points that were earned for completion of the in-service activity.

Evidence of impact upon student performance or school improvement shall be presented to the professional development council and may include any of the following:

- (1) Independent observation;
- (2) written documentation;
- (3) evidence of improved student performance; or
- (4) other evidence that is acceptable to the PDC.

(e) A person shall be awarded professional development points for activities related to service to the profession upon the basis of the number of clock-hours served. The person shall be awarded one point for each clock-hour of service. The person shall submit verification of service to the professional development council.

(f) For purposes of renewing a license, a professional development council shall not impose a limit on the number of professional development points that may be earned. However, a council may impose limits on the number of professional development points that may be earned for purposes related to employment or other local matters.

4.0 Introduction

This section describes the process for the PDC's awarding of PD points for the re-licensure of licensed staff.

One PD point is earned for every one clock-hour of in-service activity and there are *no limits* on the

number of points that may be earned for the purpose of licensure renewal. Limiting points would include making staff choose between earning PD points or being paid for attending an in-service, not receiving points because the training was completed during contract hours, etc. KSDE considers any language in a negotiated agreement or other contract that limits the number of PD points earned for licensure renewal contrary to regulation and to be invalid.

The PDC awards points as a council. No individual member may approve points.

If the PDC has questions about how knowledge level (baseline) points are determined, it will request additional clarification from an individual during a PDC meeting or in written correspondence. Also, the PD Crosswalk for KESA 2.0 (being developed), can help PDC's decide on type of points for all combinations of Foundation-Structure-Lead Indicator-Measure of Progress. This will distinguish, based on license type: teacher/specialist and leaders, the trainings that provide knowledge to provide a service to the profession from content or professional education knowledge that can be used for application and/or impact,

4.1 Definitions

If an activity does not meet the definition of either “in-service education” or “service to the profession” the PDC will not consider it for points.



IN-SERVICE EDUCATION” MEANS PROFESSIONAL DEVELOPMENT AND STAFF DEVELOPMENT AND SHALL INCLUDE ANY PLANNED LEARNING OPPORTUNITIES PROVIDED TO LICENSED PERSONNEL EMPLOYED BY A SCHOOL DISTRICT OR OTHER AUTHORIZED EDUCATIONAL AGENCY FOR PURPOSES OF IMPROVING THE PERFORMANCE OF THESE PERSONNEL IN ALREADY HELD OR ASSIGNED POSITIONS

KAR 91-1-215 (d)



SERVICE TO THE PROFESSION” MEANS ANY ACTIVITY THAT ASSISTS OTHERS IN ACQUIRING PROFICIENCY IN INSTRUCTIONAL SYSTEMS, PEDAGOGY, OR CONTENT, OR THAT DIRECTLY RELATES TO LICENSURE OF PROFESSIONAL EDUCATORS, ACCREDITATION PROCESSES, OR PROFESSIONAL ORGANIZATIONS

KAR 91-1-215(k)

4.2 Professional Development Points and Semester Credit Hours for Licensure Renewal

If an individual holds a bachelor’s degree, s/he must submit 160 professional development points earned under an approved individual development plan to renew a professional license. Half of the professional development points (80 points) must be awarded for completing appropriate college or university credit. One semester credit hour is equal to 20 professional development points. The Professional Development Council will determine the appropriateness of college credit before awarding points.

If an individual holds an advanced degree, s/he must submit 120 professional development points earned under an approved individual development plan to renew a professional license. The PDC will determine the appropriateness of college credit prior to awarding points. An individual with a graduate degree is not

required to earn any points from completing semester credit hours. Professional development points earned through any combination of semester credits and other professional development activities may be submitted.

Individuals may apply semester credit hours directly to licensure renewal without being awarded professional development points for the credits ONLY if the credit hours are earned as part of an approved teacher preparation program for an added endorsement area, or for a school specialist or leadership license.

The professional development points used for renewal of a license must be earned in at least one of three areas:

- **Content Endorsement Standards** are those standards adopted by the state board that defines the skills and knowledge required to maintain or acquire endorsements.
- **Professional Education Standards** are the knowledge to perform in a particular education role or position (cooperative learning, classroom management, etc.).
- **Service to the Profession** is any activity that assists others in acquiring proficiency in instructional systems, pedagogy or content, or that directly relates to licensure of professional educators, accreditation process or professional organizations

4.3 Awarding Points in Three Levels

MATRIX FOR AWARDING PD POINTS FOR RE-LICENSURE			
KAR 91-1-206 "Professional development plans for license renewal"	Content Endorsement Standards	Professional Education	Service to the Profession
Knowledge What do you know now that you did not know before?	1 PD point = 1 clock- hour of in-service education	1 PD point = 1 clock- hour of in-service education	1 PD point = 1 clock- hour of service to the profession
Application What knowledge are you applying in the classroom or to policies that you expect will improve student outcomes or behavior?	2 X Original Knowledge Level points	2 X Original Knowledge Level points	Not applicable
Impact How has student performance improved? What has positively changed about the program?	3 X Original Knowledge Level points	3 X Original Knowledge Level points	Not applicable

Activities such as college or university coursework and athletic coaching clinics are unique to each individual. Because of this, criteria applicable to *all* professional activities are critical to making fair decisions about awarding professional development points. These criteria should also support quality professional development.

The criteria for awarding points at three levels can also serve as one evaluation of the professional development relative to its value to students and/or the educational agency.

The following are samples of criteria a District/System may use in determining whether professional development points will be awarded. The PDC will review these criteria as part of the annual internal plan review and change them as appropriate. Any amendments to the plan will proceed as described in Section 1.55.

Awarding Points in Three Levels

Professional development points are awarded at three levels with *no limits* on the number of points that may be earned for licensure renewal. The three levels are described below:

Level I – Knowledge

Points awarded at one PD point per clock-hour of in-service education or service to the profession and acceptable verification given to and accepted by the PDC.

Knowledge level points provide the baseline for the points that will eventually be earned at the Application and Impact levels:

- Knowledge level (baseline) points can come from multiple activities at the knowledge level.
- It is the individual’s responsibility to clearly indicate the exact activities that will be used to gain points at the knowledge level.
- Knowledge level can be partial points from several knowledge level activities.

An individual does not need to earn knowledge level during the same licensure period that application or impact level points are earned.

Licensed personnel are responsible for knowing the procedures required for gaining professional development points for licensure.

Level II – Application

Points awarded based on the demonstrated application of the information gained at the knowledge level and for which 2 X’s the original knowledge level points are awarded. The PDC will determine the requirements for application, including, but not limited to, the length of time the application will take.

USD 457

Certified staff has the opportunity to receive professional development points for the implementation of activities into their job. This could include follow-up activities from a professional development that is incorporated into the classroom using the [Request for Application Points Form](#).

EXAMPLE: Teacher A attends a cooperative learning workshop and receives professional development points for attendance. Teacher A discusses with the principal how these items can be implemented into the classroom. Teacher A then returns to the school and reads several articles on cooperative learning, visits other teacher’s classrooms, forms a support group to discuss strands, makes material for the classroom, shares information in a staff meeting, and practices what was learned in the classroom.

Procedure:

- A. Discuss goals and plans with the supervisor.
- B. Record activities on the appropriate form. (See appendix) The form may be written for a period of up to twelve months.
- C. Each individual should keep a copy of the form and add to or update as the year progresses. The form functions as a log.
- D. All forms should include signature and approval/disapproval of immediate supervisor.
- E. Requests must be submitted to the Professional Development Council with appropriate supporting documentation.
- F. The Professional Development Council will review the form and decide on awarding of points.

Level III – Impact

Points awarded based on demonstrated impact of the knowledge and skills acquired and for which 3 X’s the original knowledge level points are awarded. The PDC will determine the requirements for impact, including, but not limited to, how the results of the application will be evaluated.

USD 457

Certified staff have the opportunity to receive professional development points for the impact the implementation of activities has on their job. This could include follow-up activities from a professional development that is incorporated into the classroom using the [Request for Impact Points Form](#).

EXAMPLE: Teacher A attends a cooperative learning workshop and receives professional development points for attendance. Teacher A discusses with the principal how these items can be implemented into the classroom. They create a data collection form that allows them to track student engagement in the classroom. Teacher A then returns to the school and reads several articles on cooperative learning, visits other teacher’s classrooms, forms a support group to discuss strands, makes materials for the classroom, shares information in a staff meeting, and practices what was learned in the classroom. At the end of the school year, the principal and teacher review the data collected on student engagement, identifying a marked improvement in student engagement as well as positive change in student behavior.

Procedure:

- A. Discuss goals and plans with your supervisor.
- B. Record activities on the appropriate form. (See appendix) The form may be written for a period of up to twelve months.
- C. Each individual should keep a copy of the form and add to or update as the year progresses. The form functions as a log.
- D. All forms should include signature and approval/disapproval of immediate supervisor.
- E. Requests must be submitted to the Professional Development Council with appropriate supporting documentation.
- F. The Professional Development Council will review the form and decide on awarding of points.

4.4 Indicators for the Three Levels

Level I Knowledge Indicators:

What do you know now that you did not know before?

In-service Education = 1 PD point per clock-hour

Verification required may include one of the following:

- Descriptions of the critical attributes of the staff development.
- Oral or written personal reflections.
- Pre and post assessments of the individual staff person's learning.

Service to the Profession = 1 point per clock-hour

Verification required may include one of the following:

- Minutes noting contributions to meetings and time spent at meetings.
- An explanation of time spent on a school committee, council, or team such as:
 - Membership in the school or district PDC.
 - Serving as a member of the school's steering team.
 - Serving on a curriculum development committee.
 - Providing staff development.
 - Samples of published articles or newsletters and an explanation of the time spent in writing.
 - An explanation of time spent, and significant contributions made while holding an office or serving on a committee for an educational organization.
- Serving on an onsite team for another school or district and an explanation of the time spent.

Level II Application Indicators:

What knowledge are you applying in the classroom or to policies that you expect will improve student outcomes or behavior?

Use of New Knowledge and Skills = 2 X Level I points

Verification required may include one of the following: Independent observation such as:

- Direct observation using trained observers or video/audio tapes.
- Structured interviews with participants and their supervisors.

Evidence such as:

- Lesson plans.
- Pre and post samples of students' work.

Examination of participants' journals, portfolios or other artifacts.

Level III Impact Indicators:

How has student performance improved? What has positively changed about the program?

Organizational Change = 3 X Level I points

Verification required may include one of the following:

- Evidence of related district or school policy change.
- Evidence of Level II application activities by others.
- Revision of district, grade level, or content area curriculum.

Student Learning = 3 Xs Level I points

Verification required may include one of the following:

- Evidence of improved student academic performance.
- Samples of positive changes in students' behaviors, such as:
 - Study habits.
 - Improved school attendance.
 - Improved homework completion rates.
 - Independent observation of positive students' classroom behaviors.
 - Increased enrollment in advanced classes.
 - Increased participation in school-related activities.
 - Decreased dropout rates.

4.5 Awarding Professional Development Points for purposes related to employment or other local matters

KAR 91-1-218. Awarding of professional development points.

(a) In awarding professional development points, each educational agency shall designate that one professional development point is equal to one clock-hour of in-service education.

(b) If a person documents completion of an in-service activity, the person shall be awarded professional development points equal to the number of clock-hours completed.

(f) For purposes of renewing a license, a professional development council shall not impose a limit on the number of professional development points that may be earned. However, a council may impose limits on the number of professional development points that may be earned for purposes related to employment or other local matters.

In order for Professional Development points to be considered for salary advancement, teachers must complete the feedback form or an evaluation form in PowerLearn within 30 calendar days from the close of the professional development. When professional development points are approved for Salary Advancement Purposes the Office of Learning Services will forward the information to the Personnel Department. Movement will be horizontal on the salary schedule only when the three hundred points are completed by August 31 or January 31. All certified staff under contract with the district are required to participate in the plan according to the staff guidelines. Certified staff includes anyone requiring licensing in order to be hired in the district, such as teachers, administrators, social workers, counselors, and nurses.

4.6 Questions about awarding PD points relative to renewal licensing

(Teacher Licensure updated as of 9/12/24, new language highlighted in yellow)

1. Do I have to have professional development points to renew my five-year professional license?

Yes, except for the following situations, under regulations effective July 1, 2003, all renewals of a professional license will be based on professional development points awarded by a local professional development council.

Exceptions:

- You may apply directly to Teacher Licensure at KSDE if you are completing a program for an additional endorsement or license (new teaching field or school specialist or leadership) and can provide an official transcript verifying at least 8 credit hours completed during the validity of the license that were part of the approved program. **Regulation 91-1-205(b)(3)(D)**
- You may apply directly to Teacher Licensure at KSDE if you hold a graduate degree **AND** have at least three years of accredited experience during the validity of the professional license being renewed. **Regulation 91-1-205(b)(3)(E)**
- You may apply directly to Teacher Education and Licensure at KSDE if you have completed the National Board Certification assessment process through the National Board for Professional Teaching Standards during the term of the professional license being renewed. **Regulation 91- 1-205(b)(3)(A) or (B)**

2. How old can professional development points be? What about credit hours?

The individual must verify professional development points earned during the term of the license that is being renewed. Therefore, any points awarded for activities OR for semester credit hours must have been earned during the five-year current professional license period. However, knowledge points that are used as the baseline to award application or impact points may have been earned during a previous licensure period. The application or impact points must have been earned during the licensure period being renewed. **Regulation 91-1-205(b)(3)**

3. If an educator has retired, but wants to maintain her/his professional license, does s/he have to continue to meet the same professional development requirements for renewal?

No. If an educator is taking part in an educational retirement system in any state, s/he can renew by completing half of the professional development points specified in the regulations. For someone holding a bachelor's degree, 80 points must be earned, 40 of which must be college credit (2 semester credit hours). A retired educator holding a graduate degree must earn 60 points.

Regulation 91-1-205(b)(3)(F)

4. If an educator wants to renew a five-year substitute license, must professional development points be earned?

Yes. This license may be renewed with 50 professional development points.

5. What information must be reported on an official professional development transcript?

A listing of all the activities for which professional development points were awarded, including the date of the activity and the total number of points awarded for each separate activity. It should identify which points were awarded for semester credit hours **and the college/university where the credit hours were earned**. The form must also include a designation of which points were awarded for service to the

profession, content, and professional education (pedagogy). A date range should be listed for activities where more than 10 points are awarded. It is suggested that districts do not include additional information related to local issues or concerns only.

6. Do official transcripts from the colleges or universities need to be included with the professional development transcript?

No. The professional development council will be awarding professional development points for courses and recording those on the professional development transcript, including the institution’s name. KSDE staff will continue to verify that the institution is appropriately accredited and that the credit is semester credit hours. Please be advised that many colleges/universities, particularly on the west coast and pacific northwest operate on the quarter credit hour system. Quarter credits are equivalent to 0.67 semester credit hours. Please warn your staff that if they take quarter credit hours, they will need to take additional quarter credit hours to meet the (4) semester credit hour renewal requirement. These institutions often advertise as ‘fast, cheap, and easy’ and part of the reason is they are not awarding full semester credit hours.

7. Does the official professional development transcript need to indicate whether the points awarded were at the knowledge, application, or impact level?

Yes. The professional development council will need to determine the level when they award the points.

8. Are there guidelines that a PDC should apply in determining whether college credit is appropriate for renewal of an individual license?

The PDC should keep in mind that an individual must complete college credit in content or professional education (pedagogy). Generally, if an individual completes coursework related to content, the content should be related to the endorsements/licenses the individual holds. However, some content coursework is considered applicable to any educator, such as computer science or world language coursework. Professional education (pedagogy) may be related to content endorsements OR something that would be applicable to any educator, no matter what their endorsement/licensure area. Example: A course on discipline in the classroom could be applicable to any educator. The PDC has flexibility in deciding “appropriate credit” when considering individual situations and requests. For example, a course in Spanish language may be appropriate for educators employed by a district where many of the students have Spanish as their first language, even though the educators do not hold an endorsement for teaching a world language. **Regulations 91-1-215(f) and 91-1-206(a)**

9. Can points be earned for attending a coaching clinic or course?

The two areas for licensure renewal listed in the question above are addressed here:

Content Standards: Coaching clinics or courses are content appropriate only for teachers with physical education endorsements. Therefore, only a PE-endorsed teacher may use a coaching course or clinic offered for semester credit hours to meet the credit hour requirement for renewal. Note: coursework that is part of a sports management or sports administration degree program is generally not acceptable as we do not issue this type of endorsement.

Professional Education Standards/Service to the Profession: A PDC could award points for coaching clinics or courses for non-PE-endorsed teachers if ALL of the following are met:

- the points are not counted as semester credit hours; AND
- the coaching clinic or course relates to an individual development plan goal on the teacher's PDC-approved plan; AND
- the PDC must be able to verify the clinic/course fits within professional education standards or service to the profession. To be considered one of these areas, the coaching clinic or course must be a general clinic, not one for a specific sport (i.e. Glazier Football Clinic, or Coaching Volleyball). For example, a clinic dealing with issues such as motivation of children or developing leadership skills would be appropriate. PDC's should keep in mind that the entire clinic may not be eligible for points. If only 4-6 hours of a 16- hour clinic delivered information applicable to the renewal area (professional education standard or service to the profession), it is appropriate to award points for the portion that was applicable.

If there are any questions about coursework and its applicability for renewal, contact the Teacher Licensure Team before approving an individual's plan.

Kansas Professional Development Resources

The documentation linked below provides guidance and policy from KSDE for the operation of system PDC's and this 5-year Professional Development Plan. Any changes to or within this list become part of that policy as they are added and must guide the PDC as it fulfills its duties.

Kansas Professional Development Regulations

[91-1-205 Licensure Renewal Requirements](#)

[91-1-206 Professional Development Plans](#)

[91-1-211 Licensure Review Committee](#)

[91-1-215 Inservice Education Definitions](#)

[91-1-216 Inservice Plans](#)

[91-1-217 Professional Development Council](#)

[91-1-218 Professional Development Points](#)

[91-1-219 Inservice Education](#)

Kansas Professional Development Statutes

[72-2544 to 2553 Professional Development Statutes](#)

Professional Development Points

[Content Endorsement Standards](#)

[Kansas Professional Education Standards](#)

[Fact-Sheet-PD-Does this Count as In-service Education?](#)

[PDC Membership Selection \(2/14/23\)](#)

[Verifying College Credit](#)

Appendix

District Trainer Acceptance Agreement

I _____, AS A DISTRICT TRAINER IN THE
AREA OF _____, AGREE TO PROVIDE TRAINING SESSIONS TO
DISTRICT STAFF WITHIN THE FIRST YEAR OF BECOMING A DISTRICT TRAINER.

PAYMENT WILL NOT BE GIVEN FOR THE FIRST YEAR TRAINING SESSIONS. AFTER THE FIRST
YEAR, TRAINERS WILL BE PAID ACCORDING TO CURRENT USD 457 PAYMENT GUIDELINES.

IF YOU HAVE QUESTIONS, PLEASE CALL 620.805.7186.

EMPLOYEE'S SIGNATURE

SUPERVISOR'S SIGNATURE

DATE

**Airline Ticket Acceptance Agreement
District Trainer**

I _____, agree to utilize the purchased airline ticket to attend the _____ conference in _____ on _____, 20_____.

IF I DO NOT ATTEND THIS CONFERENCE THEN I UNDERSTAND IT WILL BE MY RESPONSIBILITY TO PURCHASE THE TICKET BACK FROM USD 457 FOR THE PURCHASE PRICE.

Appeals to this decision may be made to the Professional Development Council in writing 10 days after the decision is made not to utilize the airline ticket.

If you have questions, please contact Heather Stegman at 620.805.7186.

EMPLOYEE'S SIGNATURE Date

SUPERVISOR'S SIGNATURE Date

Documentation to Support Request for Application Points

Application Points are 2x the original request for knowledge level points. Rationale for request is based on this question, "What can I do consistently now that I was not able to do before my original training?" Request for application points must be submitted in portfolio format. Application Level requests are not eligible until 3 months after the original training, but within 12 months after receiving the original training. The portfolio must be divided into three parts: timeline, narrative that describes and reflects how knowledge has been increased, and documentation.

Name of Applicant: _____	
Date of Original Training: _____ Title of Original Training: _____	
Points of Original Training: _____	
<p>Timeline: A quick visual overview. The timeline can be organized into months and can list anything that has been done. Possible activities are listed below:</p> <ul style="list-style-type: none"> · planning meetings · book studies · lessons taught · presentation · additional professional readings · videos 	
<p>Narrative: Write a short narrative that describes how the process has changed your specific instructional practices.</p>	
<p>Documentation: Include multiple forms of documentation taken over a period of time. The amount of documentation must be comparable to the amount of points requested.</p> <p>____ anecdotal records of student/classroom observation ____ lesson plans ____ samples of student work ____ PowerPoint ____ agendas ____ other</p>	

Documentation to Support Request for Impact Points

Impact points are 3x the original request for knowledge level points. Rationale for request is based on these questions, “What are the results of my changes? How has student performance improved? What has changed about the program? Request for Impact along with a copy of the “Request Form” must be submitted in portfolio format within 24 months after receiving the original training. The portfolio must be divided into three parts: timeline, narrative that describes and reflects how knowledge was applied, and data-based results to document change.

Name of Applicant: _____	
Date of Original Training: _____ Title of Original Training: _____	
Points of Original Training: _____	
<p>Timeline: A quick visual overview. The timeline can be organized into months and can list anything that has been done. Possible activities are listed below:</p> <ul style="list-style-type: none"> • instructional strategies • book studies • lessons taught • presentation • additional professional readings • videos 	
<p>Narrative: Write a short narrative that describes how the process has changed your specific instructional practices.</p>	
<p>Documentation: Include multiple forms of documentation taken over a period of time. The amount of documentation must be comparable to the amount of points requested.</p> <ul style="list-style-type: none"> • evidence of improved student performance • evidence of positive changes in student behavior (attendance, homework) • evidence of related district or policy change • evidence of revised district, grade level, or content area curriculum 	

2025 - 2026 School Calendar - REVISED

Unified School District 457 • Garden City, Kansas 67846



July 2025						
S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

August 2025						
S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

September 2025						
S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

October 2025						
S	M	T	W	T	F	S
		1	2	3	4	
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

- 8-8 New Teacher Inservice (NS)
- 11 Teacher Inservice (NS)
- 12 Teacher Workday (NS)
- 18 School AM (Grades K-4, 5, 7, 9-10 & new students)
Teacher Workday PM

- 1 Labor Day (NS)
- 26-28 Teacher Inservice (NS)

- 14 End of Grading Period
- 17 Teacher Inservice AM (NS)
Teacher Workday PM
- 23-24 Parent/Teacher Conference (NS)

November 2025						
S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

- 24-28 Fall Vacation (NS)

December 2025						
S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

- 18 End of Grading Period
- 22-31 Winter Vacation (NS)

January 2026						
S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

- 1-2 Winter Vacation (NS)
- 6 Teacher Workday (NS)
- 8 Teacher Inservice (NS)
- 7 School Resumes
- 30 New Teacher Inservice (NS)

February 2026						
S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28

- 20 Teacher Inservice AM (NS)
Teacher Workday PM
- 26-27 Parent/Teacher Conference (NS)

March 2026						
S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

- 10 End of Grading Period
- 18 Teacher Release Inservice (NS)
- 18-20 Spring Break (NS)

April 2026						
S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

- 1 New Teacher Inservice (NS)
- 8 Teacher Inservice (NS)

May 2026						
S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

- 21 Last Day of School
- 22 Teacher Workday AM (NS)

June 2026						
S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

- ◡ = New Teacher Orientation (NS)
- = Holiday/Vacation (NS)
- ◻ = District Work/Inservice (NS)
- = Parent/Teacher Conference (NS)
- = Half Day of School
- NS** = No School

Inservices (7) = 8/11, 9/25, 9/26, 10/17*, 1/6, 2/20*, 3/13, 4/6

Workdays (4) = 8/12, 8/13*, 10/17*, 1/5, 2/20*, 5/22*

Snow Days (May 1, 4)
Graduation Weekend (May 16-17)

* = 1/2 Day

1159 Hour Calendar (8 hours, 40 minutes)		
1 st Grading Period	41.5	} 83.5
2 nd Grading Period	42.0	
3 rd Grading Period	43.0	} 87.0
4 th Grading Period	44.0	
		170.5
Teacher Contract Days		181.5

MEMORANDUM

TO: Board of Education
THRU: Josh Guymon, Superintendent
FROM: Steve Nordby, Assistant Superintendent
DATE: 2/2/2026
RE: **GCHS Building Presentation**

ISSUE & BACKGROUND:

USD 457 instruction staff will provide Board of Education members with an update on our latest screening assessments.

ALTERNATIVES:

No alternatives applicable

RECOMMENDATION & FISCAL NOTE:

No action is required. This is an informational item

ATTACHMENTS:

None


USD 457 Winter Data Update

Feb. 9th 2026


Presented by: Heather Stegman and Michelle Baier



25-26 Benchmarks




25-26 Benchmarks ▾




FAST - Fast aReading By Grade




25-26 Benchmarks ▾



25-26 Benchmarks






Early Literacy WIG:

80% of Kindergarten - 2nd grade students will meet the phonics and fluency benchmark by the end of 2nd grade through the implementation of high quality structured literacy instruction.


Kindergarten Winter Data

Kindergarten-Onset Sounds Winter '25



+ 8.2% from fall


Kindergarten-Letter Sounds Winter '25




-6.5% from fall

1st Grade Winter Data

1st Grade-Word Segmenting Winter '25



1st Grade-CBM Winter '25




+9.2% From Fall


-0.7% from fall

Kindergarten last year to 1st grade this year Phonemic Awareness

Kindergarten-Onset Sounds Winter '24-'25




1st Grade-Word Segmenting Winter '25




+ 19.3% from last year to this year

Kindergarten last year to 1st grade this year Phonics

Kindergarten-Letter Sounds Winter '24-'25




1st Grade-CBM Winter '25



- 17.2% from last year to this year


2nd Grade Winter Data

2nd Grade-Word Segmenting Winter '25



+20.6% from fall


2nd Grade-Phonics and Fluency - Winter '25




+3.1% from fall

1st grade last year to 2nd grade this year

1st Grade-CBM Winter '24-'25



2nd Grade-Phonics and Fluency - Winter '25




+ 14.4% from last year to this year

3rd Grade Winter Data

3rd Grade-Word Segmenting Winter '25


Not On Target
18.3%



On Target
81.7%

3rd Grade-Phonics and Fluency-Winter '25

Not On Target
53.3%




On target
46.7%

+6.6% from fall


-4.5% from fall

2nd grade last year to 3rd grade this year

2nd Grade-Phonics and Fluency Winter '24-'25




3rd Grade-Phonics and Fluency-Winter '25



+ 3.8% from last year to this year


4th Grade Winter Data

4th Grade - Word Segmenting Winter '25



+1.3% from fall


4th Grade-Phonics and Fluency Winter '25




-3.2% from fall

3rd grade last year to 4th grade this year

3rd Grade-Phonics and Fluency Winter '24-'25




4th Grade-Phonics and Fluency Winter '25



+24.3% from last year to this year


5th Grade Winter Data

5th Grade-Word Segmenting Winter '25



Stayed the Same


5th Grade-Phonics and Fluency Winter '25




+2.3% from fall

4th grade last year to 5th grade this year

4th Grade-Phonics and Fluency Winter '24-'25



5th Grade-Phonics and Fluency Winter '25




- 16.4% from last year to this year

6th Grade Winter Data

6th Grade-Word Segmenting Winter '25


Not On Target
7.2%



On Target
92.8%

6th Grade-Phonics and Fluency Winter '25

Not on Target
37.3%




On target
62.7%

+1.4% From fall


-1.3% from fall

5th grade last year to 6th grade this year

5th Grade-Phonics and Fluency Winter '24-'25



6th Grade-Phonics and Fluency Winter '25




+5.8% from last year to this year

7th Grade Winter Data

7th Grade-Word Segmenting Winter '25


Not On Target
5.0%



On target
95.0%

7th Grade-Phonics and Fluency Winter '25

Not on Target
29.5%




On Target
70.5%

-.4% from fall


-.7 from fall

6th grade last year to 7th grade this year

6th Grade-Phonics and Fluency Winter '24-'25



7th Grade-Phonics and Fluency Winter '25




+ 4.4% from last year to this year

8th Grade Winter Data

8th Grade-Word Segmenting Winter '25


Not on Target
5.8%



On Target
94.2%

8th Grade-Phonics and Fluency Winter '25

Not on Target
32.7%




On target
67.3%

-.6% From Fall


+4.2% From Fall

7th grade last year to 8th grade this year

7th Grade-Phonics and Fluency Winter '24-'25



8th Grade-Phonics and Fluency Winter '25



- .1% from last year to this year

Table 1.7: Progression of Word Study through the Grades

—	—	—	—	—	Greek-Derived Morphemes		
—	—	—	Derivational Morphology: Anglo-Saxon and Latin Roots, Prefixes, Suffixes			—	
—	Inflectional Morphology			—	—	—	—
—	—	Common Syllables, Syllabification			—	—	—
—	Fluent Recognition of Word Families (Rime Patterns)			—	—	—	—
—	300–500 Sight Words		—	—	—	—	—
Phoneme-Grapheme Correspondences			—	—	—	—	—
Basic Phonological Awareness		More Complex Phonemic Awareness		—	—	—	—
K	1	2	3	4	5	6	7+

Questions?



Memorandum

to: The USD457 Board of Education

thru: Josh Guymon, Superintendent

from: Dr. Virginia Duncan, Director of Secondary Curriculum & Instruction

subject: New Courses from Curriculum Council

date: 1-23-26

ISSUE:

USD457 and Garden City High School continue to examine courses that are offered by the college to ensure we are aligned with course names and offerings for dual credit, as well as continue to align our CTE classes to the State level changes in CTE pathway course names and offerings. Based on state recommendations, USD457 is also working to expand introductory CTE courses and opportunities into Middle Schools.

The Board of Education is asked to consider and approve the addition of the following new courses:

GCHS Course Name Changes (not-related to CTE):

- Music Courses - Name Changes
 - Semester 1 Symphonic Band to Marching Band
 - Semester 2 Buffalo Band to Wind Ensemble
 - Modern Show Choir to Vocal Jazz
 - A Cappella to Chorale
 - Tenor/Bass Choir to Buffalo Men

Middle Schools - Course Name Changes to Align to CTE Pathways:

- Family & Consumer Science to Introduction to Family & Consumer Sciences

New Middle School Course Offerings (Introductory Level CTE Courses):

- Agriculture Explorations 1
- Business Essentials
- Career & Life Planning
- Intro to Health Care
- Intro to Skilled Trades
- Intro to Education

ALTERNATIVES:

1. Approve the courses as presented
-

2. Do not approve the courses

RECOMMENDATION:

It is recommended that the Board of Education approve the courses as presented.

FISCAL NOTE:

No additional funding is needed to fund these courses

ATTACHMENTS:

Applications to Curriculum Council for approval

MEMORANDUM

TO: Board of Education
THRU: Mr. Josh Guymon, Superintendent
FROM: Casey Wise | Director of Technology
DATE: January 30, 2026
RE: Approve Bid for New Bell/Intercom System at HGMS

ISSUE:

The current bell and intercom system at Horace Good Middle School is consistently malfunctioning and is in need of replacement.

BACKGROUND:

In fall 2025, the district decided to replace Horace Good Middle School’s outdated bell and intercom system with a new IP-based model. Facility plans were updated, and an RFP was issued in December. After a mandatory walkthrough on January 5, 2026, bids were received by January 14. District staff met with one vendor for a system overview on January 22, while they were already familiar with the other vendors’ proposals.

ALTERNATIVES:

No other alternatives applicable.

RECOMMENDATION:

Accept the proposed bid from INA Alert outlined below:

Item	Price
IP Intercom System Upgrade	\$216,957.85
Existing Equipment Removal - option	\$21,476.31
Total	\$238,434.16

FISCAL NOTE:

Existing budgeted finances for Safety & Security will be used for this expense.

ATTACHMENTS:

Reference board materials for the bid packet information.

Bidders List
Bells & Intercom System: Horace Good

Centegix
2120 Powers Ferry Rd.
Atlanta, GA 30303
800-950-9202
Matthew Young

ECC
6020 Parretta Dr.
Kansas City, MO 64120
816-448-2616
Sean Burns

Geo-Comm
1100 W. Saint Germain St.
St. Cloud, MN 56301-3403
888-436-2666
Matthew Werner

INA Alert
112 N. Main
Ellinwood, KS
620-564-3766
Jake Strecker

KCAV
7535 Troost Ave.
Kansas City, MO 64131
800-798-5228
Jon-Paul Lorentz

Singlewire
1002 Deming Way
Madison, WI 53717
608-661-1140
Eric Shaw

SWC

Bid Tabulations
Bells & Intercom System: Horace Good

Bid Opening: January 14th, 2026

Bid 2026-06

Vendor	Bid
Centegix	No Bid
ECC	No Bid
Geo-Comm	No Bid
INA Alert	\$238,434.16
KCAV	No Bid
Singlewire	No Bid
SWC	\$294,666.51

RECOMMENDATION: To accept the bid of INA Alert in the amount of \$238,434.16
Payment to be made from budgeted funds in account:
008 E 2840 17 1000 017 11 736: Safety & Security



Software & Camera Solutions



INA Alert Inc Proposal
For
USD 457
Horace Good Middle School
Bells & Intercoms System



Software & Camera Solutions

Table of Contents

Transmittal Letter	3
Signed Bid Documents	4
Company Information	6
Company History.....	6
Project Design and Technical Approach	7
Project Management, Installation, and Training.....	8
Project Pricing	9
Project Equipment	10
References.....	12
Bid Bond.....	13
Letter of Good Standing	15
Product Datasheets.....	16



Transmittal Letter

Dear Mr. Wise,

On behalf of INA Alert, Inc., we are pleased to submit our proposal in response to the Request for Proposals for the Bells and Intercom System at Horace Good Middle School. This proposal is submitted in accordance with the requirements, specifications, and conditions outlined in the bid documents provided by Unified School District No. 457.

INA Alert has reviewed the bid summary, technical specifications, drawings, and standard terms and conditions and confirms that our proposed solution meets or exceeds the performance, functional, and warranty requirements defined in the RFP. Our submission includes all required documentation, acknowledgements, and supporting materials necessary for full evaluation by the District.

We appreciate the opportunity to participate in this competitive procurement process and value the District's emphasis on system reliability, safety, and long-term operational sustainability. INA Alert is committed to delivering a solution that aligns with USD 457's technical standards, installation timeline, and ongoing support expectations.

Should you require clarification, additional documentation, or supplemental information during the evaluation process, please do not hesitate to contact me. We look forward to the opportunity to further discuss our proposal and to participate in the next steps of the selection process.

Respectfully submitted,

Jordon Smith
Executive VP
INA Alert, Inc.

BID FORM

By signing this bid form, the vendor certifies the pricing being offered meets or exceeds all requirements and conditions of the bid, special provisions and specifications. In compliance with the above and subject to all the conditions hereof, the undersigned offers and agrees to furnish all items upon which prices are quoted, at the price set opposite each item.

The undersigned certifies that no Federal, State, County or Municipal tax is included in the quoted prices and that none will be added. Public schools are EXEMPT. Exemption certificates will be provided upon request.

Vendor Name: INA Alert Inc.

WE HEARBY AGREE TO FURNISH THE ITEMS ON WHICH PRICES ARE QUOTED ABOVE IN ACCORDANCE WITH ALL TERMS AND CONDITIONS PREVIOUSLY LISTED AND ANY ATTACHED SPECIFICATIONS.

Signature: Jordon Smith
Date: 1/13/26
Printed Name: Jordon Smith
Title: VP Sales Engineering, Co-Owner
Email: Jordon@inaalert.com

Addenda to Bid (Y/N) Y

The undersigned bidder does, by their signature below, agree that they received the addenda; that they understand the content of the addenda and shall comply with all of the conditions of the addenda specified.

BID FORM

BIDDER IS AN INDIVIDUAL-

Name of Individual: _____
Name of Business: _____
Mailing Address: _____
Business Phone No.: _____
Business Fax No.: _____

BIDDER IS A PARTNERSHIP-

Name of Partnership: _____
 Names of Principal Partners: _____
 Mailing Address: _____
 Business Phone No.: _____
 Business Fax No.: _____
 The full names of all partners: _____

BIDDER IS A CORPORATION-

Full Corporation Name: INA Alert, Inc.
 State of Incorporation: Kansas
 Mailing Address: PO Box 96 Ellinwood, KS 67526
 Business Phone No.: 620-564-3766
 Business Fax No.: 620-564-2017
 Name & Address of Resident Agent: _____

ATTACHMENT A - USD 457 STANDARD TERMS AND CONDITIONS

1. **SCOPE:** The following terms and conditions shall prevail unless otherwise modified by the District within this bid document. The District reserves the right to reject any bid which takes exception to these terms and conditions.
2. **DEFINITIONS AS USED HEREIN:**
 - a. The term “bid request” means a solicitation of a formal sealed bid.
 - b. The term “bid” means the price offered by the bidder.
 - c. The term “bidder” means the offeror or vendor.
 - d. The term “District” means Unified School District No. 457.
 - e. The term “Board of Education” or “BOE” means the governing body of Unified School District No. 457.
3. **COMPLETING BID:** Bids must be submitted ONLY on the form provided in this bid document. All information must be legible. Any and all corrections and /or erasures must be initialed. Each bid sheet must be signed by the authorized bidder and required information must be provided.
4. **CONFIDENTIALITY OF BID INFORMATION:** Each bid must be sealed and submitted in or under cover of the enclosed envelope to provide confidentiality of the bid information prior to the bid opening. Supporting documents and/or descriptive literature may be submitted with the bid or in a separate envelope marked “Literature for Bid (Number).” Do NOT indicate bid prices on literature. All bids and supporting



Software & Camera Solutions

Company Information

Name: INA Alert Inc.

Address: 112 N Main St
Ellinwood, KS 67526

Business: Woman-Owned S-Corporation

Contact: Jordon Smith, VP of Sales Engineering
112 N Main St Ellinwood, KS 67526
P: 620-564-3766
C: 254-315-7377
Jordon@inaalert.com

Company History

INA Alert Inc. is a Woman-Owned Business founded in April 2011 and headquartered in Ellinwood, Kansas. INA Alert began as a technology-focused company serving regulated and mission-critical industries, with early roots in healthcare staffing communications and scheduling systems. Through this work, the company developed a strong foundation in reliable, time-sensitive communications—experience that naturally translated into education and public-sector space.

As INA Alert expanded into K-12 environments, the company evolved into a full-service systems integrator, focused on designing, integrating, and supporting unified communication, life-safety, video surveillance, and access control platforms. With more than a decade of experience supporting educational institutions, INA Alert understands the importance of interoperability, survivability, and long-term serviceability when integrating these systems.

To support these objectives, INA Alert maintains strategic technology partnerships, including being a trusted integration partner for security and access control solutions and an established partner of Bogen Communications for paging, intercom, and mass notification systems. These partnerships enable the delivery of fully integrated, enterprise-grade solutions aligned with K-12 operational and safety requirements.

Today, INA Alert employs 56 full-time professionals and supports more than 118 Kansas school districts, including districts served through its role as a Greenbush contract partner. The company provides statewide coverage with continued expansion into surrounding Midwest states and offers 24/7 technical support to ensure mission-critical systems remain operational throughout their lifecycle.



Software & Camera Solutions

Project Design and Technical Approach

INA Alert will utilize the Bogen Communications E7000 Series as the basis of design for the bells, intercom, and internal communication system at USD 457 Horace Good Middle School. The Bogen E7000 platform is an enterprise-grade, IP-based solution designed to unify paging, intercom, bells, emergency notification, and visual alerting into a single, centrally managed system.

The proposed design leverages existing infrastructure where appropriate while introducing modern IP endpoints and control to improve functionality, reliability, and long-term serviceability. Existing speaker lines serving hallways and auxiliary areas will be reused and integrated into the new system through IP-enabled gateways and controllers, minimizing disruption while extending the useful life of current wiring. Existing clocks will be replaced with new network-synchronized clocks, and clock/speaker combination devices with integrated LED flashers will be installed in designated areas to support both audible and visual notifications. **As part of installation, INA Alert will evaluate existing equipment; any devices verified to be functional and approved by the District for reuse or removal from scope will be eligible for a corresponding rebate or credit, applied as a deductive change or final invoice adjustment.**

Classrooms requiring two-way communication will be equipped with IP-based smart call buttons and talkback-capable devices. These devices support multiple programmable functions, allowing staff to initiate normal calls, emergency calls, and other workflow or status requests as defined by the District. All classroom and common-area devices are centrally configured through the Bogen E7000 platform, ensuring consistent behavior, priority handling, and emergency override functionality across the campus.

The system will be designed as a fully IP-managed solution, allowing centralized configuration, monitoring, and future scalability. Device zoning, bell schedules, paging priorities, emergency messaging, and visual alert behavior will be programmed to align with district operational standards and life-safety requirements. The design prioritizes interoperability with existing systems, survivability during network interruptions, and ease of use for daily operations.

Add Alternative Bid – Existing Equipment Removal

An add alternate for this bid includes the labor required to disconnect and remove existing bells, intercom equipment, clocks, speakers, cabling, and associated hardware as identified by the District. All removed equipment will be consolidated and turned over to the district for disposal. Areas affected by equipment removal will be left in a safe and clean condition.



Software & Camera Solutions

Project Management, Installation, and Training

Upon acceptance of this proposal, INA Alert will assign a dedicated Project Manager to the project. The Project Manager will initiate communication with the District's designated point of contact (POC) to confirm stakeholders and establish clear lines of communication. Once stakeholders are confirmed, INA Alert's Ordering Department will be engaged to process equipment orders and coordinate delivery timelines.

The Ordering Department will communicate anticipated delivery schedules to project stakeholders. Following confirmation of equipment delivery, the Project Manager will work with District representatives to establish an installation schedule. INA Alert will coordinate closely with onsite staff to ensure a smooth transition from any existing systems and to address any site-specific considerations or configuration requirements.

Prior to installation, INA Alert's Installation Department will pre-configure system hardware to reduce onsite deployment time and ensure consistency with the approved design. During installation, the Project Manager and Lead Technicians will coordinate final device locations and configurations with District stakeholders to ensure proper coverage, functionality, and usability.

Upon completion of installation, INA Alert will provide comprehensive training for designated administrators, faculty, and staff. Training will cover daily operation, emergency functions, and system management. Following training, any necessary adjustments to system configuration will be completed. A complimentary 90-day Managed Service Agreement (MSA) will begin at the conclusion of training, after which the system will be transitioned to INA Alert's Support Department, which provides ongoing assistance and 24/7 technical support.

INA Alert will provide a comprehensive warranty and support program in accordance with the USD 457 bid requirements. All system equipment shall be covered by a minimum five (5) year manufacturer's warranty against defects in materials and workmanship. In addition, INA Alert provides a one (1) year workmanship (labor) warranty on all installation, configuration, and commissioning services, extending beyond substantial completion.

INA Alert will respond to warranty service requests within 24 hours, excluding weekends and holidays. If covered equipment cannot be repaired within 24 hours of a service visit, temporary replacement equipment will be provided at no additional cost, as applicable. Upon expiration of the warranty period, INA Alert offers optional service and maintenance agreements to provide continued factory-authorized support.



Software & Camera Solutions

Project Pricing

Pricing for the proposed Bells and Intercom System at Horace Good Middle School is based on INA Alert's awarded contract pricing through Greenbush Contract 22.8 ESC-SAFESECURE2022.

Security Upgrade Overview			
Quote #	Building	Project	Total
013-26	Horace Good Middle School	IP Intercom System Upgrade	\$ 216,957.85

To accept this quotation, sign here and return:

Approved By: _____ Approval Date: _____

INA Alert, Inc. Representative: _____ Approval Date: _____

Security Upgrade Overview			
Quote #	Building	Project	Total
014-26	Horace Good Middle School	Existing Equipment Removal - Add-alt. Please Indicate: Accept: <input type="checkbox"/> Decline: <input type="checkbox"/>	\$ 21,476.31

To accept this quotation, sign here and return:

Approved By: _____ Approval Date: _____

INA Alert, Inc. Representative: _____ Approval Date: _____



Software & Camera Solutions

Project Equipment

Intercom Hardware & Accessories		
QTY	MODEL NAME	DESCRIPTION
2	NQ-ZPMS	NYQUIST IP PAGING SYSTEM - ZONE PAGING MICROPHONE STATION
1	NQ-E7010	NYQUIST IP PAGING SYSTEM - I/O CONTROLLER, 8 DRY CONTACT CLOSURE INPUTS, 8 OC RELAY DRIVER OUTPUTS
1	NQ-P0100	NYQUIST IP PAGING SYSTEM - 4-CH MATRIX MIXER PRE-AMPLIFIER
1	NQ-RMK01	NYQUIST APPLIANCE 1U RACK MOUNT KIT, TYPE-1
1	NQ-RMK03	NYQUIST APPLIANCE 1U-2U RACK MOUNT KIT, TYPE-3PACKAGED 2 PER BOX
3	NQ-A4120-G2	NYQUIST IP PAGING SYSTEM AMPLIFIER, 70V (2Ch x 240W) / 25V (4Ch x 120W) 2RU IP Power Amp Gen2
4	A8TBLK	SPEAKER, ALL-WEATHER, MODEL A8 W/TRANSFORMER BLACK
18	SPT15A	SPEAKER, PAGING HORN w/ TRANSFORMER, 15 WATT
6	OPS1W	SPEAKER, ORBIT PENDANT SPEAKER SERIES, WHITE
6	MB8TSQ	SPEAKER, SQUARE METAL BOX ENCLOSURE, 8" 4W TRANSFORMER
151	S86T725PG8WVR	CEILING SPEAKER, 8 INCH w/ TRANSFORMER, WHITE GRILLE, RECESSED VOLUME CONTROL
120	RE84	ROUND RECESSED STEEL 8" SPEAKER ENCLOSURE
120	TB8	TILE BRIDGE FOR CELING SUPPORT SPEAKER MOUNT (S86, S810, CS1EZ, ASWG1/DK)
81	NQ-S1810WBC	NYQUIST IP PAGING SYSTEM - VOIP WALL BAFFLE COMBO SPEAKER WITH LED DISPLAY
66	NQ-E7020-G2	NYQUIST IP PAGING SYSTEM - DIGITAL CALL SWITCH GEN2
9	BCBP-31S-404-OR	Bogen Digital, IP, 3100 Model, 4.0 in., 4 Digits, PoE, Red Display, Surface Wall Mount



Software & Camera Solutions

Storage & Software		
QTY	MODEL NAME	DESCRIPTION
		NYQUIST IP PAGING SYSTEM - SYSTEM CONTROLLER (H/W ONLY)
1	NQ-SYSCTRL	
		NYQUIST E7000 EDUCATIONAL SYSTEM SOFTWARE - SYSTEM LICENSES/W UPDATES)
1	NQ-E7000SWL	
		NYQUIST E7000 EDUCATIONAL SYSTEM SOFTWARE-STATION LICENSE PACK(25)
8	NQ-E7000SSL	
		NYQUIST E7000 EDUCATIONAL SYSTEM SOFTWARE-CONCURRENT CALL LICENSE PACK(10)
1	NQ-E7000CCL	
		NYQUIST E7000 EDUCATIONAL SYSTEM - PBX INTEGRATION SERVICES
1	NQ-E7000PBXI	
		NYQUIST E7000 TEXT-TO-SPEECH SOFTWARE LICENSE
1	NQ-E7000TTS	
		NYQUIST 15-YEAR EXTENDED S/W UPDATE SUBSCRIPTION - SYSTEM LICENSE
1	NQ-E7SWLMMAINT15X	
		NYQUIST 15-YEAR EXTENDED S/W UPDATE SUBSCRIPTION - STATION LICENSES
8	NQ-E7SSLMAINT15X	
1	NQ-E7CCLMAINT15X	NYQUIST 15-YEAR EXTENDED S/W UPDATE SUBSCRIPTION - CONCURRENT CALL LICENSES

Custom Line Items		
QTY	MODEL NAME	DESCRIPTION
5	452	1P 22G STRD SHLD PVC JKT (1000ft)
18	Indoor Cable	Cat6 Indoor Cable #77-240-2A - 23-4P UTP-CMR SOL BC CAT6 THERMOPLASTIC/FRPVC SERIES 77 POP BOX (1000ft)
5	Lift	Interior Lift (Rented Per Day)
1	Installation	Hardware Installation & Software Configuration
1	Miscellaneous	Misc: Connectors, Mounting Brackets, Clips, Etc

INA

Software & Camera Solutions


References

USD 250 - Pittsburg

Contact: Sara Wilcox – Director of Technology

Email: Swilcox@usd250.org

Phone: 620-235-3246



USD 473 – Chapman

Kevin Suther – District Superintendent

Email: Ksuther@usd473.net

Phone: 785-922-6521



USD 473
Chapman Public Schools

USD 402 - Augusta

Contact: Neal Ostrander - Director of Technology

Email: nostrander@usd402.com

Phone: 316-775-5484 ext.1013



THE AMERICAN INSTITUTE OF ARCHITECTS

AIA Document A310

Bid Bond

KNOW ALL MEN BY THESE PRESENTS, that we INA Alert, Inc.

PO Box 96, Ellinwood, KS 67526

as Principal, hereinafter called the Principal, and Merchants National Bonding, Inc.

P.O. Box 14498, Des Moines, IA 50306-3498

a corporation duly organized under the laws of the State of IA

as Surety, hereinafter called the Surety, are held and firmly bound unto USD 457 Board of Education 1205 Fleming St, Garden City, KS 67846

as Obligee, hereinafter called the Obligee, in the sum of Five Percent of Amount Bid

Dollars (\$ 5%),

for the payment of which sum well and truly to be made, the said Principal and the said Surety, bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS, the Principal has submitted a bid for

USD 457 Bells/Intercoms Systems: Internal Communication, Notification and Classroom Workflow Enhancement System

NOW, THEREFORE, if the Obligee shall accept the bid of the Principal and the Principal shall enter into a Contract with the Obligee in accordance with the terms of such bid, and give such bond or bonds as may be specified in the bidding or Contract Documents with good and sufficient surety for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof, or in the event of the failure of the Principal to enter such Contract and give such bond or bonds, if the Principal shall pay to the Obligee the difference not to exceed the penalty hereof between the amount specified in said bid and such larger amount for which the Obligee may in good faith contract with another party to perform the Work covered by said bid, then this obligation shall be null and void, otherwise to remain in full force and effect.

Signed and sealed this 14th day of January, 2026

Jordan Smith (Witness)

INA Alert, Inc. (Principal) (Seal)

By: Jordan Smith - Co-Owner (Title)


Samantha Cuda (Witness)



Merchants National Bonding, Inc. (Surety) (Seal)

By: Clara R Navarro Abela (Title)

Clara R Navarro Abela, Attorney-in-fact



MERCHANTS BONDING COMPANY™ POWER OF ATTORNEY

Know All Persons By These Presents, that MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., both being corporations of the State of Iowa, and MERCHANTS NATIONAL INDEMNITY COMPANY, an assumed name of Merchants National Bonding, Inc., (herein collectively called the "Companies") do hereby make, constitute and appoint, individually, **Clara R Navarro Abela**

Surety Bond #: Bid Bond
Principal: INA Alert, Inc.
Obligee: USD 457 Board of Education

their true and lawful Attorney(s)-in-Fact, to sign its name as surety(ies) and to execute, seal and acknowledge any and all bonds, undertakings, contracts and other written instruments in the nature thereof, on behalf of the Companies in their business of guaranteeing the fidelity of persons, guaranteeing the performance of contracts and executing or guaranteeing bonds and undertakings required or permitted in any actions or proceedings allowed by law.

This Power-of-Attorney is granted and is signed and sealed by facsimile under and by authority of the By-Laws adopted by the Board of Directors of the Companies.

"The President, Secretary, Treasurer, or any Assistant Treasurer or any Assistant Secretary or any Vice President shall have power and authority to appoint Attorneys-in-Fact, and to authorize them to execute on behalf of the Company, and attach the seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof."

"The signature of any authorized officer and the seal of the Company may be affixed by facsimile or electronic transmission to any Power of Attorney or Certification thereof authorizing the execution and delivery of any bond, undertaking, recognizance, or other suretyship obligations of the Company, and such signature and seal when so used shall have the same force and effect as though manually fixed."

In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.

In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner - Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

In Witness Whereof, the Companies have caused this instrument to be signed and sealed this 14th day of January, 2026.





MERCHANTS BONDING COMPANY (MUTUAL)
MERCHANTS NATIONAL BONDING, INC.
MERCHANTS NATIONAL INDEMNITY COMPANY

By 
Larry Taylor
 President

STATE OF IOWA
 COUNTY OF DALLAS ss.

On this 14th day of January, 2026, before me appeared Larry Taylor, to me personally known, who being by me duly sworn did say that he is President of MERCHANTS BONDING COMPANY (MUTUAL), MERCHANTS NATIONAL BONDING, INC., and MERCHANTS NATIONAL INDEMNITY COMPANY; and that the seals affixed to the foregoing instrument are the Corporate Seals of the Companies; and that the said instrument was signed and sealed in behalf of the Companies by authority of their respective Boards of Directors.




 Notary Public

(Expiration of notary's commission does not invalidate this instrument)

I, Elisabeth Sandersfeld, Secretary of MERCHANTS BONDING COMPANY (MUTUAL), MERCHANTS NATIONAL BONDING, INC., and MERCHANTS NATIONAL INDEMNITY COMPANY do hereby certify that the above and foregoing is a true and correct copy of the POWER-OF-ATTORNEY executed by said Companies, which is still in full force and effect and has not been amended or revoked.

In Witness Whereof, I have hereunto set my hand and affixed the seal of the Companies on this 14th day of January, 2026.




 Secretary



From the desk of:
John S. Greff
Heartland Regional Sales Manager
Bogen Communications LLC

August 12, 2025

To whom it may concern:

Please accept this letter as assurance and confirmation that INA Alert is fully authorized by Bogen Communications, LLC. to sell, install, and service all Bogen products, and has been an authorized dealer in good standing since 2021. This authorization includes Bogen's exclusive Engineered Systems product line for the state of Kansas.

As an authorized Engineered Systems Dealer, INA Alert, and its' staff have been factory trained and certified on all Bogen Engineered Systems products, applications, installation, programming, operation, and servicing. Please note that this authorization and certification includes Bogen's Nyquist C4000 and E7000 Series communications systems.

If you have any further concerns regarding this, or any issue, please feel free to contact me directly.

Best Regards,

A handwritten signature in black ink that reads "John S. Greff". The signature is written in a cursive style with a large, stylized initial 'J'.

John S. Greff
Heartland Regional Sales Manager
Bogen Communications LLC



BOGEN®

E7000 SERIES

The Modern Educator's Digital Communication Solution for safer, better managed schools

Nyquist E7000 is a software-based state-of-the-art IP paging and intercom solution that leverages the latest digital, mobile, and software technologies to address today's educational environments, security challenges, and mobile lifestyles. But to call it a paging and intercom system is to understate its capabilities. The E7000 Series is a suite of powerful, yet easy-to-use tools that allows educators to quickly and effectively manage campus and district-wide communications.

E7000 is built upon Bogen's award-winning Nyquist IP-based communications platform that features a rich software suite with an intuitive web-based graphical user interface (GUI). The GUI offers map-based paging and intercom management with hierarchical drill-down views, station supervision with email alerts, and text-to-speech functionality for scripted announcements. E7000 also provides analog telephone support via third-party 24-port VoIP gateways.

E7000 software resides on a network server, which can be a Nyquist System Controller (NQ-SYSCTRL) or a user-provided server, and utilizes existing LAN/WAN and/or legacy "home-run" cable infrastructure for two-way data and communication flow. IP phones and purpose-built appliances provide convenient communication control and interoperability with third-party devices.

E7000 HIGHLIGHTS

- Easy to install, expand, and use
- Accessible – administrators, technicians, and other key users can access the system on web-enabled devices – desktop or mobile*
- Flexible – easily add features, stations, and facilities with virtually unlimited scalability*
- Compatible with legacy intercom infrastructure, including re-use of existing analog speakers, call switches, and cabling (with use of the NQ-E7030 Analog Station Bridge appliance)
- Allows any standard 8-ohm speaker to be transformed into a VoIP intercom speaker (with the use of NQ-GA10P or NQ-GA10PV appliance)
- SIP device and trunk support (IP-PBX, VoIP phones, and VoIP speakers)
- Feature rich audio
 - Embedded music streaming services
 - Multiple networked audio distributions
 - Imported Songs/Playlists
 - Embedded pro-audio DSP controls in all networked amplifiers
- Combination clock/messaging HDMI display modules use text and graphic images to deliver critical visual messaging on any size HDMI capable monitor
- Wall Baffle Combo Clock / Speaker / Message Display with LED Flasher facilitates user-programmable messages for standard or emergency announcements, along with two-way intercom communications
- 3rd-party system integrations with PBXs, security/alarm, fire, access control, and other enterprise systems


* When supported by the facility's infrastructure.

Virtually Unlimited Scalability

Without the limitations of purely hardware-based systems, E7000 can expand as the user's needs expand. The system can accommodate a virtually unlimited number of stations, facilities, zones, and bell schedules.

Easy and Economical to Install

E7000 easily integrates with the existing facility's cabling and infrastructure. Many of the Bogen E7000 appliances are PoE devices. With E7000 there are no bulky equipment racks to build; simply configure the E7000's System Controller via its intuitive setup wizards, then plug in the endpoint devices and appliances. Appliances are auto-discovered by the server to facilitate fast and easy system set up.




E7000 can be integrated with existing analog cabling as well as IP-only networks

Easy Graphical User Interface (GUI)

Administrators, educators, and support staff are going to love E7000! Users interface with the system either through a feature-rich touch display VoIP Admin Phone or via a browser-based GUI (see Fig. 1) on desktop and laptop computers, smart phones, and tablets, allowing users to access the system no matter where they are in the connected world.

The core principle of the E7000 user interface is simplicity. Form follows function, resulting in an interface that is functional, intuitive, and aesthetically pleasing.

Figure 1 - Main Dashboard of the E7000 Graphical User Interface




The map-based paging and intercom feature makes launching pages and announcements even more intuitive.

The optional text-to-speech feature eliminates the need to audibly record scripted announcements.

The E7000 GUI allows people with a broad spectrum of technical proficiencies to use the system. Buttons are large and clear, text is simple and legible. Embedded tooltips and guides aid in user self-sufficiency. Technical administrators can assign individual users permissions appropriate for their role and proficiency (see Fig.2).

Figure 2 - E7000 makes it easy to define roles and permissions

“Nyquist users’ login credentials can be centrally managed by IT – just like they do for all their other enterprise applications”



E7000 CAPABILITIES

- **Enhanced Safety and Security** - Instantaneous accessibility to campus and district-wide communications vital for the safety and security of students and staff. E7000 can help with features such as district-wide paging/announcements, call monitoring, call recording and playback, emergency paging with prerecorded or Text-to-Speech announcements, emergency lockdowns, and much more.
- **3rd-Party Integrations** - E7000 can interface with a variety of 3rd-party systems such as access control, fire, security/alarm, and even hardware sensors via the programmable I/O Controller appliance.
- **Unlimited Scheduling** - Administrators can easily configure and control all bell/event scheduling functions via E7000's powerful web-based user interface. Bell schedules can be controlled across the entire district from a single user interface.
- **Unmatched Audio Capability** - Bogen's 90-plus year history of audio excellence is evident in the range and quality of appliances and features, including embedded music streaming services and pro-audio DSP controls.
- **Powerful Routines/Routines API** - Routines and Routines API facilitate automated sequences of events via multiple trigger types and connections to third party applications for crisis planning and situational awareness.
- **Convenient and Powerful Configuration and Maintenance** - IT and Facilities technicians can remotely access the system's web interface to configure, troubleshoot, and control the system from wherever, anytime.
- **Telephony – Integrated and Elevated** - E7000 easily integrates with virtually any VoIP service provider, IP-PBX, or analog phone system to create a seamless communications platform.

NYQUIST SYSTEM CONTROLLER

Bogen's Nyquist System Controller offers a cost-effective means to deploy E7000 using a purpose-built processing platform pre-installed with the E7000 application server software. Alternatively, a dealer or school-furnished custom-built server can be used. When required, the System Controller can be configured for Automatic Failover to a secondary System Controller for enhanced system robustness.

E7000 SYSTEM SERVER REQUIREMENTS

Instead of using the Nyquist System Controller, you can select to install the Nyquist E7000 application on a server provided by the school system's IT department or the installing Bogen dealer. Ideally, there would be one server in each facility, although multi-school campuses can use a single centrally-located server. Minimum server requirements are as follows:

- OS– Debian Linux OS (AMD 64-bit version) release 11.9 or later
- CPU– Quad-core Intel-based processor running at 3.0 GHz or higher
- Memory– 8 GB RAM
- Disk Storage– One 250 GB disk drive (A RAID configuration is recommended for redundancy and high availability)
- NIC– Dual 10/100/1000 MB Ethernet ports
- PCI Expansion Slots– One or more PCI/PCIe slots if direct FXO telephony network connectivity other than, or in addition to SIP trunking is needed

NYQUIST

The E7000 Series is built upon Bogen's award-winning Nyquist software-based IP communications platform, which provides users with unparalleled flexibility and scalability, whatever their application.



NYQUIST SYSTEM CONTROLLER

Model NQ-SYSCTRL



DESCRIPTION

Bogen's Nyquist System Controller offers contractors a cost-effective means to deploy Nyquist based solutions using a state-of-the-art processing platform preinstalled with the Nyquist application server software. The Nyquist System Controller facilitates quick installs and offers high-performance operation for even the largest Nyquist system configurations. Developed with commercial sound in mind, the Nyquist System Controller can simultaneously distribute a virtually unlimited number of audio streams anywhere across the network, making it perfect for background music applications.

The Nyquist System Controller can manage applications that require nearly any mix of multi-zone paging, intercom calling, or background music distribution at businesses, restaurants, retail stores, industrial facilities, and many other venues.


Nyquist systems also support a licensable option for using a secondary System Controller to provide Automatic Failover capability in cases where the primary System Controller fails or goes offline for whatever reason. When this occurs, the secondary System Controller automatically takes over and returns the system to normal service.

FEATURES

- Configuration and management via a web-based graphical user interface (GUI)
- Remote access from almost any PC/MAC, tablet, or mobile device
- Continuous monitoring of stations and appliances to ensure system operation
- Front panel power LED
- SIP tie-line and trunking support for connection to external phone systems or VoIP service providers
- Station and zone capacity for any Nyquist application (determined by system license)
- Talkback capability in any zone
- Multicast support for all zone paging and audio distribution
- Paging and announcement support across multiple facilities
- Pre-recorded and (optional) text-to-speech announcements
- Built-in streaming Internet radio and access to subscription-based music services
- Automatic Failover option available (requires a second System Controller and software license)
- Simultaneously distribute a virtually unlimited number of audio streams
- Music automatically added to music library from USB port
- Network-based audio that can be sourced (input) from any number of Nyquist appliances (NQ-P0100, NQ-GA20P2, etc.)
- Ample storage for music files, recorded announcements, and call recordings
- G722 and OPUS audio codec support to deliver superior HD audio quality
- Event scheduling of tones and audio distribution to all or select paging zones
- Emergency notifications that have higher priority over normal audio events
- Convection air-cooled; fanless design for quiet, maintenance free operation
- Wall-, Rack-, or Shelf-mountable – 1 RU package
- 19" Rack Mount Kit (NQ-RMK03; sold separately)

A & E SPECIFICATIONS

The Bogen System Controller shall be the Nyquist NQ-SYSCTRL for commercial paging needs. It is designed specifically for the high degree of scalability and flexibility required in commercial paging and audio distribution applications. The System Controller interfaces with the customer's data network to leverage the ultimate level of scalability for single or multiple locations and system sizes ranging from two to tens of thousands of stations. The System Controller shall be capable of being configured via the web-based GUI from virtually any PC/MAC, tablet, or mobile device. The System Controller shall continually monitor the Nyquist devices connected to the system and shall report via email when a device stops functioning correctly. The System Controller must support SIP tie-line and trunking support for connection to external phone systems. The System Controller shall use G722 and OPUS audio codec support to deliver superior HD audio quality. The NQ-SYSCTRL shall be capable of providing pre-recorded and (optional) text-to-speech announcements. The System Controller shall be capable of simultaneously distributing a virtually unlimited number of audio streams anywhere across the data network. The NQ-SYSCTRL shall be capable of being paired with a secondary NQ-SYSCTRL to provide Automatic Failover capability when licensed appropriately. The System Controller is convection air-cooled, fanless design for quiet, maintenance-free operation. System Controllers that don't provide the these features shall not be considered equivalent.



TECHNICAL SPECIFICATIONS

		NQ-SYSCTRL
Video Display		HDMI, DVI-D
Network Support		Dual 10/100/1000 Mbps NICs (reserved for future use)
Protocol Support		HTTP, HTTPS, UDP, RTP, FTP, TFTP, SSH, SIP2, Unicast, Multicast
Codec Support		G711, G719, G722, G723, G726, G729, OPUS, Speex, a-law, μ -law, SIREN7, SIREN14, ADPCM
Connectors:	Power	10A Line Cord C14 IEC Inlet
	Line/MIC Input	3.5mm Line Out / 3.5mm Mic In (RESERVED FOR FUTURE USE)
	Network	2 x RJ45
	Misc. Outputs	4 x USB 3.0 ports, 2 x Serial ports (1 x RS232, 1 x RS232/422/485)
AC Input Voltage Range		100 VAC to 240 VAC 50/60 Hz
Maximum AC Current		1.5A
Indicators		Power LED (front) / Network LEDs (rear)
Operating Temperature Range		0° C to +60° C
Certifications		Safety: CAN/CSA C22.2 No. 62368-1:2014; UL62368-1:2014; EN 62368-1:2014 EMC: FCC Part 15b Class A; ICES-003, Issue 6: 2016; EN 55032:2012; EN 55035:2017
Physical Dimensions:		1/2 Rack Width x 1RU
Single Rack Space (1RU)		8.0" W x 1.70" H x 10.25" D (Depth includes Phoenix connectors: width is without rack mount brackets attached; height excludes rubber mounting feet)

Limited Warranty, Exclusion of Certain Damages

The **NQ-SYSCTRL** is warranted to be free from defects in materials and workmanship for five (5) years from the date of sale to the original purchaser. Any part of the product covered by this warranty that, with normal installation and use, becomes defective (as confirmed by Bogen upon inspection) during the warranty period will be repaired or replaced by Bogen, at Bogen's option, with new or refurbished product, provided the product is shipped insured and prepaid to: Bogen Factory Service Department: 4570 Shelby Air Drive, Suite 11, Memphis, TN 38118, USA. Repaired or replacement product(s) will be returned to you freight prepaid. This warranty does not extend to any of our products that have been subjected to abuse, misuse, improper storage, neglect, accident, improper installation or have been modified or repaired or altered in any manner whatsoever, or where the serial number or date code has been removed or defaced.

THE FOREGOING LIMITED WARRANTY IS BOGEN'S SOLE AND EXCLUSIVE WARRANTY AND THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY. BOGEN MAKES NO OTHER WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED AND EXCLUDED TO THE MAXIMUM EXTENT ALLOWABLE BY LAW. Bogen's liability arising out of the manufacture, sale or supplying of products or their use or disposition, whether based upon warranty, contract, tort or otherwise, shall be limited to the price of the product. IN NO EVENT SHALL BOGEN BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, LOSS OF DATA OR LOSS OF USE DAMAGES) ARISING OUT OF THE MANUFACTURE, SALE OR SUPPLYING OF PRODUCTS, EVEN IF BOGEN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR LOSSES. Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Products that are out of warranty will also be repaired by Bogen Factory Service Department -- same address as above or call 201-934-8500, at owner's expense. Returned products which do not qualify for warranty service, may be repaired or replaced at Bogen's option with a previously repaired or refurbished items. The parts and labor involved in these repairs are warranted for 90 days when repaired by the Bogen Factory Service Department. All parts and labor charges as well as shipping charges will be at the owner's expense.

All returns require a Return Authorization number. For most efficient warranty or repair service, please include a description of the failure.

02/2021



The **E7000 Series** is built upon Bogen's award-winning Nyquist software-based IP communications platform, which provides users with unparalleled flexibility and scalability, whatever their application.



Tel.: 1-800-999-2809 • www.bogen.com

© 2021 Bogen Communications, Inc. 750-00023B 2102



INPUT/OUTPUT CONTROLLER

Model NQ-E7010

DESCRIPTION

The NQ-E7010 Input/Output Controller appliance provides eight dry contact closure inputs to monitor events/triggers from third-party systems/devices such as Fire Alarms, Lockdown buttons, and sensors. It provides eight open-collector type relay driver outputs to initiate actions such as clock correction (e.g., generating sync pulses) on third-party systems and devices. The outputs can also be configured via the E7000 system software to respond to contact closure inputs from the same I/O Controller or others associated with the E7000 system.

FEATURES



- 10/100 Ethernet
- PoE Class-3 (IEEE 802.3af compliant)
- Optional 48 VDC 15W power supply
- 8 x dry contact closure inputs (with 1 ground per 4 inputs)
- 8 x relay driver outputs (500mA max per ground sink)
- USB 2.0 host port, Type A connector (future use)
- May be wall or shelf mounted: 5.6" W x 5.4" D x 1.7" H
(2" H with rubber feet installed)
- Weight 1.95 lb. / 0.885kg

A & E SPECIFICATIONS

The Nyquist I/O Controller (NQ-E7010) accepts eight dry contact closure inputs and provide eight open-collector outputs to drive relays. It is a PoE Class-4, IEEE 802.3af compliant device with optional 48VDC 15W power supply if no PoE port is available. The eight dry contact closure inputs can be used with fire alarm override relays and other types of external event triggers (e.g., Lockdown Buttons, etc.). The eight open-collector relay driver outputs are for use in applications such as clock correction (sync pulse), response to contact closure inputs, etc. The NQ-E7010 is equipped with two RGB full spectrum LED power and status indicators to convey the various states of the device (e.g., powered-on, registered, updating, etc.). The Nyquist NQ-E7010 I/O Controller shall be equipped with a USB 2.0 host port, Type-A connector for future feature capabilities. The Nyquist NQ-E7010 I/O Controller shall include support for wall- or shelf-mounting. An optional rack-mounting bracket is also available. Systems that don't provide these features are not considered equal.



The **E7000 Series** is built upon Bogen's award-winning Nyquist software-based IP communications platform, which provides users with unparalleled flexibility and scalability, whatever their application.



TECHNICAL SPECIFICATIONS

NQ-E7010	
External DC Power	48 - 56VDC .3A (5.5mm x 2.1mm Barrel Jack)
DC Input Range	15-Watt 48V to 56V
PoE (Power over Ethernet)	IEEE 802.3af standard, Class 4 device (RJ45)
Input Connectors	Two 5-pin 3.5mm Phoenix Plugs/Headers; Eight (8) dry contact closure inputs with one (1) ground per every 4 inputs; Each input is a ground activated signal (i.e., short the ground and input pin to activate; do not apply voltage) *Use 2-conductor unshielded cable of the appropriate gauge wire. Tie Ground leads together for each 5-pin input header used.
Output Connectors	Two 5-pin 3.5mm Phoenix Plugs/Headers; Eight (8) open-collector relay driver outputs with one (1) ground per every 4 outputs; Each driver is 'Normally Open' and can only sink current (i.e., it provides no voltage); Each relay driver output is rated at 50 VDC / 0.5 Amps *Use 2-conductor unshielded cable of the appropriate gauge wire. Tie Ground leads together for each 5-pin input header used. Connect ground to relay power supply ground.
USB Connector	USB 2.0 Type A 500mA *Use USB 2.0 cable
Indicators	Power & Status LEDs (front) / Network LEDs (front)
Operating Temperature Range	-15 C to +40 C
Protection	ESD, RF, DC, Thermal, Short Circuit)
Networking	Cat5 or better 10/100 network connectivity to Bogen's Nyquist network *Use Cat5 or better
Certifications	CE and FCC Part 15b Class A; ICES-003, Issue 6: 2016; EN 55032:2012; EN 55035:2017
Product Weight	1.95 lb. / 0.885 kg
Physical Dimensions	5.6" W x 1.7" H x 5.4" D (Depth includes Phoenix connectors; width is without rack mount brackets attached; height excludes rubber mounting feet)

* Cabling Recommendation(s)

Limited Warranty, Exclusion of Certain Damages

The **NQ-E7010** is warranted to be free from defects in materials and workmanship for five (5) years from the date of sale to the original purchaser. Any part of the product covered by this warranty that, with normal installation and use, becomes defective (as confirmed by Bogen upon inspection) during the warranty period will be repaired or replaced by Bogen, at Bogen's option, with new or refurbished product, provided the product is shipped insured and prepaid to: Bogen Factory Service Department: 4570 Shelby Air Drive, Suite 11, Memphis, TN 38118, USA. Repaired or replacement product(s) will be returned to you freight prepaid. This warranty does not extend to any of our products that have been subjected to abuse, misuse, improper storage, neglect, accident, improper installation or have been modified or repaired or altered in any manner whatsoever, or where the serial number or date code has been removed or defaced.

THE FOREGOING LIMITED WARRANTY IS BOGEN'S SOLE AND EXCLUSIVE WARRANTY AND THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY. BOGEN MAKES NO OTHER WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED AND EXCLUDED TO THE MAXIMUM EXTENT ALLOWABLE BY LAW. Bogen's liability arising out of the manufacture, sale or supplying of products or their use or disposition, whether based upon warranty, contract, tort or otherwise, shall be limited to the price of the product. IN NO EVENT SHALL BOGEN BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, LOSS OF DATA OR LOSS OF USE DAMAGES) ARISING OUT OF THE MANUFACTURE, SALE OR SUPPLYING OF PRODUCTS, EVEN IF BOGEN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR LOSSES. Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Products that are out of warranty will also be repaired by Bogen Factory Service Department -- same address as above or call 201-934-8500, at owner's expense. Returned products which do not qualify for warranty service, may be repaired or replaced at Bogen's option with a previously repaired or refurbished items. The parts and labor involved in these repairs are warranted for 90 days when repaired by the Bogen Factory Service Department. All parts and labor charges as well as shipping charges will be at the owner's expense.

All returns require a Return Authorization number. For most efficient warranty or repair service, please include a description of the failure.

09/2017



4-CHANNEL MATRIX MIXER PRE-AMP

Model NQ-P0100



DESCRIPTION

Bogen's Nyquist networked 4-Channel Matrix Mixer Pre-Amp (MMPA) offers cost-effective performance for permanent installations and commercial sound and is designed to meet the rigorous requirements of today's sophisticated sound systems. Developed with the sound contractor in mind, the MMPA provides unparalleled flexibility and versatility without the need for add-on modules. It includes state-of-the-art, built-in DSP for extensive and comprehensive signal processing – allowing users to skillfully manage and mix multiple audio input channels. The resulting audio signal mix can be directed to the MMPA's line out, or streamed over the Nyquist network where it can be used for audio distribution to one or more zones.

The Nyquist MMPA is now capable of Standalone Operation for use in audio applications where a networked mixer/pre-amp is desired for remote mixing and DSP control from a web browser-enabled device.

FEATURES

- **4- MIC/Line Inputs**
 - CH1-CH4 configurable balanced/unbalanced inputs via 3 XLR and 4 screw-terminal connections
 - Any single channel can be configured to support Push-to-Talk Mic applications
 - Mic inputs can be configured to supply Phantom Power when needed
 - CH1 can alternately be configured as an AES3 digital input
- **Web based DSP control**
 - 16-band Graphic Equalizer
 - Signal Present and Clip Monitor
 - Adjustable High Pass, Low Pass, and Bandpass Filters
 - Noise Gate
 - Compressor/Limiter
 - 7-band Parametric Equalizer
- **Standalone Operation**
- **Mixed signal can be routed to Line Out or over the Nyquist network**
- **Nyquist network-based audio input (paging, audio distribution)**
- **Line-Level Monitor Output to drive input to "legacy" (i.e., non-Nyquist) amplifiers**
- **Safety: CAN/CSA C22.2 No. 62368-1:2014; UL62368-1:2014; EN 62368-1:2014**
- **EMC: FCC Part 15b Class A; ICES-003, Issue 6: 2016; EN 55032:2012; EN 55035:2017**
- **Wall-, Rack-, or Shelf-mountable: 8.0" W x 1.70" H x 8.6" D (2" H with rubber feet installed)**
- **19" Rack Mount Kit (NQ-RMK03; sold separately)**

A & E SPECIFICATIONS

The Nyquist NQ-P0100 Matrix Mixer Pre Amp (MMPA) is designed to bring external audio into the Nyquist system. The MMPA interfaces with a local sound system by accepting one or more analog audio sources, mixing them, and outputting them to either, a) the network for Audio Distribution, or b) the MMPA's line level output that can then be inserted into an external amplifier to drive local sound system in gyms, cafeterias, auditoriums, etc. The MMPA supports the following: four (4) software selectable Mic or Line Input channels via three (3) XLR connectors and four (4) sets of screw-terminals; any single input channel shall be capable of being configured to support a Push-to-Talk microphone (e.g., Bogen DDU-250); one input shall be alternately configurable as an AES3 digital input.

The MMPA shall support the following features: line-level output to drive input on a local amplifier; one (1) USB 2.0 host port (Type-A connector) for future use; two (2) x RGB "full spectrum" LED status indicators.



The MMPA shall include GUI based DSP controls; 16-band Graphic Equalizer; Signal Present and Clip Monitor; Adjustable High Pass, Low Pass, and Bandpass Filters; Noise Gate; Compressor/Limiter; and 7-band Parametric Equalizer.

The MMPA shall be powered by Universal mains supply (100VAC – 240VAC) and shall be wall- or shelf-mountable and include the required mounting bracket hardware.

The Nyquist MMPA shall be capable of Standalone Operation for use in audio applications where a networked mixer/pre-amp is desired for remote mixing and DSP control from a web browser enabled device.



The **C4000 Series** is built upon Bogen's award-winning Nyquist software-based IP communications platform, which provides users with unparalleled flexibility and scalability, whatever their application.



TECHNICAL SPECIFICATIONS

		NQ-P0100
MIC Input Sensitivity (Gain min./max.)		Continuously variable from 0.1V to 0.006V RMS
MIC Phantom Power		+15 VDC
MIC Equivalent Input Noise (EIN)		100 dB
S/N Ratio (20 kHz BW)		97 dB
Line Input Sensitivity (Gain min./max.)		Continuously variable from 2V to 0.1V RMS
Line Out Bandwidth		20 Hz - 20 kHz <0.03% THD+N
Line Out Level		3 V (+10 dB)
Line Output		600-ohm electronically balanced, via 3-pin Phoenix on 6-pin Phoenix Plug/Header
THD+N @ 1 kHz		<0.03%
Connectors:	Power	10A Line Cord C14 IEC Inlet
	Line/MIC Input	Channels 1, 2 Balanced 3-pin Phoenix Plugs/Headers and Balanced 3-pin Neutrik XLRs; Channel 3 Balanced 3-pin Phoenix on 6-pin Phoenix Plug/Header and Balanced 3-pin Neutrik XLR; Channel 4 Balanced 3-pin Phoenix only via 6-pin Phoenix Plug/Header; RJ45: USB 2.0 Type A
	(PTT) Push-to-Talk Mic Connection	DDU250 or equivalent: 500-ohm impedance with a 4-conductor cable (2 shielded); PTT dry contact switch input on pin-5 of 6-pin Phoenix Plug/Header
	Outputs	Line Out balanced via 3-pin Phoenix on 6-pin Phoenix Plug/Header; Streaming out via Nyquist network
AES3 (IEC-60958 Type-I) Digital Input		Channel 1 alternately functions as an AES Digital Input (110-ohm Input Impedance)
AC Input Voltage Range		85 VAC to 265 VAC 50/60 Hz
Maximum AC Current		0.6A
Indicators		Status & Power LEDs (front) / Network LEDs (rear)
Operating Temperature Range		-15 C to +40
DSP Based Audio Features		16-band Graphic Equalizer; Signal Present and Clip Monitor; Adjustable High Pass, Low Pass and Bandpass Filters; Noise Gate; Compressor/Limiter; 7-band Parametric Equalizer
Networking		Cat5 or better 10/100 network connectivity to Bogen's Nyquist network
Product Weight		2.6 lbs.
Physical Dimensions:		1/2 Rack Width x 1RU
	Single Rack Space (1RU)	8.0" W x 1.70" H x 8.6" D (Depth includes Phoenix connectors: width is without rack mount brackets attached: height excludes rubber mounting feet)

Limited Warranty, Exclusion of Certain Damages

The **NQ-P0100** is warranted to be free from defects in materials and workmanship for five (5) years from the date of sale to the original purchaser. Any part of the product covered by this warranty that, with normal installation and use, becomes defective (as confirmed by Bogen upon inspection) during the warranty period will be repaired or replaced by Bogen, at Bogen's option, with new or refurbished product, provided the product is shipped insured and prepaid to: Bogen Factory Service Department: 4570 Shelby Air Drive, Suite 11, Memphis, TN 38118, USA. Repaired or replacement product(s) will be returned to you freight prepaid. This warranty does not extend to any of our products that have been subjected to abuse, misuse, improper storage, neglect, accident, improper installation or have been modified or repaired or altered in any manner whatsoever, or where the serial number or date code has been removed or defaced.

THE FOREGOING LIMITED WARRANTY IS BOGEN'S SOLE AND EXCLUSIVE WARRANTY AND THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY. BOGEN MAKES NO OTHER WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED AND EXCLUDED TO THE MAXIMUM EXTENT ALLOWABLE BY LAW. Bogen's liability arising out of the manufacture, sale or supplying of products or their use or disposition, whether based upon warranty, contract, tort or otherwise, shall be limited to the price of the product. IN NO EVENT SHALL BOGEN BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, LOSS OF DATA OR LOSS OF USE DAMAGES) ARISING OUT OF THE MANUFACTURE, SALE OR SUPPLYING OF PRODUCTS, EVEN IF BOGEN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR LOSSES. Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Products that are out of warranty will also be repaired by Bogen Factory Service Department -- same address as above or call 201-934-8500, at owner's expense. Returned products which do not qualify for warranty service, may be repaired or replaced at Bogen's option with a previously repaired or refurbished items. The parts and labor involved in these repairs are warranted for 90 days when repaired by the Bogen Factory Service Department. All parts and labor charges as well as shipping charges will be at the owner's expense.

All returns require a Return Authorization number. For most efficient warranty or repair service, please include a description of the failure.

09/2017



NETWORKED 4-CHANNEL AUDIO POWER GEN 2 AMPLIFIERS

Models NQ-A4060-G2, NQ-A4120-G2, NQ-A4300-G2



Model NQ-A4300 shown

DESCRIPTION

Bogen's Nyquist based networked audio power amplifiers offer cost-effective performance for permanent installations and commercial sound, and are designed to meet the rigorous requirements of today's sophisticated sound systems. Designed with the commercial sound contractor in mind, they provide unparalleled flexibility and versatility without the need for add-on modules. They offer state-of-the-art, built-in DSP software for extensive and comprehensive signal processing, including factory loudspeaker presets, which turns the amplifier into a complete audio solution.

These 4-channel amplifiers are available in 240, 480, and 1200-watt models, each with the same features to provide power and performance, no matter how large or small the application.

In addition to their extensive flexibility, the Nyquist based networked audio power amplifiers use the latest in Class D amplifier technology and provide unparalleled sonic quality, exceptional reliability, and reduced heat output for increased operating efficiency.

FEATURES

- 2 dedicated Balanced Line Inputs (both Phoenix plug & XLR)
- Line Input that can be routed-out over the Nyquist network
- Network-based audio input (paging, audio distribution)
- 4 ohm, 8 ohm, 25V, and 70V outputs
- GUI based DSP control
 - 16-band Graphic Equalizer
 - Signal Present and Clip Monitor
 - Adjustable High Pass, Low Pass, and Bandpass Filters
 - Noise Gate
 - Compressor/Limiter
 - 7-band Parametric Equalizer
- Switch selectable 4-channel, 30channel, or 2-channel bridged operation
- Safety: CAN/CSA C22.2 No. 62368-1:2014; UL62368-1:2014; EN 62368-1:2014
- EMC: FCC Part 15b Class A; ICES-003, Issue 6: 2016; EN 55032:2012; EN 55035:2017
- 1/2 Rack Width – Wall, Rack, or Shelf mountable – 2RU packages
- 19" Rack Mount Kit (NQ-RMK03; sold separately)


A & E SPECIFICATIONS

The Nyquist based four channel amplifier shall be a model _____, rated at _____ watts RMS per channel (NQ-A4060-G2/4x60 watts, NQ-A4120-G2/4x120 watts, and NQ-A4300-G2/4x300 watts) with switch selectable 4-channel, 3-channel, or 2-channel bridged operation. The amplifier shall have two dedicated Balanced Line Inputs with both Phoenix plug and XLR connections for each input. The amplifier shall provide a frequency response from 20-20 kHz +/- 0.25 dB at rated power. Distortion shall be less than 0.03%. The amplifier shall include GUI based DSP controls; 16-band Graphic Equalizer; Signal Present and Clip Monitor; Adjustable High Pass, Low Pass, and Bandpass Filters; Noise Gate; Compressor/Limiter; and 7-band Parametric Equalizer. Outputs shall be provided for 4-ohm, 8-ohm, 25V, and 70V distributed systems. The amplifier shall be rack mountable 1/2 Rack Width – Wall, Rack, or Shelf mountable 1RU and 2RU packages or by using a 19" Rack Mount Kit (NQ-RMK03; sold separately). It shall carry the necessary safety agency listings for both the United States and Canada. The amplifier shall employ convection air cooling. Amplifiers that require fans for cooling shall not be considered equal.



The E7000 Series is built upon Bogen's award winning Nyquist software-based IP communications platform, which provides users with unparalleled flexibility and scalability in whatever their application.

Models NQ-A4060-G2,
NQ-A4120-G2, & NQ-A4300-G2
Front/Rear Panels



TECHNICAL SPECIFICATIONS

	NQ-A4060-G2	NQ-A4120-G2	NQ-A4300-G2	
Power Output 4-Ch. Mode (per Ch.)	60W @ 25V/4 ohms	120W @ 25V/4 ohms	300W @ 25V/4 ohms	
Power Output 2-Ch. Bridged Mode (per Ch.)	120W @ 70V/25V/8 ohms	240W @ 70V/25V/8 ohms	600W @ 70V/25V/8 ohms	
Line-In Sensitivity (Gain min./max.)	Continuously variable from 2V to 0.1V RMS			
S/N Ratio (20k BW)	97 dB			
Power Output Bandwidth	20 Hz-20 kHz < .03% THD+N			
THD+N @ 1 kHz rated power	< .03%			
Rated Load Impedance (min. per Ch.)	8 ohms Bridged / 4 ohms Non-Bridged			
Frequency Response @ 1 Watt	20 Hz-20 kHz +/- 0.25 dB			
Class of Operation	Class D			
Connectors	Power	10A Line Cord C14 IEC Inlet	10A Line Cord C14 IEC Inlet	12A Line Cord C14 IEC Inlet
	Input	Balanced 3-pin Phoenix Plug/Header, Balanced 3-pin Neutrik XLR, RJ45, USB 2.0 Type A		
	Output	4-pin "touch proof" Phoenix Plug/Header		
Line Inputs	Two (2) 10k ohm electronically balanced, 3-pin Phoenix and 3-pin Neutrik XLR			
AC Input Voltage Range	85 VAC to 265 VAC 50/60 Hz			
Maximum AC Current	4A	6A	12A	
Indicators	Status & Power LEDs (front) / Network LEDs (rear)			
Operating Temperature Range	-15 C to +40 C			
Thermal Emissions (Full Power)	180 BTU/hr.	270 BTU/hr.	450 BTU/hr.	
Cooling	Convection			
Protection	RF, DC, Low Frequency, Thermal, Low Impedance, Short Circuit, Clip Limiting			
DSP Based Audio Features	16-band Graphic Equalizer; Signal Present and Clip Monitor; Adjustable High Pass, Low Pass, and Bandpass Filters; Noise Gate; Compressor/Limiter; 7-band Parametric Equalizer			
Special Features	Sleep Mode (defeatable), Power Factor Correction (PFC), 89% Amplifier Efficiency, On/Off Muting, Bridge Mode Switch			
Networking	Cat5 or better 10/100 network connectivity to Bogen's Nyquist network			
Product Weight	6.3 lbs.	6.3 lbs.	8.6 lbs.	
Physical Dimensions:	1/2 Rack Width x 2RU*			
*Double Rack Space (2RU)	8.00" W x 3.43" H x 13.48" D (Depth includes Phoenix connectors: width is without rack mount brackets attached: height excludes rubber mounting feet)			

Limited Warranty, Exclusion of Certain Damages

The NQ-A4060-G2, NQ-A4120-G2, NQ-A4300-G2 are warranted to be free from defects in materials and workmanship for five (5) years from the date of sale to the original purchaser. Any part of the product covered by this warranty that, with normal installation and use, becomes defective (as confirmed by Bogen upon inspection) during the warranty period will be repaired or replaced by Bogen, at Bogen's option, with new or refurbished product, provided the product is shipped insured and prepaid to: Bogen Factory Service Department: 4570 Shelby Air Drive, Suite 11, Memphis, TN 38118, USA. Repaired or replacement product(s) will be returned to you freight prepaid. This warranty does not extend to any of our products that have been subjected to abuse, misuse, improper storage, neglect, accident, improper installation or have been modified or repaired or altered in any manner whatsoever, or where the serial number or date code has been removed or defaced.

THE FOREGOING LIMITED WARRANTY IS BOGEN'S SOLE AND EXCLUSIVE WARRANTY AND THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY. BOGEN MAKES NO OTHER WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED AND EXCLUDED TO THE MAXIMUM EXTENT ALLOWABLE BY LAW. Bogen's liability arising out of the manufacture, sale or supplying of products or their use or disposition, whether based upon warranty, contract, tort or otherwise, shall be limited to the price of the product. IN NO EVENT SHALL BOGEN BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, LOSS OF DATA OR LOSS OF USE DAMAGES) ARISING OUT OF THE MANUFACTURE, SALE OR SUPPLYING OF PRODUCTS, EVEN IF BOGEN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR LOSSES. Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Products that are out of warranty will also be repaired by Bogen Factory Service Department -- same address as above or call 201-934-8500, at owner's expense. Returned products which do not qualify for warranty service, may be repaired or replaced at Bogen's option with a previously repaired or refurbished item. The parts and labor involved in these repairs are warranted for 90 days when repaired by the Bogen Factory Service Department. All parts and labor charges as well as shipping charges will be at the owner's expense.

All returns require a Return Authorization number. For most efficient warranty or repair service, please include a description of the failure.

09/2017

Bogen Nyquist VoIP Wall Baffle Combo Speaker with Integrated LED Text Display and LED Flasher (Model NQ-S1810WBC)



Description

The Bogen Nyquist NQ-S1810WBC VoIP wall baffle combo speaker unit provides the same superior features as the NQ-S1810WT-G3 with the addition of a red LED messaging display and programmable flasher. There is no need for external amplifiers, traditional intercom wiring, or transformer taps to manually set or adjust. Connect the speakers via Cat5 to a PoE capable network switch (or add a PoE Injector for a non-PoE switch), add the station into the system and it is ready to operate. The message display can show a clock with date and time (seconds are optional), or user-programmable messaging for standard or emergency announcements. The flasher is completely programmable for color, duty cycle, and duration to differentiate alert types, and can be triggered independent of the message display.

As one would expect from Bogen, the HD audio quality is superb, with excellent incoming and outgoing intelligibility. Many two-way speakers use the speaker itself as the microphone, resulting in poor talkback audio quality. The Nyquist Series VoIP Wall Baffle speakers use a separate high-performance MEMS microphone to achieve superior talkback audio.

Key Benefits



- ✓ **LED Message Display** to visually inform students and personnel of the date and time, or scroll emergency or standard messages
- ✓ **Programmable messages** for predefined or manually-input messages, with longer ones (up to 63 characters) scrolled across the display for a defined period of time
- ✓ **Programmable flasher** for gaining audience attention; use different colors for different types of alerts (e.g., fire, lockdown, weather, etc.) and system events.
- ✓ **Routines/Routines API functionality** for displaying messages, alerts, and flashes via predefined Routines triggered through system events or API calls

Features

- 10/100 Ethernet connection
- PoE Class 3 - IEEE 802.3af compliant
- DHCP deployment for easy installation
- Pre-assembled for easy installation
- 10W integrated audio amplifier
- Reset button for restoring factory settings
- Form-C SPDT type 2A @ 30V DC dry contact relay output
- Built-in 72-hour automatic back-up Bell Schedules
- Selectable 12 or 24 hour clock time format
- DSP-based noise rejection and voice bandwidth optimization
- MEMS microphone for superior talkback audio
- CAN Bus 2.0 Interface connects to Nyquist Digital Call Switches (NQ-E7020-G2)
- Anti-reflective lens cover optimizes readability
- High density dot matrix display provides a wide viewing angle
- Extra large messaging characters
- Easy to read large clock display
- Display can be disabled by schedule to conserve power
- Separately adjustable display and flasher brightness levels - Off, Low, Medium, and High

Technical Specifications

Cone Diameter:	8" (paper)
Magnet Weight:	10 oz.
Power Rating (max.):	10 Watts
Frequency Response:	95Hz-20kHz
Sensitivity (min.):	94 dB (1W @ 1m on axis)
THD+N @ 1 kHz rated power:	<1%
Dispersion (min.):	110°
Display Type:	High density dot matrix
Character Heights:	
<i>Message Display:</i>	1-15/16"
<i>Time Display:</i>	HH, MM - 2-1/16"
<i>Date Display:</i>	11/16"
Flasher:	Three high intensity RGB LEDs; Colors are software selectable: Amber, Blue, Green, Orange, Red, Violet, White, and Yellow
Flasher Pattern:	Disabled, Slow, Fast, Double, Triple, and Quad
Software Power Taps:	8, 4, 2, 1, 1/2, 1/4, 1/8 Watts
CAN Bus 2.0 Connector:	CAN Bus is via a Phoenix-style connector
Output Connector:	Relay via a Phoenix-style connector
Operating Temperature:	32°F to 100°F non-condensing
Special Features:	MEMS talkback microphone
Networking:	10/100 Ethernet
Power-over-Ethernet Standard:	Class 3 802.3af compliant
Certifications:	UL62368-1, EN55032, EN55035
Product Weight:	13 Lbs.
Physical Dimensions:	11.9" W x 13.8" H x 4.8" D
Mounting Options:	Flush, Surface Mount (Straight or 10° down angle)
Construction:	Powder coated steel back box and plastic injection molded front bezel with Powder coated metal grille.



Applications



A & E Specifications

The Nyquist VoIP Wall Baffle Combo Speaker (or WBC) with Integrated LED Text Display and LED Flasher (NQ-S1810WBC) shall not require traditional intercom wiring or transformer taps to manually set or adjust volume. Connecting one via Cat5 to a PoE Switch or PoE Injector on the Nyquist system's network allows it to be programmed into the intercom system. Volume control of the 10W integrated amplifier shall be managed via the Nyquist Web UI. The WBC's red LED messaging display shall be capable of displaying 12/24-hour time with or without seconds along with day of the week, month, and date. Using Routines, the display brightness can be adjusted to high, medium, low, or off. The WBC displays user-programmable messaging for standard or emergency announcements. Messages can be up to 63 uppercase characters (lowercase characters will display as uppercase) and, if too long to fit on the display, will scroll. If enabled, a clock showing the date, hour, minutes, and seconds will be displayed on the LED panel whenever a message is not being displayed. The independent LED Flasher can be activated by common system features like Emergency All-Calls or zone pages, playing announcements, tones, or enabled via Routines. The flasher color is controlled through the Nyquist Web UI. The WBC contains one SPDT type control relay output rated at 2A @ 30V DC with the following connections: C (Normally Closed); Common; NO (Normally Open); and G (Ground). The WBC uses a wideband Opus codec for audio distribution. Use of the Opus codec, along with G.722, allows the speakers to deliver High-Definition audio. Systems that don't use Opus codecs for audio distribution shall not be considered equal. Nyquist WBC speakers shall be equipped with a MEMS microphone for superior talkback audio when enabled. The WBC speakers shall contain a Reset button for restoring the appliance back to its factory settings.

LIMITED WARRANTY, EXCLUSION OF CERTAIN DAMAGES

NQ-S1810WBC is warranted to be free from defects in materials and workmanship for five (5) years from the date of sale to the original purchaser. Any part of the product covered by this warranty that, with normal installation and use, becomes defective (as confirmed by Bogen upon inspection) during the warranty period will be repaired or replaced by Bogen, at Bogen's option, with new or refurbished product, provided the product is shipped insured and prepaid to: Bogen Factory Service Department: 4570 Shelby Air Drive, Suite 11, Memphis, TN 38118, USA. Repaired or replacement product(s) will be returned to you freight prepaid. This warranty does not extend to any of our products that have been subjected to abuse, misuse, improper storage, neglect, accident, improper installation or have been modified or repaired or altered in any manner whatsoever, or where the serial number or date code has been removed or defaced.

THE FOREGOING LIMITED WARRANTY IS BOGEN'S SOLE AND EXCLUSIVE WARRANTY AND THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY. BOGEN MAKES NO OTHER WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED AND EXCLUDED TO THE MAXIMUM EXTENT ALLOWABLE BY LAW. Bogen's liability arising out of the manufacture, sale or supplying of products or their use or disposition, whether based upon warranty, contract, tort or otherwise, shall be limited to the price of the product. **IN NO EVENT SHALL BOGEN BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, LOSS OF DATA OR LOSS OF USE DAMAGES) ARISING OUT OF THE MANUFACTURE, SALE OR SUPPLYING OF PRODUCTS, EVEN IF BOGEN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR LOSSES.** Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.


Products that are out of warranty will also be repaired by Bogen Factory Service Department -- same address as above or call 201-934-8500, at owner's expense. Returned products which do not qualify for warranty service, may be repaired or replaced at Bogen's option with a previously repaired or refurbished item. The parts and labor involved in these repairs are warranted for 90 days when repaired by the Bogen Factory Service Department. All parts and labor charges as well as shipping charges will be at the owner's expense.

All returns require a Return Authorization number. For most efficient warranty or repair service, please include a description of the failure.

03/2024

Metal Box Speakers

Models **MB8TSQ**, **MB8TSL**, **MB8TSQVR**, and **MB8TSLVR**



Description

Bogen's MB8TSQ and MB8TSL speakers feature an all-steel surface-mounted enclosure with an 8" cone loudspeaker and multi-tap 4-watt 70V/25V transformer. The MB8TSQ speakers are suitable for ceiling or wall mounting. The MB8TSL speakers are designed primarily for wall mounting, with front face angled downward by 12.5 degrees. Models with VR suffix have a recessed volume control at the center of the grille (see inset).

Features

- Rugged all-steel surface-mounted enclosure
- Full range 8" cone speaker for excellent intelligibility
- Compatible with 25V or 70V amplifier systems
- Multiple taps at 4, 2, 1, 1/2, 1/4, 1/8 watts
- 4-Watt maximum output power
- Mounting hardware included (toggle bolts, wood screws and wire crimps)
- Knockouts for Wiremold®
- VR Models feature recessed volume control at the center of front speaker grille

Technical Specifications

Cone Diameter:	8" (paper)
Magnet Weight:	6 oz.
Power Rating (max.):	4 Watts
Transformer Power Taps:	4, 2, 1, 1/2, 1/4, 1/8 Watts
Constant Voltage Amp Type:	70V or 25V
Frequency Response:	110 Hz -15 kHz
Sensitivity (min.):	96 dBspl (1W @ 1m on axis)
Dispersion (min.):	100°
Product Weight:	9 lb.
Enclosure Size:	MB8TSQ(VR) - 11-5/8" W X 11-5/8" H X 4-1/4" D; MB8TSL(VR) - Top: 11-5/8" W X 11-5/8" H X 5-3/8"; - Bottom: 11-5/8" W X 11-5/8" H X 3-1/8" D
Construction:	Painted steel enclosure

Architect & Engineer Specifications

The speaker shall be a Bogen Model _____ (specify MB8TSQ, MB8TSQVR, MB8TSL, or MB8TSLVR). The unit shall include an 8" paper cone speaker with 6 oz. magnet. The frequency response shall be 110 Hz to 15 kHz. Dispersion angle shall be no less than 100°. Sensitivity, measured 1 watt @ 1 meter on axis, shall be a minimum of 96 dBspl.

The unit shall incorporate a transformer with tap selection wires corresponding to power settings of 4, 2, 1, 1/2, 1/4, and 1/8 watts for both 70V and 25V constant voltage speaker systems.

Models with VR suffix shall feature a recessed volume control centered in the front speaker grille.

The speaker enclosure shall be full steel construction and allow for surface mounting. The enclosure shall be painted off-white and measure ____ [specify 11-5/8" W X 11-5/8" H X 4-1/4" D for MB8TSQ(VR) or 11-5/8" W X 11-5/8" H X 5-3/8" D (top) and 11-5/8" W X 11-5/8" H X 3-1/8" D (bottom) for MB8TSL(VR)]. The speaker enclosure shall also provide Wiremold® knockouts.

Front face of models MB8TSL(VR) shall be angled by 12.5 degrees downward. Product weight shall be 9 lb.

Specifications subject to change without notice.
© 2005 Bogen Communications, Inc., Part No. 54-8023-30D 0809

®Wiremold is a registered trademark of Wiremold/Legrand

BOGEN®

A-Series All-Environment Loudspeakers

Models A8, A8T



Features

- Indoor and outdoor all-weather speaker with fully-sealed cabinet
- Available versions: 8-ohm and 70V
- Available colors: black and white
- Metal-alloy MDT mid/bass speaker cone delivers natural sound with ultra-low distortion
- Extremely stable, long-lasting MDT cone structure
- High efficiency and power handling for optimum performance
- Dual-layer voice coil with separate inner and outer windings for high output with ultra-low distortion
- MLS fluid voice coil suspension replaces distortion-causing mechanical spider
- Compound rubber surrounds resist UV rays and salt spray
- Gold-plated, rust-proof connectors
- High-density, injection-molded cabinet resists chipping and scratching
- Low-resonance cabinet structure
- Easy-to-grasp multi-faceted mounting brackets with 180° swivel
- Easy to grip, oversized mounting knobs
- Brackets mount with knobs attached for easier and safer installation in hard-to-reach locations
- Heavy-gauge stainless steel bracket
- Corrosion-resistant driver frames & mounting hardware
- Attractive styling with “Armadillo” ridges for stiffness
- 2-way speaker system

Description

Bogen's A-Series Armadillo® loudspeakers feature unique technologies that improve sound quality and operating reliability. Attractively styled, they are engineered for both indoor and outdoor applications. The A8 models are high-output, 2-way designs for larger spaces such as clubs, auditoriums, and theme parks. Its high audio intelligibility and superb articulation make it ideal for music or paging applications. The A8 models also feature MDT (Metal Diaphragm Technology) and MLS (Magnetic Liquid Suspension).

MDT (Metal Diaphragm Technology):

- High rigidity and low mass of metal versus traditional papers and plastics
- Extremely stable cone structure over long periods of time
- Fast transmission of sound through the diaphragm means low energy storage
- Special anodizing process creates a ceramic coating for increased stiffness
- Efficient heat-sinking of voice coils under long-term, high-power situations

MLS (Magnetic Liquid Suspension):

- Voice coil is constantly centered for lower distortion
- Voice coil is more efficiently heat-sunked by fluid instead of air
- Greater linearity is accomplished because the mechanical spider is eliminated
- Constant lubrication of the gap prevents oxidation from outdoor use

Technical Specifications

MODEL NUMBER	A8	A8T
Frequency Response (-10 dB)*	45 Hz to 17 kHz	
LF Driver	8" MDT Metal-Alloy Cone	
HF Driver	1-1/8" Titanium	
Sensitivity (1W/1 m, 8-ohm)	91 dBspl	
Impedance	8-ohm	70V
Power Handling	175W	64W
Additional Taps	-	32W, 16W
Product Weight	18 lb.	20 lb.
Cabinet Material	Mineral-Filled Polypropylene, UV-inhibited	
Speaker Dimensions	17-7/8" W x 10-1/4" H x 10" D (with bracket)	
Terminations	Gold-Plated, Rust-Proof Barrier Strip	
Environmental	Designed to meet or exceed Mil-Std-810E	
Included Accessories	Color-Matched Stainless Steel Mounting Bracket	
Cabinet Color	Black or White	

* Half-Space Responses

Architect & Engineer Specifications

The loudspeaker shall be a Bogen Model A8 (8-ohm) or Model A8T (70V) with a power handling capacity of 175W (8-ohm) or 64W (70V), or approved equivalent, consisting of one 8-inch nominal low frequency transducer and one 1-1/8-inch nominal titanium high frequency transducer with a filter network for dividing frequencies between the transducers. A weather-tight enclosure shall house all components. The enclosure shall be constructed from an injection-molded, high density (30% or greater) mineral-filled polypropylene material compounded with UV inhibitors.

Two molded-in colors shall be made available (Black and White). Perforated speaker grilles shall be made from heavy-gauge PVC, color-matched to the enclosure.

The low frequency driver shall utilize a metal-alloy cone with deep-anodized surface treatment for rigidity and corrosion resistance. The cone shall provide a heat transfer element for the voice coil under high-power input. Compounded rubber cone surrounds shall be formulated to withstand all-environment installations, including salt spray, ultraviolet light (UV), heat, cold, and constant humidity. The voice coil will be centered via a high gauss, low viscosity magnetic fluid (ferrofluid), which increases the heat transfer rate from the voice coil under long-term high-power use. The magnetic fluid shall prevent corrosion from occurring in the magnet gap.

The high frequency driver shall utilize an environmentally stable titanium diaphragm. Ferrofluid shall dampen the voice coil and assist in the heat transfer for higher power capability.

Environmental testing shall ensure long-term operation in all weather. Specifications shall meet or exceed Mil-Std-810E Test Methods for Temperature, Humidity, Ultraviolet Light, and Salt Spray.



The mounting bracket shall be designed with multiple angles to facilitate installation in corners or when angulation is required. An integral safety strap mounting point shall be included. The loudspeaker shall rotate about its axis a minimum of 180°. The bracket shall be formed from heavy-gauge stainless steel (minimum 3mm thick), and finished with a scratch-resistant paint (color-matched to the enclosure).

The input connectors for 8-ohm and 70-volt systems shall be gold-plated screws with integral clamping washers.


Dimensions of each speaker shall not exceed 17-7/8" W x 10-1/4" H x 10" D (with bracket). Product weight shall not exceed 18 lb. (A8), or 20 lb. (A8T).

Frequency Response



(Half-space @ 1m)




Horizontal Off-Axis Response





Speaker Orientation




Vertical Off-Axis Response (Up)





Speaker Orientation






Vertical Off-Axis Response (Down)




Speaker Orientation



Horizontal Polar Response



Mechanical Drawings





Pendant Speakers

Models:

OPS1W (Off-white)
& OPS1B (Dark Gray)



OPS1W
(Off-white)



OPS1B
(Dark Gray)

Description

The Bogen Orbit Pendant Speaker (OPS1) is the ideal choice for high ceiling and open space environments.

The OPS1 features MLS and MDT technologies (see below), which improve sound quality and increase operating reliability.

The low-distortion speaker design, featuring a spiderless driver and one-piece metal-alloy cone structure, delivers superb articulation and the highest intelligibility for both music and speech.

MDT (Metal Diaphragm Technology):

- Solid, one-piece cone structure eliminates the traditional dust cap
- Extremely stable cone structure over extended periods
- Fast transmission of sound through the diaphragm means low energy storage
- Special hard anodizing process creates a ceramic surface for increased stiffness
- Super-efficient thermal path for cooling the voice coil (not paper or plastic)
- High rigidity and low mass versus typical paper or plastic cones

MLS (Magnetic Liquid Suspension):

- Magnetic liquid (Ferrofluid) injected into magnet gap
- Constant lubrication of the gap prevents oxidation from occurring
- Voice coil is most efficiently cooled by fluid path rather than air
- Lower distortion via stronger centering forces on voice coil
- Increased reliability, particularly in high power daily use systems

Features

- Wide dispersion coaxial driver for broad, even 140° coverage
- Stable, high definition metal-alloy cone
- MDT cone design delivers detailed sound
- MLS eliminates conventional centering “spider” for more accurate voice coil centering
- High-efficiency drivers deliver superior performance
- Extremely good off-axis response
- Computer-matched venting system for full bass output
- High power handling capability for foreground sound
- Selectable power taps via front-mounted control
- 16-ohm input for non-transformer multi-speaker systems
- Easy wiring with snap-on connector
- Connector provides loop-through to next speaker
- Easy to use cable suspension system that includes three suspension cables with attached forged eyebolts
- Threaded brass insert point for optional safety cable eye bolt
- Low-resonance cabinet structure
- Off-white or dark gray textured finish; easily painted to match theme decors
- Attractive, contemporary, sturdy steel grille assembly with fine perforations
- Listed to UL Standard 60065 for US and Canada
- Accessory 10-foot long cable kit for use as main drop cable or safety cable (Model CK10 sold separately)

Technical Specifications

SPECIFICATIONS	OPS1
Frequency Response (-10 dB) *	45 Hz to 19 kHz
LF Driver	6-1/2" MDT Metal-Alloy Cone (MLS Voice Coil Centering System)
HF Driver	20mm (3/4") Polycarbonate Dome
Sensitivity (1W/1 m)	89.5 dBspl (Average 100 Hz - 10 kHz)
Dispersion	140 degrees
Impedance Ratings	Low (16 ohms) / High (70V/100V)
Power Input (Max.)	100W @ 16 ohms; 32W @ 70V/100V
Power Settings (in watts)†	70V: 32, 16, 8, 4, 2, 1 100V: 32, 16, 8, 4, 2
Enclosure Material	Fire-rated (94VO) ABS
Grille Material	Powder-Coated Perforated Metal
Terminations	4 Terminal Snap-Lock Input Connector
Product Weight	10 lb.
Speaker Dimensions	15" dia. x 9-1/4" D
Included Accessories	(3) Suspension Cables; (3) Forged Eye Bolts; (3) Nuts; (1) Quick-Snap Clip; (1) Snap-Lock Input Connector
Optional Accessories	Cable Kit (CK10)
Enclosure Finish & Color	Textured Off-white or Dark Gray

* Free-Space Response, 16-ohm input

† Front panel switch selected (under grille)

Architect & Engineer Specifications

The loudspeakers shall be ORBIT Model OPS1W (Off-white), and OPS1B (Dark Gray) or approved equivalent, consisting of one 6-1/2" (nominal) low frequency transducer, and one 20mm (3/4") (nominal) high frequency transducer with a filter network for dividing frequencies between the transducers.

An injection-molded, ABS material containing fire inhibitors with a 94VO rating, shall house all components.

The enclosure shall be supplied in either off-white or dark gray in color with a mild texture finish to promote paint adhesion if desired. A perforated speaker grille shall be made from heavy-gauge steel, color-matched to the enclosure.

The low-frequency driver shall utilize a metal-alloy cone with hard-anodized surface treatment for rigidity and corrosion resistance. The cone shall provide a heat transfer element for the voice coil under high-power input. A compounded rubber cone surround shall be formulated to withstand environmental conditions with high or low heat, high or low humidity, and ultra-violet light. The voice coil shall be protected via a high gauss low viscosity magnetic liquid (ferrofluid), to prevent corrosion from occurring in the magnet gap. The fluid will also serve as a thermal path to further reduce heat build-up in the voice coil. The driver will utilize the ferrofluid to provide a centering force for the voice coil in the magnet gap.

The high-frequency driver shall utilize a diaphragm consisting of black polycarbonate. Ferrofluid shall dampen the voice coil and facilitate the transfer of heat from the coil to the magnet structure.

The hanging cables shall be designed with forged eye bolts captured on one end to attach directly to the enclosure. The other end of the cables shall have a secured loop that will attach to a quick connect clip. An integral safety cable attachment point shall be included in the enclosure. An optional 10-foot cable kit (CK10) shall be available to serve as a back-up safety cable or main suspension drop cable. An internal safety strap ensures that the drivers are secured to the upper suspension.


The input connector shall be a 4-screw snap-lock removable connector, providing "loop-through" for additional speakers.

Power input selection shall be via a front-mounted rotary switch, located under the removable grille. 70V (high-impedance) tap selections shall be 1, 2, 4, 8, 16, and 32 watts; 100V (high-impedance) tap selections shall be 2, 4, 8, 16, and 32 watts. A low-impedance 16-ohm selection shall also be provided. Dispersion area shall be 140°.

Dimensions of the speaker shall not exceed 15" diameter x 9-1/4" high. Product weight shall not exceed 10 lb.



Frequency Response

Open space @ 1m





Off-Axis Response



Graph shows modification to an on-axis response.



Polar Response



Mechanical Drawings



(Grille shown partially removed)

Reentrant Horn Loudspeakers

Models SPT15A and SP158A



Description

The Bogen SPT15A and SP158A are compact, high intelligibility, reentrant type loudspeakers, designed for one-way or two-way sound and communication systems. Their sturdy, weatherproof, all-metal construction is ideal for indoor and outdoor use in industrial plants, warehouses, schools, construction sites, transportation terminals, and recreational areas.

The Model SPT15A has a built-in, rotary impedance selector switch for matching the speaker power requirements to a 25V or 70V constant-voltage line. The model SP158A has an 8-ohm impedance only.

Features

- High intelligibility and efficiency; ideal for both one-way and talk back applications
- Weatherproof, all-metal construction
- 15 watts; 25/70 volt (SPT15A) or 8-ohm (SP158A) operation
- Tap settings for 70V: 15, 7.5, 3.8, 1.8, 0.9 watts; for 25V: 15, 7.5, 1.8, 0.94, 0.46 watts
- Rotary tap impedance selector on SPT15A
- Tilt and swivel base for easy positioning
- Screw terminals make installation fast and easy
- All-purpose mounting bracket
- Self-aligning, field replaceable diaphragm
- Mocha enamel finish
- Limited lifetime warranty
- Mountable to I-beam flange using Bogen's BC1 Beam Clamp (sold separately)
- Mountable to electrical box using Bogen's HSES10 mounting strap (sold separately)
- Terminal Cover (TCSPT1) allows connection of conduit fittings to horn speakers (sold separately)

BOGEN®

Specifications subject to change without notice.
© 1995 Bogen Communications, Inc.
54-7612-05D 0904

Technical Specifications

Power Rating (RMS): 15 watts continuous, 20 watts equalized

Frequency Response: 275 Hz to 14 kHz

Impedance:

SPT15A — 25/70 volts

SP158A — 8 ohms

Sound Pressure Level: 121 dB @ four feet on axis with 15 watt input @ 1000 Hz

Dispersion: 110°

Sensitivity as Microphone: -22 dBm [Ref: 10 dynes/cm²]

Dimensions: 9" Diameter x 9-1/4" D

Product Weight:

SPT15A — 4 lb.

SP158A — 3 lb.

Finish: Textured mocha enamel

Impedance Selector Switch Settings (SPT15A only): 25V @ 15, 7.5, 1.8, 0.94, 0.46 watts
70V @ 15, 7.5, 3.8, 1.8, 0.9 watts

Sound Pressure Level in dB @ 1000Hz:	Watts	Feet on Axis				
		4	8	16	32	64
Input:						
15		121	115	109	103	97
7.5		118	112	106	100	94
3.8		115	109	103	97	91
1.8		112	106	100	94	88
0.9		109	103	97	91	85
0.46		106	100	94	88	82

Architect and Engineer Specifications

The loudspeaker shall be a Bogen Model ____ (specify SPT15A or SP158A), or approved equal, reentrant type horn loudspeaker. The frequency response shall be 275 Hz to 14 kHz. Rated power output shall be 15 watts, RMS continuous. Dispersion shall be 110°. Sound pressure level, measured four feet on axis with 15 watt input @ 1000 Hz, shall be at least 121 dB.

Use for SPT15A. The unit shall incorporate a seven-position weather-sealed switch, to allow matching the loudspeaker to a 25V or 70V constant-voltage line. Power handling capacity shall be adjustable at 70V to 0.9, 1.8, 3.8, 7.5, or 15 watts, and at 25V to 0.46, 0.94, 1.8, 7.5, or 15 watts.

Use for SP158A. The unit shall have an impedance of 8 ohms.

The loudspeaker shall be of weatherproof, all-metal construction, with driver enclosed within a weatherproof housing. The loudspeaker shall include a self-aligning, field-replaceable diaphragm.

Screw terminals shall be provided for connection to the audio line. A plastic cover shall be provided to protect the connectors and impedance selector switch, and provide strain relief for the audio line.

An all-purpose mounting bracket shall provide precise positioning in the vertical and horizontal planes with a single adjustment. The bracket shall include banding slots to permit mounting the loudspeaker on beams or pillars. Bracket and loudspeaker shall be finished in textured mocha enamel. The unit shall measure 9" diameter by 9-1/4" D. Product weight shall be _____ (insert 4 lb. for SPT15A, 3 lb. for SP158A).

Ceiling Speaker Grille Assemblies



S86T725PG8WBR



S86T725PG8WVK

Description

Bogen's Ceiling Speaker Assemblies consist of an 8" Cone Speaker (S86 or S810) pre-assembled onto a 13" steel ceiling grille painted with off-white (PG8W) or bright white (PG8U) enamel. Options for these assemblies are recessed volume control (VR), volume control with knob (VK), and rear-mounted screw terminal strip for power taps (BR).


Features

- 4-watt capacity
- 8" cone speaker for excellent audio quality
- 6 different power taps available (4, 2, 1, 1/2, 1/4, 1/8W)
- T725 4-watt transformer
- Off-white enamel over steel grille ("W" versions)
- Bright white enamel over steel grille ("U" versions)
- Pre-assembled for faster installation
- Works with both 70V and 25V amplifier outputs
- Available with volume control – recessed or with knob (VR and VK models only)
- Screw terminals (BR models only)
- 6 oz. or 10 oz. magnet weights

Technical Specifications

Model	Power Taps (in Watts)	Frequency Response	Sensitivity (4 ft./1W)	Magnet Weight	No Volume Control	Recessed Volume Control (VR)	Volume Control w/Knob (VK)	Screw Terminals (BR)	Off-White (W)	Bright White (U)	Shipping Weight (6/Carton)	Dimensions				
S86T725PG8W	4, 2, 1, 1/2, 1/4, 1/8 @ 25 & 70V	50 Hz- 12 kHz	95 dBspl	6 oz.	●				●		27 lb. / carton	13" Dia x 3-1/4" D				
S86T725PG8WVR						●				●						
S86T725PG8WVK							●			●						
S86T725PG8WBR					●			●	●				28 lb. / carton			
S86T725PG8WBRVR						●		●	●							
S86T725PG8WBRVK							●	●	●							
S86T725PG8U								●					●	27 lb. / carton		
S86T725PG8UVR							●				●					
S86T725PG8UVK								●			●					
S86T725PG8UBR								●			●		●	28 lb. / carton		
S86T725PG8UBRVR							●			●	●					
S86T725PG8UBRVK								●		●	●					
S810T725PG8W						70 Hz- 15 kHz	96 dBspl	10 oz.	●					●		30 lb. / carton
S810T725PG8WVR									●					●		
S810T725PG8WVK			●						●							
S810T725PG8U	●									●						
S810T725PG8UVR			●							●						
S810T725PG8UVK				●						●						

Ceiling Speaker Assembly Variations



No Volume Control

Recessed Volume Control - (VR suffix)

Volume Control Knob - (VK suffix)

Screw Terminal Strip - (BR suffix)

Architect and Engineer Specifications

S86T725PG8W & Variations The loudspeaker assembly shall be a Bogen model **S86T725PG8W** (or **S86T725PG8WVR**, **S86T725PG8WVK**, **S86T725PG8WBR**, **S86T725PG8WBRVR**, or **S86T725PG8WBRVK**), or equivalent, 8" cone-type loudspeaker, having a frequency response of at least 50 Hz to 12 kHz. Axial sensitivity shall be 95 dB, measured at 1-watt/4 feet. The loudspeaker shall have a 6 oz. ceramic magnet and a 3/4" voice coil. A transformer, capable of matching an 8-ohm loudspeaker to a 25-volt or 70-volt line, and providing power taps of 4, 2, 1, 1/2, 1/4, and 1/8 watts shall be included. The loudspeaker shall be assembled on a 13" steel ceiling grille, finished in off-white semi-gloss enamel. Assembly depth shall be 3-1/4". (For **S86T725PG8WVR** add) A recessed volume control shall be included.

(For **S86T725PG8WVK** add) A volume control knob shall be accessible from the front of the grille.

(For **S86T725PG8WBR** add) A terminal strip shall be included for connection of the audio line.

(For **S86T725PG8WBRVR** add) A terminal strip shall be included for connection of the audio line. A recessed volume control shall be included.

(For **S86T725PG8WBRVK** add) A terminal strip shall be included for connection of the audio line. A volume control knob shall be accessible from the front of the grille.

S86T725PG8U & Variations The loudspeaker assembly shall be a Bogen model **S86T725PG8U** (or **S86T725PG8UVR**, **S86T725PG8UVK**, **S86T725PG8UBR**, **S86T725PG8UBRVR**, or **S86T725PG8UBRVK**), or equivalent, 8" cone-type loudspeaker, having a frequency response of at least 50 Hz to 12 kHz. Axial sensitivity shall be 95 dB, measured at 1-watt/4 feet. The loudspeaker shall have a 6 oz. ceramic magnet and a 3/4" voice coil. A transformer, capable of matching an 8-ohm loudspeaker to a 25-volt or 70-volt line, and providing power taps of 4, 2, 1, 1/2, 1/4, and 1/8 watts shall be included. The loudspeaker shall be assembled on a 13" steel ceiling grille, finished in bright white semi-gloss enamel. Assembly depth shall be 3-1/4".

(For **S86T725PG8UVR** add) A recessed volume control shall be included.

(For **S86T725PG8UVK** add) A volume control knob shall be accessible from the front of the grille.

(For **S86T725PG8UBR** add) A terminal strip shall be included for connection of the audio line.

(For **S86T725PG8UBRVR** add) A terminal strip shall be included for connection of the audio line. A recessed volume control shall be included.

(For **S86T725PG8UBRVK** add) A terminal strip shall be included for connection of the audio line. A volume control knob shall be accessible from the front of the grille.

S810T725PG8W & Variations The loudspeaker shall be a Bogen model **S810T725PG8W** (or **S810T725PG8WVR**, or **S810T725PG8WVK**), or equivalent, 8" cone-type loudspeaker, having a frequency response of at least 70 Hz to 15 kHz. Axial sensitivity shall be 96 dB, measured at 1-watt/4 feet. The loudspeaker shall have a 10 oz. ceramic magnet and a 1" voice coil. A transformer, capable of matching an 8-ohm loudspeaker to a 25-volt or 70-volt line, and providing power taps of 4, 2, 1, 1/2, 1/4, and 1/8 watts shall be included. The loudspeaker shall be assembled on a 13" steel ceiling grille, finished in off-white semi-gloss enamel. Assembly depth shall be 3-1/4".

(For **S810T725PG8WVR** add) A recessed volume control shall be included.

(For **S810T725PG8WVK** add) A volume control knob shall be accessible from the front of the grille.

S810T725PG8U & Variations The loudspeaker shall be a Bogen model **S810T725PG8U** (or **S810T725PG8UVR**, or **S810T725PG8UVK**), or equivalent, 8" cone-type loudspeaker, having a frequency response of at least 70 Hz to 15 kHz. Axial sensitivity shall be 96 dB, measured at 1-watt/4 feet. The loudspeaker shall have a 10 oz. ceramic magnet and a 1" voice coil. A transformer, capable of matching an 8-ohm loudspeaker to a 25-volt or 70-volt line, and providing power taps of 4, 2, 1, 1/2, 1/4, and 1/8 watts shall be included. The loudspeaker shall be assembled on a 13" steel ceiling grille, finished in bright white semi-gloss enamel. Assembly depth shall be 3-1/4".


(For **S810T725PG8UVR** add) A recessed volume control shall be included.

(For **S810T725PG8UVK** add) A volume control knob shall be accessible from the front of the grille.

BOGEN[®]
COMMUNICATIONS, INC.

www.bogen.com

Mounting Accessories for Ceiling Speaker Grille Assemblies*



Models RE84, MR8, TB8

Description The RE84 Ceiling Speaker Enclosure is a protective enclosure for an 8" speaker, designed for recessed installations, and for use with any of the Bogen ceiling grilles. One-piece steel construction includes a mounting ring and a foam insert to reduce metallic resonance. The RE84 is finished in rust-resistant primer and is tapered for easy stacking. UL approved.

The MR8 Mounting Ring is a cold-rolled steel unit which will mount any of the Bogen ceiling grilles, for installations where the RE84 is not used.

The TB8 Tile Bridge is a load-bearing T-bar support designed to sustain the weight of an 8" speaker, grille and protective enclosure in suspended ceiling construction. Use of the TB8 improves environmental safety and eliminates unsightly sag in 2'-by-2' and 2'-by-4' acoustic ceiling tiles.

- Features**
- RE84 - Ceiling Speaker Enclosure**
- Protective enclosure for 8" speaker in recessed installations
 - One-piece steel construction includes mounting ring and foam insert to reduce metallic resonance
 - Finished in rust-resistant primer
 - For use with any Bogen ceiling grille or assembly
 - UL approved

- MR8 - Mounting Ring**
- Constructed of cold-rolled steel
 - Finished in rust-resistant primer
 - For use with any Bogen ceiling grille or assembly

- TB8 - Tile Bridge**
- Load-bearing T-support
 - Capable of sustaining weight of any Bogen 8" ceiling speaker, grille, and enclosure in suspended ceiling installations
 - Steel construction
 - Finished in rust-resistant coating

Architect and Engineer Specifications

RE84 - Ceiling Speaker Enclosure The protective enclosure for the 8" cone-type loudspeakers shall be a Bogen model RE84, or equivalent, designed for recessed installations. It shall be constructed of one-piece heavy-gauge steel, and shall include a speaker mounting ring. A foam insert shall be permanently attached to the inner surface, to prevent metallic resonance. Four combination 1/2" – 3/4" conduit knockouts shall be provided at 90 degree intervals, and the unit shall be finished in a rust-resistant primer coating. The dimensions shall be: 12-1/4" dia. x 4-1/2" D.

MR8 - Mounting Ring The plaster ring shall be a Bogen model MR8, or equivalent, circular cold-rolled steel unit that will mount any Bogen ceiling grille. It shall be finished in a rust-resistant primer coating, and the dimensions shall be: 12" dia. x 3/4" D.

TB8 - Tile Bridge The load-bearing T-bar support shall be a Bogen model TB8, or equivalent, capable of sustaining the weight of an 8" speaker, grille and protective enclosure in suspended ceiling construction. It shall be manufactured of steel and shall be finished with a rust-resistant galvanized coating. The unit shall measure: 23-3/4" W x 3/4" H x 14-1/2" D.

* For speakers mounted to CG8AW, PG8A, PG8U, PG8W, and SG8W




BOGEN®

NYQUIST™

Appliance Accessories

Description


The following purpose-built Nyquist appliance accessories are available to help simplify system installations. Please note that all Nyquist appliances ship with mounting ears that can be used in wall-mount and rubber feet for shelf-mount applications. These mounting ears are also used in conjunction with some of the rack-mount kit accessories, so please be sure not to inadvertently discard them with the appliance packaging materials.



NQ-RMK01

Nyquist 1U Rack Mount Kit, Type 1

This bracket works with the following Nyquist appliance combinations:
NQ-P0100 MMPA & NQ-E7010 I/O Controller, NQ-SYSCTRL & NQ-E7010 I/O Controller.



NQ-RMK03

Nyquist 1U Rack Mount Kit, Type 3


These brackets work with the following Nyquist appliance combinations:
Any single NQ-P0100 MMPA, NQ-SYSCTRL, NQ-A2xxx Power Amplifiers, or NQ-A4xxx Power Amplifiers.



PS4815W

48V DC, 15W Wall Plug Power Adapter


This optional external power supply works with the following Nyquist appliances:
NQ-E7010 I/O Controller, NQ-GA10P/PV Plenum-rated VoIP Intercom Modules
(This power supply can also be used with any applicable general line Bogen product)



NQ-RMK02

Nyquist 1U Rack Mount Kit, Type 2

These brackets work with the following Nyquist appliance:
Any single NQ-E7010 I/O Controller.



NQ-RMK04

Nyquist Appliance Joining Bracket

This bracket kit works with the following Nyquist appliance combinations:
Any paired combination of NQ-P0100 MMPA, NQ-SYSCTRL, NQ-A2xxx Power Amplifiers, or NQ-A4xxx Power Amplifiers.



PS4830W

48V DC, 30W Power adapter

This optional external power supply is designed for use with the NQ-GA20P2



PS5660W

IEEE 802.3bt 56V 60W Power over Ethernet PoE++ Injector

This optional power injector can be used with the NQ-GA40P3 when a PoE++ Switched port is not available.



Garden City USD/Horace Good Middle
School/Intercom/BID

1412 Main Street
Garden City, KS 67846

Proposal for

Garden City Public Schools - Horace Good
Middle School - Garden City Public Schools

SWC of Kansas City
8033 Flint St.
Lenexa, KS 66214

stacy.menhusen@swc.net | 913.213.6410

January 13, 2026

Proposal valid for 30 days.

TABLE OF CONTENTS

Content	Page
Company & Team	3
Solutions Overview	5
Scope of Work	20
Cost of Proposal	25
Bill of Materials	26
Terms and Conditions	34

Company & Team

Safe, Reliable, Local.

At SWC our people make the difference. We are admired for our top talent within the industry and take pride in our team making your experience with our services exceptional. The relationship we build with our clients extends beyond the current needs of the project and instead partners with you to meet both current goals and continuously engage for interminable improvement.


Kansas City Education



Stacy Menhusen - Account Executive

Stacy has been an account executive in the education market since 2015 at SWC. She is passionate about school safety and has successfully worked with schools across Missouri and Kansas on their emergency plans, access control, and threat management automation systems. Stacy's an active community member who sits on the board of Hillcrest Hope. Stacy plans and leads an annual active intruder response training program, where SWC sponsors seats for school districts' leadership and decision-makers tasked with making our schools safer. SWC offers the following safety solutions: Rauland Telecenter U intercom, information boards, and threat management automation systems; access control; CCTV; fire alarms; and current system repairs, upgrades, and training on system utilization.

Locations



SWC enriches lives by providing integrated electronic solutions and services with progressive technologies that enable our customers to optimize their mission-critical processes.

SWC Corporate Headquarters

4871 Rosebud Lane
Newburgh, IN 47630

SWC of Atlanta

70 Crestridge Dr., Suite 100
Suwanee, GA 30024

SWC of Chattanooga

5959 Shallowford Rd., Suite 505
Chattanooga, TN 37421

SWC of Columbia

312 Nebraska Ave., Suite D
Columbia, MO 65201

SWC of Decatur

1608 Church St., SE
Decatur, AL 35601

SWC of Indianapolis

7768 Zionsville Rd., Suite 150
Indianapolis, IN 46268

SWC of Kansas City

8033 Flint St.
Lenexa, KS 66214

SWC of Louisville

11001 Bluegrass Parkway, Suite 100
Louisville, KY 37210

SWC of Nashville

1713 Lebanon Pike
Nashville, TN 37210

Solution Overview



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

BID-HMGS Bells/Intercoms
Attention:
Casey Wise, Director of Technology
cwise@gckschools.com

Due: January 14, 2026- 9:00 am

GARDEN CITY PUBLIC SCHOOLS USD 457
1205 FLEMING
GARDEN CITY, KS 67846

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

www.swc.net



SWC of Kansas City
stacy.menhusen@swc.net | 913.213.6410

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

Table of Contents

1. Executive Summary
2. Service & Warranty Agreement
3. Introduction to SWC
4. Security Qualifications
5. Solution Development Approach
6. Installation and Setup Services
7. References
8. Proposal and Cost Breakdown

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

www.swc.net



SWC of Kansas City
stacy.menhusen@swc.net | 913.213.6410

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

Executive Summary for Garden City USD 457 BID-HGMS Bells/Intercoms

Safety, Continuity, and Smart Investment

Garden City USD 457 has already made a thoughtful investment in a district-wide communication and emergency notification platform by deploying Rauland Telecenter U (TCU) at two schools in the past two years. This project at Horace Good Middle School represents an opportunity to continue that investment in a way that protects safety, reduces long-term cost, and minimizes operational risk.

SWC’s proposal delivers a fully compliant solution that aligns with the district’s bid specification while preserving platform consistency across schools. Using the same system already in place ensures:

- Consistent emergency response procedures
- Reduced training time for staff
- Lower long-term maintenance and support costs
- Simplified IT management
- Faster response during critical incidents

This proposal is not simply about installing equipment, it is about protecting the district’s existing investment, maintaining operational consistency, and delivering a safer environment for students and staff.

Compliance with District Bid Specification

SWC’s proposal fully complies with the requirements outlined in the District’s Internal Communication and Notification System bid specification dated December 17, 2025.

District Requirement	SWC / Rauland TCU Response
Single district-wide platform	Fully compliant
Centralized district server	Supported using district-provided server

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.



Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

IP-based communication	Included
Hands-free two-way communication	Included
Audio, visual, and text emergency alerts	Included
Visual mapping of alerts	Included
Operate up to 14 days without district network	Supported through local autonomy and UPS
Workflow-based classroom requests	Included
Text-to-speech announcements	Included
Web-based bell scheduling	Included
API integration	Integrated with Genetec
Mobile access	Supported
Hallway message boards	Offered as optional line item
Certified training	Included
5-year manufacturer warranty	Provided
Authorized installer with experience	SWC meets requirement

Protecting the District's Existing Investment

District Continuity Advantage

Two schools in Garden City USD 457 already operate on the Rauland TCU platform. Staff, administrators, and IT personnel are familiar with its interface, procedures, and emergency workflows.

Adding Horace Good Middle School to the same platform:

- Preserves training investments already made
- Maintains consistent emergency response procedures

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

- Prevents fragmentation of safety systems
- Simplifies support and troubleshooting
- Reduces long-term operational cost

Introducing a different platform for one school would require:

- Separate training programs
- Separate support processes
- Different emergency workflows
- Increased risk of confusion during emergencies

Consistency across safety systems is not a convenience, it is a critical risk-reduction strategy.

Total Cost of Ownership

Beyond the Initial Bid Price

The lowest bid price does not always represent the lowest long-term cost. The most cost-effective solution is the one that integrates seamlessly with systems the district already owns.

Maintaining a single platform across schools provides:

- One training program instead of multiple
- One support structure instead of parallel systems
- One upgrade path for future schools
- One set of emergency procedures district-wide

This approach reduces:

- Training costs

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

- Support complexity
- Downtime risk
- Future integration expenses

Choosing a system already deployed in the district protects past investments and avoids creating new long-term costs.

Consistency Saves Time—and Lives

Risk Reduction in Emergencies

In emergency situations, staff do not have time to think, they rely on instinct and muscle memory.

Consistency across buildings means:

- Same buttons in every classroom
- Same alerts in every hallway
- Same response steps for every staff member
- Same training across the district

This removes hesitation, confusion, and delays when seconds matter most.

Selecting the same platform already serving the district ensures that emergency response procedures remain uniform, reliable, and immediately recognizable to staff regardless of which building they are in.

Conclusion

This proposal provides Garden City USD 457 with a solution that:

- Fully complies with the district's bid specification
- Preserves the district's existing investment
- Reduces long-term cost and risk
- Enhances safety through consistency

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

SWC is not simply offering an intercom system, we are delivering continuity, safety, and long-term value.

We look forward to continuing our partnership with Garden City USD 457 and helping ensure every school operates on a unified, reliable, and future-ready communication platform.

Respectfully Submitted:
Stacy D. Menhusen
Education Systems Consultant
SWC of Kansas City

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

www.swc.net



SWC of Kansas City
stacy.menhusen@swc.net | 913.213.6410

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

Service & Warranty Agreement

Customer: Garden City USD 457

Provider: South Western Communications (SWC)

Manufacturer: Rauland-Borg (Rauland)

Effective Date: Upon install completion

Term: As detailed in #2 and #3

1. Scope

SWC will install and support Rauland Telecenter U (TCU) system for paging, bells, clocks, and emergency notifications.

2. Rauland Warranty

- Covers Rauland hardware for **manufacturer's standard term** (5 years).
- Includes repair/replacement for defects in materials and workmanship.
- Excludes misuse, unauthorized changes, or environmental damage.

3. SWC Warranty

- Covers SWC-installed equipment and labor for **1 year** from completion.
- SWC will repair or replace defective work during this period.
- Excludes acts of God, third-party devices, and improper conditions.

4. Support

- Emergency issues: response within **4 hours**.
- Standard issues: within **1–2 business days**.
- Optional maintenance plans available after warranty.

5. Customer Responsibilities

Provide proper power, network access, and safe environment for equipment.

6. Acceptance

Customer signs off after testing and training.

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

www.swc.net



SWC of Kansas City
stacy.menhusen@swc.net | 913.213.6410

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

Introduction to SWC

South Western Communications has been an innovative leader in the electronics and communication technology industry since 1976. SWC offers progressive systems technology by integrating flexible communications solutions for Healthcare, Educational, Commercial/Industrial, and Detention applications. SWC is a leading national integrator providing coverage to 75,000 licensed acute care beds and 180,000 K-12 classrooms.

Acquired in 2006, SWC is proud to be a Koch Enterprises Company. Koch Enterprises, Inc. is a global, diversified, privately owned corporation that has been serving customers for 140 years from its headquarters in Evansville, Indiana. The company is listed in the Indianapolis Business Journal Top 10 Private Companies. Koch Enterprises' companies are leaders in four separate industry sectors. Each company operates autonomously with responsibility for strategy, operations, and profitability.

To remain viable in our industry, SWC meets with and listens to our clients and their current as well as long-term needs. SWC continues to review and test safety and security systems to provide a wide range of solutions to our clients. The most recent development is our new neXus Software Platform that will give our clients the ability to see all of their security systems on a single pane of glass. SWC neXus is the only comprehensive district-wide solution of its kind. neXus facilitates interoperability between technology platforms allowing districts to select best-of-breed technologies. Integrating standalone technologies creates a robust solution and offers centralized management across the district. The neXus platform allows integrations to other safety and security solutions such as vape detection, gunshot detection, intercom systems, visitor management systems, etc

To continue to serve our education partners, SWC provides training and industry news.

Annual Safety & Security Strategic Meetings

Active Shooter/Intruder Trainings

Lunch & Learns

Email Campaigns for industry news & updates

Safety & Security Site Visits

Building continued relationships through conferences and trainings

Personalized district/school safety security designs

Provide a team of experts starting with Education Consultant, Design Team, Project Manager, Technicians, and Account Managers.

SWC annually invests in its team, so it can develop premier designed solutions, created, and serviced by technical professionals certified by the industry's leading manufacturers and associations. SWC provides its clients with dependable designed applications and excellent long-term support from our technical

Garden City USD 457

BID-HMGS Bells/Intercoms

January 14, 2026

9:00 A.M.

www.swc.net



SWC of Kansas City
stacy.menhusen@swc.net | 913.213.6410

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

professionals. Our Service team keeps the systems tuned, functioning, and off the boss' list. Our commitment to clients goes above and beyond the competition.

Our Clients include:

- Healthcare
- Education
- Industrial
- Corporate
- Government

Supported by these systems:

- Patient-Care Provider Communications
- Fire & Smoke Detection
- Security
- Intrusion Detection
- Access Control/Door Locking Systems
- IP Video Surveillance
- District-wide Critical Communication Systems

SWC continues to be an uncompromising technical professional in the design, delivery, and long-term support of integrated solutions.

Security Qualifications

SWC has been providing consultative solutions in security technology design and implementation. As the pioneer in the Midwest for Intercoms, Emergency Management, Access Control, Weapons Detection, Fire Alarm, and IP based Video Management Solutions, SWC has provided consulting for Architects such as Burns and McDonald as well as end users such as Gateway Regional Hospital and Excelsior Springs School District. Over 50 years in the security industry provides SWC with the commitment and wisdom to provide custom solutions to every customer.

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

www.swc.net



SWC of Kansas City
stacy.menhusen@swc.net | 913.213.6410

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

Solution Development Approach

SWC provides a comprehensive site survey for each client system we propose and quote. On each site survey, we review and walk the entire facility with our client. Our team notes power sources, wiring, the material makeup of the walls, floors, and ceiling tiles. Our team measures the facility, takes photographs, and develops an outline for the project. During our site visit, we ask detailed questions encapsulating the scope of work, the time frame to complete the project, the decision-making process, the decision-maker (S), and the funding mechanism for the project. The personnel on the site surveys, including a system designer and a system consultant. The site survey is concluded with a demonstration of the system the client is considering.

Each system is designed individually to meet the specific needs of our client in our design laboratory. We use the results of the site survey to develop a solution that we custom build to the specifications of the scope of work, time frame, and budget outlined by our client. Once the client's system is designed, we provided a detailed proposal summarizing all the information gathered on the site survey and developed in our lab. Our process includes reviews by an estimator, a designer, a system consultant, a system administrator, and the Director of System Consulting. In the client's proposal review meeting, the system consultant reviews each aspect of the project to ensure our understanding and design of the project are in lockstep. Once the client is satisfied, and we have an accurate outline for their project, we request a purchase order or signed authorization to build the systems.

Next, we complete final engineering on the project, provide a CAD drawing, as-built drawing, permits, and any schedule site inspections where needed. Once final engineering is complete, the systems are submitted to our integration team, where we review all the clients' current operations and discuss integrations now and, in the future, using APIs.

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

www.swc.net



SWC of Kansas City
stacy.menhusen@swc.net | 913.213.6410

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

Installation and Setup Services

SWC employees are a team of professional project managers that specialize in life safety/critical communication system installation and integration.

Our project managers are trained in the nationally recognized PMP methodology of project management.

Typical project process:

- ❖ Internal project startup
 - Project is processed and set to operations where it is assigned to a project manager
 - Project manager sets up a hand off meeting with sales and engineering team
 - Project manager contacts customer letting them know they will be the project manager on this project
 - Project Manager puts together a project plan with a rough timeline
- ❖ Project Kick off with Customer
 - Review project Scope
 - Review timelines and set milestone dates
 - Review site requirements and check in process
 - Review Schedule of values
 - Gather stake holder information for project plan.
 - Request drawings if needed
 - Setup other meetings to discuss technical needs and or programming information.
- ❖ Engineering phase
 - Create system drawings in CAD
 - Review and finalize parts needed
 - Create submittals sheets
 - Send system drawings and submittals for review to customer
 - Meet with customer IT group to review networking/server needs
 - Once submittals and drawings are approved place parts orders and schedule install group as needed per the agreed upon project timeline
 - Request and setup remote access to system network item.
 - Meeting with customer to discuss and set system workflow for programming sequence of events
- ❖ Installation Phase
 - Install a Cables as soon per approved drawings
 - Install head-end and Network hardware

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

- Tie system to customers network and test connectivity
- Download configuration to the system
- Install field devices

- ❖ System Commissioning Phase
 - Quality control team does a full test and review of all devices
 - All Testing is documents to include a pass/fail
 - Failed items are corrected
 - Walk through with Customer to review install and system workflow

- ❖ End User Training Phase
 - System trainer sets up and preforms and training course for all users
 - We provide all training documentation and quick guides.
 - Engineering team will do technical training for facilities and IT (usually done via web call)

- ❖ Close out Phase
 - Final system review with customer
 - Project Manager will send all as built and O&M's
 - Closeout meeting with stakeholder sign off that system is installed and works per agreed upon scope and workflow
 - Final Billing set

- ❖ Internal Close out
 - Archive all information on project
 - Closeout meeting with service team for ongoing supports
 - Send out warranty letter
 - Final review and close out with Operations manager

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

www.swc.net



SWC of Kansas City
stacy.menhusen@swc.net | 913.213.6410

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

Current Firms/Schools | Project Summaries

Hickman Mills School District- SWC designed and upgraded the district's safety and security with six new systems to be integrated such as Intercom, Access Control, CCTV, Concealed Weapons Detection, IntelliSee AI Software, and SWC neXus software which meets the needs of the district. We are continually designing schools to meet the growing need of the district.

Holden School District- SWC designed and upgraded the district's safety and security with six new systems to be integrated such as Intercom, Access Control, CCTV, Intrusion, IntelliSee AI Software, and SWC neXus software which meets the needs of the district. We are continually designing schools to meet the growing need of the district.

Lafayette School District- SWC designed and upgraded the district's safety and security with four new systems to be integrated such as Intercom, Access Control, CCTV, and SWC neXus software which meets the needs of the district. We are continually designing schools to meet the growing need of the district.

Santa Fe School District- SWC completed a district wide Telecenter U system upgrade consisting of both system replacement, and top-layer integration. We also provided all new IP Video Surveillance and IP Access Control across the district. We continue to expand these systems to meet the growing needs of the district.

Jefferson City Public Schools- SWC upgraded the district's existing Access Control system to a new IP system which meets the needs of the district. This project consisted of a mixture of utilizing as much of the existing equipment as possible, and replacement of equipment that could not be re-utilized. We are continually adding doors to their system to meet the growing need of the district.

Platte County School District- SWC has completed a Telecenter U system upgrade in multiple buildings in the district. This solution bridged the communication gap from an existing building to a new building on the same campus. We have another all-new Telecenter U installation in progress, with more planned in the future.

Excelsior Springs School District- SWC completed a system upgrade of their analog Video Surveillance to an IP Video Surveillance system, and expanded coverage across the entire district, including interior and exterior cameras. We also installed a new Access Control system across the entire district. Over the years, we have continued to expand the surveillance coverage to include areas where video is desired by the district, as well as adding new doors to the Access Control system. We service, repair, and upgrade all the district's Intercom and Fire Alarm systems.

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

Solution Overview (cont)



3241 North 7th St Trfy
Kansas City, KS 66115
(913) 281-5100

USD 500- SWC upgraded the Fire Alarm systems in multiple buildings across the district. We were able to bring them up to current code compliance, and eliminate the issues caused by systems that had outlived their lifespan.

North Kansas City Hospital- SWC provides the Rauland Responder Nurse Call Communications system utilizing the state of the art Rauland Staff Terminal, as well as the Centrak Real Time Locating system with location integration with the Rauland Nurse Call system.

Truman Medical Center- SWC provides the Rauland Responder Nurse Call Communications system, as well as the Centrak Real Time Locating system, with integration to the Rauland Nurse Call system. The Centrak system also provides Infant Abduction protection and feeds location information into the Cerner Bed Management system.

Block and Co.- SWC completed a building wide Brivo Access Control upgrade consisting of both system replacement, and door hardware on 27 access doors. We also provided all new IP Video Surveillance System (35 cameras) on the interior and exterior of the building. We continue to service these systems to meet the growing needs of the of this company.

Garden City USD 457
BID-HMGS Bells/Intercoms
January 14, 2026
9:00 A.M.

www.swc.net



SWC of Kansas City
stacy.menhusen@swc.net | 913.213.6410

Scope

Scope of Work – Horace Good Middle School Intercom Upgrade Project

Project Overview

Garden City USD 457 seeks a comprehensive intercom system upgrade at Horace Good Middle School to enhance daily communication and emergency response capabilities. This proposal delivers a Rauland Telecenter U (TCU) solution in full alignment with the district's bid specification and consistent with the district's existing TCU deployments.

SWC's proposed solution provides a modern, integrated system designed for reliability, scalability, and future expansion while maintaining district-wide platform consistency.

General Project Details

1. Bid Type: Formal Bid Project
2. Labor Requirements: This project is not subject to prevailing wage.
3. Warranty: One-year labor warranty beyond substantial completion.
4. System Integration:
 - SIP phone integration included.
5. Rauland TCU integration with the district's existing Genetec Access Control system. The district's access control provider will configure the Genetec side of the integration. SWC will program the Telecenter U system to close contacts during lockdown events.
6. IP Dialer included. Following installation, the district will configure monitoring using its existing monitoring provider. This approach matches the process used in the district's two prior TCU installations. The IP Dialer provides a one-button direct 911 call, activating established safety protocols.
7. Paging Zones: Two zones – Interior and Exterior.
8. District Responsibilities: Battery backups (UPS) provided by district.
9. SWC Responsibilities: Provide lifts as needed for installation.
10. Future-Ready Design:
 - Supports future integration with SWC neXus for intercom, access control, cameras, vaping and weapons detection, fire alarm, HVAC, and additional safety technologies.

Site Visit Summary

SWC completed the mandatory pre-bid site visit on January 5, 2026.

Following the visit, the district provided updated maps and clarified design requirements.

This proposal reflects all updates provided by the district.

Classrooms

One-for-one replacement of existing devices per district request:

-

Scope (cont)

- Replace existing classroom speakers with new round speakers where present and serviceable.
 - Replace existing clocks with new small digital clocks (different style than existing).
 - Replace call buttons, reusing existing locations where possible.
 - Call button locations remain as-is to minimize cost and relocation work.
 - Missing call buttons will be installed near classroom doors per district preference.

SWC will retain the existing speaker and clock combination faceplate base. The scope includes replacing the speaker unit and the digital clock mechanism while ensuring compatibility with the existing faceplate structure.

Gyms, Wrestling Room, Weight Room

- - Install overhead speakers for one-way audio.
 - Provide clock/speaker combo locations for two-way audio where specified.

Common Areas

- - Bathrooms: One-way speaker in each restroom (locations confirmed on updated map).
 - Stairwells: Speakers installed in each stairwell, located in second-floor ceiling above stairwell.
 - Speaker Style: Square speakers may be replaced with round speakers for consistency; district will address any cosmetic differences if desired.

Exterior Speakers

- - Exterior speakers included per locations shown on district-approved markup.

Cabling, Installation, and Materials

- - Cable Color: Purple cable per district standard.
 - Ceiling Responsibility:
 - District will provide ceiling tiles.

Scope (cont)

- SWC will provide T-bar framing for each 2x2 speaker.

Design Coordination

-
- District provided updated map sections in a single PDF organized by building area for clarity.

District-Provided Equipment

The district will provide:

-
- Server
 - PoE switches
 - Demolition of existing intercom system (option for SWC to perform)
 - UPS battery backup
 - Head-end patch cables and rack space

SWC-Provided and Installed Equipment

SWC will provide and install:

-
- 22-04 cable to classrooms
 - 77 classroom speakers
 - 77 classroom call buttons
 - 1 administrative console
 - 1 IP Dialer
 - Cabling for common area and exterior speakers
 - 173 common area speakers
 - 26 exterior horn speakers
 - Raceway and surface-mount as required (six classrooms identified)
 - Lifts as needed

Protective Cages

-

Scope (cont)

- Existing protective cages (e.g., over clocks) will be reused where compatible with new digital clocks.

Options and Alternates

- Demolition: Separate line item for removal of existing system (district may self-perform or select SWC).
 - Additional Speakers: Optional line item for coverage gaps beyond baseline scope (9 total: 5 lay-in, 4 ACC1412 box horns).
 - Message Boards:
 - Cost provided for one small and one large message board.
 - Drop-ship option for district self-installation for cost savings.
 - If SWC installs, labor will be added.
 - Wiremold:
 - Includes SWC providing and installing Wiremold in one classroom.
 - Final cost based on number of rooms selected.

Change Order Policy

Any modifications, additions, or edits requested after bid award that are not explicitly included in this scope will require a formal Change Order.

This includes but is not limited to:

- Additional devices
 - Integration features
 - Design changes not specified in this document

Change Orders will outline:

- Revised scope
 - Associated cost
 - Schedule impact

All Change Orders require district approval prior to implementation.

Optional items listed in this proposal (message boards, kiosks, additional speakers) may be added

Scope (cont)

later through this Change Order process if the district elects to include them.

Pricing Summary

OFFER: In accordance with the Scope of Work and Terms and Conditions attached hereto, SWC is pleased to offer this pricing, **valid through 2/12/2026**, for the following project:

Garden City USD/Horace Good Middle

School/Intercom/BID

REF #: 66160_EST_2

ESTIMATE GROUP	TOTAL PRICE
Demo Option	\$13,617.32
Option Single Call Button Wire Mold	\$119.15
OPTIONAL ADDITIONAL SPEAKERS	\$4,148.27
Single Large MB	\$2,156.96
Single Small MB	\$974.66
TCU	\$273,650.15

SUB-TOTAL: \$294,666.51

TAX (EXEMPT): \$0.00

TOTAL: \$294,666.51

Per my authority as an executing agent, please accept this as an intent to award and enter into a contractual agreement with SWC.

Bill of Materials

EST. GROUP - Demo Option

Mfg	Part Num	Description	Quantity
SWC	Misc-Cable	Misc. Cable, Connectors and Consumables	1.00

EST. GROUP - Option Single Call Button Wire Mold

Mfg	Part Num	Description	Quantity
Wiremold	V5744S	Wiremold 1 gang deep surface mount box	1.00
Wiremold	V504	STL STRAP 500 IVORY	3.00
Wiremold	V500	WIRE MOLD 10FT	1.00

EST. GROUP - OPTIONAL ADDITIONAL SPEAKERS

Mfg	Part Num	Description	Quantity
Rauland	ACC1412	Paging Horn W/baffle,enclosure	4.00
Rauland	BAFKIT2X2LVC	2'x2' 25/70v Ceil Spkr Assy Vc	5.00
Windy City Wire	1802P-PUR	18-02 UNS STR CMP Pur Jkt	1.00
SWC	Misc-Cable	Misc. Cable, Connectors and Consumables	1.00
Wiremold	V5744S	Wiremold 1 gang deep surface mount box	4.00
Wiremold	V504	STL STRAP 500 IVORY	12.00
Wiremold	V500	WIRE MOLD 10FT	4.00
GRAINGER	6YLT2	Ceiling Tile Suspension System, Cross Te	5.00

EST. GROUP - Single Large MB

Mfg	Part Num	Description	Quantity
Rauland	TCC3012LV2	Tcu Large Message Board V2	1.00

EST. GROUP - Single Small MB

Mfg	Part Num	Description	Quantity
Rauland	TCC3011SV2	Tcu Small Message Board V2	1.00

EST. GROUP - TCU

Mfg	Part Num	Description	Quantity
Rauland	ACCWB5	Mtl Wall Baffle W/us0188 Spkr	11.00
Rauland	US0188	8" Spkr 25/70v Mtap Xfmr 5oz	146.00
Rauland	US0880	8 Ohm,8w, 8", Spkr W/rj45 Jack	2.00
Rauland	TCC2011BV2	Tcu Classroom Speaker Module V2	2.00
Rauland	ACC1003	1-piece Square White Steel Baf	6.00
Rauland	ACC1112	11.5" Sq White Surface Backbox	6.00
Windy City Wire	1802P-PUR	18-02 UNS STR CMP Pur Jkt	20.00
Graybar	J-Hook	J-Hooks & Hardware	1,600.00
Lynn Elec	CAT6PL-07-PU	Patch Cable Cat6 Plenum 7ft Purple	10.00
Panduit	NK2BXWH-A	Panduit Netkey 2 Port Surface Mount Box	3.00
Panduit	NK688MVL	CAT6 KEYSTONE JACK VIOLET	6.00
Panduit	NKBMBL-X	Black Blank Insert - 10 PACK	2.00
Panduit	NKFP24Y	24 port MFP Patch Panel	1.00
Middle Atlantic	PHCM-1-2	PHCM-1-2 HORIZONTAL CABLE MNGMT	1.00
Windy City Wire	CAT6P-PUR	23-4P UNS SOL CMP C6 Pur Jkt	1.00
Allentel	25-3-PP-25-GY	ALLENTEL 25 PAIR TELCO MM 25`	8.00
Siemon	M1-50R	25 Pair S66 Network Interface Device, Fe	8.00
Rauland	TCC2024	Telecenter Campus 24 Port Ip C	4.00
Wiremold	V5744S	Wiremold 1 gang deep surface mount box	6.00
Wiremold	V504	STL STRAP 500 IVORY	18.00
Wiremold	V500	WIRE MOLD 10FT	6.00
Windy City Wire	2204SP-PUR	22-04 OAS STR CMP Purple Jkt	16.00
SWC	Lift rental (week)	Lift Rental Weekly	1.00
GRAINGER	6YLT2	Ceiling Tile Suspension System, Cross Te	84.00
BREKEKE	Brekeke PBX	Brekeke PBX	20.00

EST. GROUP - TCU

Mfg	Part Num	Description	Quantity
Lynn Elec	CAT6PL-01-PU	Patch Cable Cat6 Plenum 1ft Purple	39.00
Rauland	603101	Classroom Breakout Mod 10 Pack	1.00
Rauland	ACCWB8RJ	Surf. Mt. Spkr Assy 8 Ohm Rj45	6.00
Rauland	BAFKIT2X2LVC	2'x2' 25/70v Ceil Spkr Assy Vc	84.00
Rauland	A30G	Weather Tight Adptr 30w Horn	26.00
Rauland	3603	Wide-angle Paging Projector	26.00
Rauland	TCC2211PB	Call Switch Rj45 Emer Check-in	77.00
Duracell	SLA12-7F	Battery, 12V 7AH, AGM, .187 Terminal	1.00
Lenel-S2	LNL-CAM1	Lock assembly and keys for LenelS2 stand	1.00
M2M	MQ03-LTE-M-LAN-AV	M2M CELL DIALER AV AT&T AND VERIZON NETW	1.00
Altronix	TP1640	Transformer, Plugin, 16VAC@40VA	1.00
Altronix	SMP3E	6,12,24VDC 2.5 AMP Power Supply, with en	1.00
Napco	SLE-ANTEXT50	SLE EXT. ANTENNA 50FT COAX KIT	1.00
Leviton	LV-430801S1	Leviton 43080-1S1 Stainless-Steel Single	1.00
Rauland	TCC2000V2	Tcu Campus Controller V2	1.00
Phoenix	0801733	DIN RAIL 35MMX7.5MM SLOTTED 2M	3.00
Phoenix	3044076	PHOENIX SINGLE TERMINAL 2.5MM	60.00
Rauland	TCU3400SW	TCU License Bundle - Controller, API, Ma	1.00
JBL	NCSA280Z-U-US	NCSA280Z-U-US 2X80W 70/100V 1RU 1/2RACK	7.00
Proco	TYPE A	Proco TYPE A custom Input Jack Plate	1.00
SWC	Misc-Cable	Misc. Cable, Connectors and Consumables	1.00
Middle Atlantic	PD-915R-PL	PD-915R-PL Rack Mount Outlet Strip	2.00
Rauland	TCC2099	Universal Mounting Kit	6.00
Rauland	TCC2022	Telecenter Campus Zone Module	7.00

EST. GROUP - TCU

Mfg	Part Num	Description	Quantity
Rauland	TCC2055	Telecenter Campus Prog Module	1.00
Rauland	TCC2033	Telecenter Campus Auxio Module	2.00
Rauland	TCC2045	Telecenter Campus Ip Console	1.00
THE SAPLING COMPANY INC.	SBL-31S-404-4R	Sapling Digital, Wireless 3100 Model, 4.	90.00
THE SAPLING COMPANY INC.	SMA-3R0-1004-1	SMA 3000 Series Master Clock with 900 MH	1.00
THE SAPLING COMPANY INC.	35-M025	Power Transformer, .50KVA Output Power	6.00
THE SAPLING COMPANY INC.	SAG-1200	Universal Wire Guard	4.00

Terms & Conditions

Article A. Scope Includes:

Scope includes the following unless specifically modified by the written, project specific scope of work contained in this proposal.

1. Submittals for review and approval, if required.
2. SWC Construction documents from approved Submittals for strict use by others for providing a complete conduit/raceway system and all conjunctive efforts.
3. Furnishing ONLY; special housings and special back boxes for installation by others.
4. Furnishing and installing wire and cable for systems listed.
5. Fire caulking of only those penetrations opened or generated by SWC during the execution of this project using standard putty or caulk. Specialty sleeves not included.
6. Furnishing, installing and termination of field devices.
7. Furnishing, installing and termination of head-end equipment in Equipment Rooms and Control areas.
8. Functional testing of systems per SWC standards. Testing documents available upon request.
9. Operation and maintenance documents in electronic format ONLY, per the standards of SWC.
10. Project Management services in coordination with SWC scope of work.
11. Site Supervision during the installation of SWC scope of work ONLY.
12. As required; site conditions verification for SWC Scope of work ONLY.
13. Consideration of prevailing wage requirements if and as applicable.
14. Removal of only those existing system/devices and cable rendered obsolete by this project.
15. Training and Go-Live support as defined in the bid documents, and will be on consecutive days Mon-Fri 8am-4pm. Customer conducted end-user training must be completed prior to Go-Live

Article B. Scope Excludes:

Scope excludes the following unless specifically modified by the written, project specific scope of work contained in this proposal.

1. Service and circuit power requirements including final connections to any and all of our electronic equipment.
2. A complete and independent conduit/raceway for system per the NEC and installed in the most direct and efficient manner and method including all necessary conduit, back boxes, pull/junction boxes, wire ways, 'J' hooks, racks, pull strings etc. all being properly identified and color coded (unless specifically described in the scope of work).
3. Lead lined or similar back boxes unless specifically noted.
4. Finish Painting (except for those products furnished from the factory by SWC with finish paint).
5. Patching of concrete, tile, drywall or masonry.
6. Core drilling and sleeves including any X-ray services needed.
7. Furnishing and installing hardware for doors.
8. Any and all interfacing to other equipment unless specifically noted. This includes lighting control relays.
9. Server(s) and workstation(s) hardware and Microsoft operating system

ARTICLE C. TERMS & CONDITIONS:

Term and Conditions are as follows unless specifically modified by the written, project specific scope of work contained in this proposal.

1. These Standard Terms and Conditions are a part of the Proposal made by and between SWC and the Customer identified in the Proposal. Upon acceptance of the Proposal by the Customer by signature, the total Proposal contents and any other documents included or referenced in the Proposal create a legal and binding Contract/Subcontract between SWC and the Customer. The Agreement must be executed by the Parties, the Customer and SWC, prior to any action or work being performed by SWC.
2. Customer's Contract and Bond. The Customer shall furnish to SWC a copy of its Contract; values may be removed, along with a copy of the Customer's Performance and Payment Bond.
3. Builders Risk. The Customer shall also secure and furnish to the SWC a copy of the Builders Risk Insurance policy covering the entire project inclusive of the SWC's on-site work and delivered equipment.
4. CAD Files. The Customer will furnish to SWC required and appropriate CAD files immediately after execution of this Agreement. Delays in furnishing CAD files will delay the project. Lack of appropriate CAD files will be cause for a change order at \$250 per sheet.

5. Project Schedule & Site Requirements. The Project Schedule will be a mutually agreed upon document between the Customer and SWC inclusive of the original issue and all revisions. SWC will issue to the Customer its schedule to state and clarify SWC's activities, durations and order of activities. The Customer shall issue any proposed revisions to the Schedule in a timely manner in order that SWC may respond with agreement and or changes.
- Schedule Acceleration by the Customer, for reasons not caused by SWC (i.e. other trades not meeting the schedule, weather, site conditions and other delays), may result in additional manpower or manhours to be required of SWC. These may result in additional compensation and or time extensions to SWC's Work.
 - Work Hours. SWC's Proposal is based on normal work hours Monday through Friday. SWC may request of the Customer to self-schedule at SWC's own expense. Any other requirement by the Customer of SWC will be cause for additional compensation.
 - Schedule items of commencement and performance of possible SWC activities require completion of work by other trades. The possible key activities are as noted following:
 - Wire and cable installation – Completion of conduit and raceway with pull-strings in place, conduit color-coded per SWC system color designations (including conduit terminations and pull boxes) and all conduit and pull boxes being properly labeled.
 - Device installation – Walls and ceilings completed and finish paint applied with all areas dust and moisture free and building (Work area) secured.
 - Headend equipment installation – Equipment Rooms 100% complete, lockable and environmentally controlled.
 - Control equipment installation – Rooms 100% complete, lockable and environmentally controlled.
 - Release of a certain quantity of (minimum of 4) rooms or areas per consecutive day/week; failure to release or delay in release may be cause for additional compensation.
 - Submittals (Shop Drawings). Normal timeframe is 8-12 weeks from receipt of execution by both parties of this proposal. Timeframe is dependent of the Project size, scope and requirements.
 - Within the first 30-40 days of the execution of the Proposal, SWC will require the following, if applicable, in order to make the project a success and in order to proceed with final design, programming, manufacturing and installation: (1) necessary IP addresses and server access, (2) needs assessment session and sign-off and (3) final review and sign-off of project scope, submittals and schedule.
 - Manning the Site (Installation Start). Allow a minimum of 2-8 weeks from receipt of approved Submittals for SWC to commence work on site.
 - SWC Site Supervision and Site Meetings. SWC will assign a designated Project Manager and or Site Superintendent to the Project. SWC shall have on-site supervision only when we have on going site work being performed by the SWC's personnel. SWC shall attend all site meetings when we have on-going work on-site or any meetings requiring our attendance when proper notice has been received from the Customer.
 - Customer/Owner Site Supervision. The Customer will assign a designated Project Manager and or Site Superintendent to the Project as the point of contact. For Health Care projects, the facility will appoint a Clinical Administrator, a Systems Resource Administrator and IT Administrator for coordination and working directly with SWC throughout the project.
 - Protection of Work. SWC takes full responsible for protection of its work as it applies to the normal project conditions, however SWC's responsibility does not cover damage to our equipment and work by other trades whether it by accident, negligence or a deliberate action.
 - Temporary Site Facilities. Unless specifically identified in SWC's scope of work, the Customer shall furnish all proper and sufficient temporary site facilities, including but not limited to site access, lockable storage space, hoisting facilities, guard rails, covers for floor, roof and wall openings, security, parking, toilets, potable water, electrical service, lighting, heat, ventilation, weather protection, fire protection, dewatering (pumping) and trash and recycling services.
 - Safety Barriers and Fines. SWC shall not be liable for erecting or maintaining project safety barriers except those specifically needed for the work of SWC.
 - Safety Policy. Safety First is mandated by SWC and as such all SWC's employees or subcontractors will operate under its written Safety Policy. The Customer may request a copy for its records.
 - Drug Policy. Drug Free is mandated by SWC and as such all SWC's employees or subcontractors will operate under its written Drug Free and Substance Policy. The Customer may request a copy for its records.
6. Payment Terms, Stored Material & Changes to Work.
- Payment Terms. SWC shall issue its Schedule of Values for determining its progress payments, which will include the required downpayment, Engineering, Manufacturing, Project Management, off-site stored materials and any other disciplines of the Work. Progress payment invoices will be issued on the 25th of each month for work performed through that current month's end. Payments are due within thirty (30) days of invoice date. All sums not paid when due shall bear interest at the rate of 1 ½% per month from the due date or the maximum rate permitted by law. Failure to pay any invoice when due shall constitute a breach of contract and will result in work stoppage until payments are brought up to date, remobilization fees shall apply. Additionally if SWC is forced to engage an outside source, legal or otherwise, to collect on any past due amount, then such costs and fees to do so will be born by SWC's Customer.

- SWC's standard payment application and invoice forms will be accepted and used for issuing the monthly request. No other additional documentation or forms will be required for payment. Any request for additional forms or documentation will be upon written request and, if approved by SWC, will be processed at an additional administrative fee to be invoiced separately. Certain requested information, if approved, will be redacted for all confidential information and or pricing.
 - SWC does not accept any contingent payment terms and or clauses of any type. SWC requires prompt payment by our Customer to meet our obligations to our labor and vendors alike and therefore will not accept the risk of our Customer's receipt of payments from their customer or from any source for payment to SWC.
 - Payment for Stored Materials. Payment for materials stored at SWC's facilities will be allowed. Materials and components must be ordered in advance to assure Schedule requirements and along with the sensitivity of the equipment to the conditions of a construction site dictates storage offsite in a controlled environment until the facility is environmentally controlled and secured." SWC's facilities and warehouse are secured and monitored for fire and theft plus being environmentally controlled.
 - Lien Waivers. SWC will only issue and sign final waivers of lien or bond rights that exclude any waiver of lien or bond rights securing payment, unbilled changes, and claims which have been asserted in writing or which have not yet become known to SWC, and any such waivers shall either apply only through the date of work covered by SWC's last payment application that has been paid in full, or shall be conditional upon receipt of funds to SWC's account. Releases of Lien for partial or final payment will be contingent on the receipt of the funds covered by the Release of Lien.
 - Changes and Claims. SWC shall be entitled to equitable adjustments of its schedule and price for delays, acceleration, out-of-sequence work and schedule changes beyond its reasonable control, including but not limited to (a) those cause by labor unrest, fires, acts of nature, wars, or suspensions or delays caused by the Customer or others; (b) extra work it performs in accordance with the proposal; and (c) extra work it performs pursuant to written or verbal instructions of the Customer, provided that SWC gives the Customer notice in writing (except in an emergency threatening bodily injury or loss of property), prior to starting such extra work, identifying the date and source of the instructions considered as requesting extra work. All extra work will only be performed by the SWC only after issuance by the Customer of a signed and executed change order, time & material work order and or other SWC approved directive.
 - Retainage. No retainage will be withheld on labor or materials.
 - Payment Forms. Acceptable payment forms shall be submitted and approved by SWC. Payments forms that will be considered are Customer Company check, bank draft and credit card. Note, for credit card payments, SWC will charge a processing fee current to SWC at the time.
 - Performance and Payment Bond. Proposal pricing does not include the cost of a performance and payment bond. The P&P Bond is available upon written request at a minimum cost of one (1%) percent of the final executed Proposal value. The P&P Bond, if required, will be invoiced separately.
 - Project Startup and Mobilization Fee. A fee in the amount of thirty (30) percent of the final Proposal price will be required to be received by SWC prior to commencement of any work of the executed Proposal.
 - Taxes are not included in the Proposal price unless specially noted.
 - Ownership and Title of Equipment. Title and ownership to any Equipment and Software remains with SWC until receipt of full payment or invoiced portion thereof. Any Equipment or Software used to operate the system(s) is subject to the license or software license granted by the applicable manufacturer or SWC. All designs for the system(s) and software are proprietary to SWC and remain the sole and exclusive property of SWC and or SWC's manufacturer. Such designs may not be modified by the Customer or any third party without prior written authorization.
7. Permits, local license, inspections and all related cost will be furnished and paid by others. SWC is licensed to perform work in the state and has license as such.
 8. In the case of termination for our Customer's or the Owner's convenience, SWC shall be entitled to receive payment for work executed, materials purchased and costs incurred by reason of such termination along with reasonable overhead and profit on the work not executed.
 9. Customer/Owner Insurance. The Customer/Owner shall maintain a Builders Risk and other policies of public liability, property damage, burglary and theft insurance under which SWC and the Customer are named as insured, and under which the insurer agrees to indemnify and hold SWC harmless from and against all costs, expenses, including attorney fees, and liability arising out of or based upon any and all claims, injuries and damages arising under this agreement, including, but not limited to, those claims, injuries or damages contributed to by SWC's negligent performance to any degree or its failure to perform any obligation.
 - The minimum limits of liability of such insurance shall be \$1,000,000.00 for any injury or death and property damage, burglary or theft coverage in an amount necessary to indemnify Customer for property on its premises. SWC shall not be responsible for any portion of any loss or damage which is covered or recoverable by the Customer from insurance covering such loss or damage against which the Customer is indemnified or insured.
 - SWC's Insurance. SWC's insurance will name its Customer only as additional insured. SWC's standard insurance policy and the limits therein, which will meet the minimum requirements, shall be acceptable.

- SWC shall maintain insurance with coverage until the end of the warranty period with the limits only as provided by SWC's existing insurance program as shown by its certificate of insurance issued at the time of Proposal execution. SWC's insurance is not and will not become at any time the primary coverage for the Customer or any other party and does not accept any contribution provisions for the Customer or any other party for any associated defenses or losses. Any "No Subrogation" clauses placed on the SWC are deemed null and void.
 - Wrap-Up Projects (OCIPs and CCIPs). SWC will not participate in a consolidated insurance program ("CIP"). SWC's Insurance Carrier does not allow SWC's participation in any secondary insurance programs provided by the Customer, Owner, Construction Manager and or Contractor (OPIC, CCIC, etc.) due to most programs of such having limited coverage to the site and in coverage amounts.
10. Warranty. SWC's warranty, if applicable, will begin at SWC's substantial completion (phased if applicable) and the issuance of the Certificate of Warranty by the SWC. Warranty will be one (1) year from substantial completion of our scope of work and or beneficial occupancy or use by the Owner and or the Owner's agents / employees and as noted will be as defined by our Certification of Warranty issued at the time of substantial completion of our scope of work and or beneficial occupancy or use by the Owner and or the Owner's agents / employees. Certain hardware may be covered by an additional manufacturer's warranty (shipping/freight, and labor excluded)
 - Additional pricing is specially excluded in the Proposal for extended warranty services. Extended warranty services require a separate executed agreement. If such an agreement is executed and paid at the stated time, it will begin one year from issuance of SWC's Certificate of Warranty. Failure to execute and issue payment will result in loss of service and support under warranty terms and conditions. However, if an extended warranty agreement is not executed then SWC's normal billable service will remain available on a will-call basis.
 11. Force Majeure. SWC shall not be liable or responsible to any party, nor be deemed to have defaulted under or breached this Agreement, for any failure or delay in fulfilling or performing any term of this Agreement when and to the extent, directly or indirectly, such failure or delay is caused by or results from acts beyond SWC's reasonable control, including, without limitation, the following force majeure events (a) acts of God; (b) flood, fire, earthquake or explosion; (c) war, invasion, hostilities (whether war is declared or not), terrorist threats or acts, riot or other civil unrest; (d) government order or law; (e) actions, embargoes or blockades in effect on or after the date of this Agreement; (f) action by any governmental authority; (g) national or regional emergency; (h) strikes, labor stoppages or slowdowns or other industrial disturbances; (i) epidemic, pandemic or similar influenza or bacterial infection (which is defined by the United States Center for Disease Control as virulent human influenza or infection that may cause global outbreak, or pandemic, or serious illness); (j) emergency state; (k) shortage of adequate medical supplies and equipment; (l) shortage of power or transportation facilities; (m) delayed at any time in the commencement or progress of its Work due to a delay in delivery of or unavailability of materials (transportation and or supply chain issues) beyond the control and fault of SWC, (n) unexpected skilled labor shortage, (o) access to the project that prevents performance to the agreed upon schedules and (n) other similar events beyond the reasonable control of SWC. For the avoidance of doubt, Force Majeure shall not include financial distress, the ability to make a profit, to avoid a financial loss or SWC's inability to perform its obligation for reasons other than those stated.
 12. Special Site Conditions. Owner/Contractor will provide a safe, clean work environment free from any infectious and or hazardous conditions.
 13. Anti-bid shopping clause. It is understood and agreed that this Quote is a confidential document between the parties and any use thereof to conduct business with any party other than SWC constitutes a breach of contract. The sharing of commercially sensitive business information with competitors (such as information relating to prices and costs) can amount to illegal conduct and must be avoided.
 14. Hold Harmless and Indemnification Restriction. SWC's indemnification is strictly limited to damages caused by and only caused by SWC's own negligence. Any indemnification or hold harmless obligation of SWC extends only to claims relating to bodily injury, sickness, disease or death and property damage (other than to SWC's work), and then only to that part or proportion of any claim caused by the negligence or intentional act of SWC, its sub-subcontractors and its employees. SWC shall not have a duty to defend any other party.
 15. Lien and Bond Rights Preserved. This is a preliminary information pursuant to applicable State laws and does not constitute a current lien on the said property nor does it reflect adversely on the Customer and if applicable the Owner. It is a notice to protect the rights of SWC and is not a lien, cloud, nor encumbrance to the said property, nor is it a matter of public record. Certain State and local laws require the issuance of this notice as a prerequisite afforded by the lien and or bonding laws in most instances to protect the rights in the future. Accordingly, this provision, notice, is made a part of this agreement as a matter of protection to SWC as a standard practice. Notwithstanding any provision to the contrary, SWC may take all steps reasonably necessary to preserve and enforce its lien and bond rights.
 16. Prevailing and or union wages are not included in our proposal unless specially noted.
 17. Governing Law. This Agreement shall be governed by and construed in accordance with the laws of the State of the location of the facility for which product is installed or services are performed.
 18. Severability. In the event any one or more of the clauses or provisions of this Agreement or any exhibit is held to be invalid or inapplicable to said Agreement or otherwise unenforceable, the enforceability of the remaining clauses and provisions shall remain enforceable.

- 19. Additional Provisions. Contract provisions and clauses not stated that strictly apply to this Agreement but may become applicable or necessary in the course of the Project (i.e., Dispute Remedies, Severability, Termination, Assignments, Conflicts, etc.) shall be in accordance with the standards of the American Subcontractors Association Contract Articles and Clauses.
- 20. Time validity of this Quote is 30 days.

PROPOSAL ACCEPTANCE

By signing this Proposal, the Customer accepts this Proposal, enters into a Subcontract Agreement with SWC in the amount of \$294,666.51 and authorizes SWC (South Western Communications, Inc.) to commence with the noted Work of Proposal 66160_EST_2. The authorization is inclusive of approval to commence Equipment procurement, Engineering, Programming, Manufacturing and Installation with applicable progress invoicing of same.

Execution of this Agreement by the Parties. SWC reserves the right to delay the commencement of any required activities of this Agreement until which time SWC has received the required Project Start-up and Mobilization fee and other applicable requirements such as Customer Credit/Risk Application, Insurance Certificates (Customer and Builders Risk), Bond (Customer and Owner, CAD Files, etc.,

Note: This proposal will expire if not accepted within thirty (30) days of the date of the Proposal. SWC reserves the right to modify this Proposal at any time prior to acceptance.

Proposal Acceptance and Subcontract Execution:

By:

Customer Authorized Signature

SWC Authorized Signature

Printed Name


Printed Name

Title

Title

Acceptance Date

Acceptance Date



Horace Good Upstair

Horace Good Middle School

- Network Closets
- Outside Cameras
- Inside Cameras
- Door Controls
- Clocks/Speakers
- ★ Speakers

35 Speakers in CHA

MEDIA CENTER